

NOTICE OF STUDY COMPLETION

MUNICIPAL CLASS ENVIRONMENTAL ASSESSMENT STUDY New Wastewater Forcemain from Fulton Street Pumping Station to Derry Road and Santa Maria Boulevard in the Town of Milton Our File: PR-S3027A

Study

Halton Region has completed a comprehensive review of the wastewater servicing strategy for central Milton, including an assessment of the benefits of decommissioning the Milton Wastewater Treatment Plant (WWTP). This review evaluated several alternative servicing strategies that considered environmental, economic, social, legislative and technical impacts. In October 2016, Halton Regional Council approved the preferred option to close the Milton WWTP and divert flow to the Mid-Halton WWTP located in Oakville. To facilitate this preferred option, a second wastewater forcemain (WWFM) from the Fulton Street Wastewater Pumping Station (WWPS) is required.

Halton Region has completed a Municipal Class Environmental Assessment (EA) Study to determine the preferred alignment of the proposed second WWFM from the Fulton WWPS to Derry Road/ Santa Maria Boulevard, in the Town of Milton. The Study has been conducted in compliance with 'Schedule B' of the Municipal Class Environmental Assessment document (October 2000, as amended 2007, 2011 and 2015), which is an approved process under the *Ontario Environmental Assessment Act*.

Process

A Project File Report has been prepared to document the planning, public consultation and decision making process undertaken for this Municipal Class EA Study. By this Notice, the Project File Report is being placed on the public record for a 30-day review period in accordance with the requirements of the Municipal Class EA. Subject to comments received as a result of this Notice and the receipt of necessary approvals, Halton Region intends to proceed with detailed design and construction of phase 1 as documented in the Project File Report and noted in the map. The Project File Report is available for review at the following locations:

Regional Municipality of Halton Clerk's Department

1151 Bronte Road
Oakville, ON, L6M 3L1
Tel: (905) 825-6000
Monday to Friday: 8:30 a.m.
– 4:30 p.m.

Town of Milton Clerk's Department


150 Mary Street
Milton, ON L9T 6Z5
Tel: (905) 878-7252
Monday to Friday: 8:30 a.m.
– 4:30 p.m.

Milton Public Library

Main Branch
1010 Main Street East
Milton ON L9T 6H7
Tel: (905) 875-2665
Monday to Thursday: 9:30 a.m. - 9 p.m.
Friday to Saturday: 9:30 a.m. - 5 p.m.
Sunday: 1 p.m. - 5 p.m.

An electronic copy of the Project File Report can be accessed at halton.ca/Eaprojects.

The map shows the approximate limits of the Study Area and the preferred alternative solution.



We welcome your feedback. **Please provide comments to the Halton Region Project Manager by Monday, May 28, 2018.**

Sanjeev Oberoi, P.Eng., PMP
Project Manager
Infrastructure Planning & Policy
Halton Region
1151 Bronte Road, Oakville
ON L6M 3L1
Tel: (905) 825-6000, ext. 7921
Sanjeev.Oberoi@halton.ca

If concerns regarding this project cannot be resolved through discussions with the Region, a person or party may request that the Minister of the Environment and Climate Change order the project to comply with Part II of the Environmental Assessment Act (referred to as a Part II Order), which addresses individual environmental assessments. Requests for a Part II Order must be received by the Minister and Region in writing, at the addresses provided, by Monday, May 28, 2018 (within 30 days of this Notice).

Minister of the Environment and Climate Change
77 Wellesley Street West, Floor 11
Toronto, ON M7A 2T5

This notice first issued on Thursday, April 26, 2018.



Please contact us, as soon as possible, if you have any accessibility needs at Halton Region events or meetings.