

APPENDIX F: MAPS OF THREAT AREAS WHERE POLICIES APPLY


Map 1.1: Mono – Significant Groundwater Quality Threat Areas	192
Map 2.1: Mono – Significant DNAPL Threat Areas	193
Map 1.2: Orangeville-Amaranth 1 of 2 – Significant Groundwater Quality Threat Areas	194
Map 2.2: Orangeville-Amaranth 1 of 2 – Significant DNAPL Threat Areas	195
Map 1.3: Orangeville 2 of 2 – Significant Groundwater Quality Threat Areas	196
Map 2.3: Orangeville 2 of 2 – Significant DNAPL Threat Areas	197
Map 3.1: Orangeville-Amaranth-Mono – Significant Groundwater Quantity Threat Areas	198
Map 1.4: Alton – Significant Groundwater Quality Threat Areas	199
Map 2.4: Alton – Significant DNAPL Threat Areas	200
Map 1.5: Caledon Village – Significant Groundwater Quality Threat Areas	201
Map 2.5: Caledon Village – Significant DNAPL Threat Areas	202
Map 1.6: Hillsburgh – Significant Groundwater Quality Threat Areas	203
Map 2.6: Hillsburgh – Significant DNAPL Threat Areas	204
Map 1.7: Erin – Significant Groundwater Quality Threat Areas	205
Map 2.7: Erin – Significant DNAPL Threat Areas	206
Map 1.8: Bel-Erin – Significant Groundwater Quality Threat Areas	207
Map 2.8: Bel-Erin – Significant DNAPL Threat Areas	208
Map 1.9: Inglewood – Significant Groundwater Quality Threat Areas	209
Map 2.9: Inglewood – Significant DNAPL Threat Areas	210
Map 1.10: Cheltenham – Significant Groundwater Quality Threat Areas	211
Map 2.10: Cheltenham – Significant DNAPL Threat Areas	212
Map 1.11: Acton (Prospect Park) – Significant Groundwater Quality Threat Areas	213
Map 2.11: Acton (Prospect Park) – Significant DNAPL Threat Areas	214
Map 1.12: Acton (4th Line) – Significant Groundwater Quality Threat Areas	215
Map 2.12: Acton (4th Line) – Significant DNAPL Threat Areas	216
Map 1.13: Acton (Davidson) – Significant Groundwater Quality Threat Areas	217
Map 2.13: Acton (Davidson) – Significant DNAPL Threat Areas	218
Map 3.2: Acton – Significant Groundwater Quantity Threat Areas	219
Map 1.14: Georgetown – Significant Groundwater Quality Threat Areas	220
Map 2.14: Georgetown – Significant DNAPL Threat Areas	221

Map 3.3: Georgetown – Future Significant Groundwater Quantity Threat Areas	222
Map 1.15: Palgrave – Significant Groundwater Quality Threat Areas	223
Map 2.15: Palgrave – Significant DNAPL Threat Areas	224
Map 1.16: Caledon East – Significant Groundwater Quality Threat Areas	225
Map 2.16: Caledon East – Significant DNAPL Threat Areas	226
Map 1.17: Nobleton – Significant Groundwater Quality Threat Areas	227
Map 2.17: Nobleton – Significant DNAPL Threat Areas	228
Map 1.18: Kleinburg – Significant Groundwater Quality Threat Areas	229
Map 2.18: Kleinburg – Significant DNAPL Threat Areas	230
Map 1.19: King City – Significant Groundwater Quality Threat Areas	231
Map 2.19: King City – Significant DNAPL Threat Areas	232
Map 1.20: Whitchurch-Stouffville – Significant Groundwater Quality Threat Areas	233
Map 2.20: Whitchurch-Stouffville – Significant DNAPL Threat Areas	234
Map 1.21: Uxville – Significant Groundwater Quality Threat Areas	235
Map 2.21: Uxville – Significant DNAPL Threat Areas	236
Map 3.4: York-Durham – Future Significant Groundwater Quantity Threat Areas	237
Map 4.1: Lake Ontario Intakes – Modelled Significant Threat Locations	238
Map 4.2: Lake Ontario Intakes – Moderate and Low Threat Locations	239

APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region





APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region




Map 2.1: Mono – Significant DNAPL Threat Areas

APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region




APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region



Map 2.2: Orangeville-Amaranth 1 of 2 – Significant DNAPL Threat Areas




APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region



Map 1.3: Orangeville 2 of 2 – Significant Groundwater Quality Threat Areas


APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region




Map 2.3: Orangeville 2 of 2 – Significant DNAPL Threat Areas



APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region




Map 3.1: Orangeville-Amaranth-Mono – Significant Groundwater Quantity Threat Areas




Map 1.4: Alton – Significant Groundwater Quality Threat Areas

APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region



Map 2.4: Alton – Significant DNAPL Threat Areas


APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region




Map 1.5: Caledon Village – Significant Groundwater Quality Threat Areas




APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region



APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region




APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region



Map 2.6: Hillsburgh – Significant DNAPL Threat Areas




APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region



Map 1.7: Erin – Significant Groundwater Quality Threat Areas




APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region



Map 2.7: Erin – Significant DNAPL Threat Areas




APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region



Map 1.8: Bel-Erin – Significant Groundwater Quality Threat Areas

Legend



WHPA areas with Vulnerability Score = 10
WHPA areas with Vulnerability Score = 8


Source Protection Area (SPA) Boundary

DRINKING WATER
SOURCE PROTECTION
A BETTER CLEAN WATER



Ontario

APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region




Map 2.8: Bel-Erin – Significant DNAPL Threat Areas



Map 1.9: Inglewood – Significant Groundwater Quality Threat Areas






APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region



Map 1.10: Cheltenham – Significant Groundwater Quality Threat Areas




APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region



Map 2.10: Cheltenham – Significant DNAPL Threat Areas



APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region




APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region




Map 2.11: Acton (Prospect Park) – Significant DNAPL Threat Areas



APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region




APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region




Map 2.12: Acton (4th Line) – Significant DNAPL Threat Areas




APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region




Map 1.13: Acton (Davidson) – Significant Groundwater Quality Threat Areas



APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region



APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region



Legend

- WHPA- Q1/Q2 - Significant Risk Level
- DEM - Demand: Water Taking
- REC - Recharge: Recharge Reduction
- Issue Contributing Area (ICA)
- Nitrates
- Source Protection Area (SPA) Boundary

Reference: Protected Drinking Water Sources in the Ministry of the Environment Face of Drinking Water Threats (2008)

(ii) Copyright Toronto & Region Source Protection Area, 2014.


Source: TRCA, 2014; SWOOP; Orthomagery 2010, LIU, MNR.

This map has been prepared to meet provincial requirements under the Clean Water Act, 2006 and should be used for other purposes only after consultation with the responsible conservation authority or source protection authority. The analysis used to produce this map relies on best available information as of the date of the map. Priority should be given to site specific information collected in accordance with accepted scientific protocols when being used for other purposes.




Map 3.2: Acton – Significant Groundwater Quantity Threat Areas

APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region




APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region



Map 2.14: Georgetown – Significant DNAPL Threat Areas



APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region



Reference: Prescribed threat circumstances as listed in the Ministry of the Environment Table of Drinking water Threats (2006)

(ii) Copyright Toronto & Region Source Protection Area, 2014.


Source: TRCA, 2014; SIRHOOP, Orthoimagery 2012, LIO, MNR.

This map has been prepared to meet provincial requirements under the Clean Water Act, 2006 and should be used for other purposes ONLY after consultation with the responsible conservation authority or source protection authority. The analysis used to produce this map relies on best available information as of the date of the map. Priority should be given to site specific information collected in accordance with accepted scientific protocols when being used for other purposes.




Map 3.3: Georgetown – Future Significant Groundwater Quantity Threat Areas

APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region




Map 1.15: Palgrave – Significant Groundwater Quality Threat Areas

APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region



Map 2.15: Palgrave – Significant DNAPL Threat Areas


APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region



Map 1.16: Caledon East – Significant Groundwater Quality Threat Areas




APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region




Map 2.16: Caledon East – Significant DNAPL Threat Areas

APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region




Map 1.17: Nobleton – Significant Groundwater Quality Threat Areas

APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region




Map 2.17: Nobleton – Significant DNAPL Threat Areas





Map 1.18: Kleinburg – Significant Groundwater Quality Threat Areas






Map 2.18: Kleinburg – Significant DNAPL Threat Areas




APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region



Map 1.19: King City – Significant Groundwater Quality Threat Areas



APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region



Map 2.19: King City – Significant DNAPL Threat Areas

Legend

- WHPA - C
- WHPA - B
- WHPA - A
- Wellhead

Dense Non-Aqueous Phase Liquids


Source Protection Area (SPA) Boundary

Reference: Prescribed threat circumstances as listed in the Ministry of the Environment Table of drinking water threats criteria.


(c) Copyright: Toronto & Region Source Protection Area, 2014.

Source: TRCA, 2014; First Base Solutions, 2011.


This map has been prepared to meet provincial requirements under the Clean Water Act, 2006 and should be used for other purposes ONLY after consultation with the responsible conservation authority or source protection authority. The analysis used to produce this map relies on land available information as of the date of the map. Priority should be given to site specific information collected in accordance with accepted scientific protocols when being used for other purposes.



APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region




Map 1.20: Whitchurch-Stouffville – Significant Groundwater Quality Threat Areas




WHPA areas with Vulnerability Score = 10
WHPA areas with Vulnerability Score = 8

This map has been prepared to meet provincial requirements under the Clean Water Act, 2006 and should be used for other purposes ONLY after consultation with the responsible conservation authority or source protection authority. The analysis used to produce this map relies on best available information as of the date of the map. Priority should be given to site specific information collected in accordance with accepted scientific protocols when being used for other purposes.

**DRINKING WATER
SOURCE PROTECTION**
ACT FOR CLEAN WATER






Map 2.20: Whitchurch-Stouffville – Significant DNAPL Threat Areas




APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region



Map 1.21: Uxville – Significant Groundwater Quality Threat Areas


APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region



Map 2.21: Uxville – Significant DNAPL Threat Areas




APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region



Map 3.4: York-Durham – Future Significant Groundwater Threat Areas




APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region



Map 4.1: Lake Ontario Intakes – Modelled Significant Threat Locations

APPROVED SOURCE PROTECTION PLAN: CTC Source Protection Region



Map 4.2: Lake Ontario Intakes – Moderate and Low Threat Locations

APPENDIX B – Ecolog ERIS Report



DATABASE REPORT



Project Property: *Trafalgar Road EA
Trafalgar Rd 7 Hwy
Halton Hills ON L0P1E0*

Project No: *3214006-000-451*

Report Type: *Quote - Custom-Build Your Own Report*

Order No: *20160225127*

Requested by: *MMM Group Ltd.*

Date Completed: *March 3, 2016*

Ecolog ERIS Ltd.
Environmental Risk Information
Service Ltd. (ERIS)
A division of Glacier Media Inc.
P: 1.866.517.5204
E: info@erisinfo.com

www.erisinfo.com

Table of Contents

Table of Contents.....	1
Executive Summary.....	2
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	7
Executive Summary: Summary By Data Source.....	29
Map.....	56
Aerial.....	57
Detail Report.....	58
Unplotable Summary.....	326
Unplotable Report.....	331
Appendix: Database Descriptions.....	354
Definitions.....	364

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by EcoLog Environmental Risk Information Services Ltd ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, EcoLog ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of EcoLog ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report(s) are protected by copyright owned by EcoLog ERIS Ltd. Copyright in data used in the Service or Report(s) (the "Data") is owned by EcoLog ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of EcoLog ERIS.

Executive Summary

Property Information:

Project Property: *Trafalgar Road EA
Trafalgar Rd 7 Hwy Halton Hills ON L0P1E0*

Project No: *3214006-000-451*

Order Information:

Order No: *20160225127*

Date Requested: *February 25, 2016*

Requested by: *MMM Group Ltd.*

Report Type: *Quote - Custom-Build Your Own Report*

Additional Products:

Executive Summary: Report Summary

Database	Name	Searched	Project Property	Boundary to 0.50km	Total
AAGR	Abandoned Aggregate Inventory	Y	0	0	0
AGR	Aggregate Inventory	Y	0	0	0
AMIS	Abandoned Mine Information System	Y	0	0	0
ANDR	Anderson's Waste Disposal Sites	Y	0	1	1
AUWR	Automobile Wrecking & Supplies	Y	0	1	1
BORE	Borehole	Y	0	0	0
CA	Certificates of Approval	Y	0	14	14
CFOT	Commercial Fuel Oil Tanks	Y	0	3	3
CHEM	Chemical Register	Y	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Y	0	0	0
CONV	Compliance and Convictions	Y	0	0	0
CPU	Certificates of Property Use	Y	0	0	0
DRL	Drill Hole Database	Y	0	0	0
EASR	Environmental Activity and Sector Registry	Y	0	1	1
EBR	Environmental Registry	Y	0	1	1
ECA	Environmental Compliance Approval	Y	0	3	3
EEM	Environmental Effects Monitoring	Y	0	0	0
EHS	ERIS Historical Searches	Y	0	13	13
EIIS	Environmental Issues Inventory System	Y	0	0	0
EMHE	Emergency Management Historical Event	Y	0	0	0
EXP	List of TSSA Expired Facilities	Y	0	27	27
FCON	Federal Convictions	Y	0	0	0
FCS	Contaminated Sites on Federal Land	Y	0	0	0
FOFT	Fisheries & Oceans Fuel Tanks	Y	0	0	0
FST	Fuel Storage Tank	Y	0	13	13
FSTH	Fuel Storage Tank - Historic	Y	0	9	9
GEN	Ontario Regulation 347 Waste Generators Summary	Y	0	73	73
HINC	TSSA Historic Incidents	Y	0	1	1
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0
INC	TSSA Incidents	Y	0	0	0
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System (NATES)	Y	0	0	0
NCPL	Non-Compliance Reports	Y	0	0	0
NDFT	National Defence & Canadian Forces Fuel Tanks	Y	0	0	0

Database	Name	Searched	Project Property	Boundary to 0.50km	Total
NDSP	National Defence & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal Sites	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NPCB	National PCB Inventory	Y	0	0	0
NPRI	National Pollutant Release Inventory	Y	0	0	0
OGW	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Y	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	0	0	0
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	3	3
PINC	TSSA Pipeline Incidents	Y	0	2	2
PRT	Private and Retail Fuel Storage Tanks	Y	0	10	10
PTTW	Permit to Take Water	Y	0	5	5
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	0	0
RSC	Record of Site Condition	Y	0	2	2
RST	Retail Fuel Storage Tanks	Y	0	3	3
SCT	Scott's Manufacturing Directory	Y	0	7	7
SPL	Ontario Spills	Y	0	21	21
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	TSSA Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Y	0	0	0
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Y	0	1	1
WWIS	Water Well Information System	Y	0	304	304
<hr/>					
				Total:	0 518 518

Executive Summary: Site Report Summary - Project Property

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
---------	----	-------------------	---------	--------------	---------------	-------------

No records found in the selected databases for the project property.

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>1</u>	WWIS		lot 11 con 8 ON	NW/3.2	0.23	58
<u>2</u>	WWIS		lot 11 con 8 ON	ENE/69.3	-0.55	58
<u>3</u>	EXP	PIONEER CANGO MANAGEMENT INC C/O COOPERS AND LYBRAND - D. DAL BELLO	TRAFalGAR RD & TENTH ASHGROVE ON	SE/1.4	0.23	59
<u>3</u>	EXP	CANGO INC**	TRAFalGAR RD & TENTH ASHGROVE ON L2G 5Z6	SE/1.4	0.23	59
<u>3</u>	EXP	M R PETROLEUM SERVICES	TRAFalGAR RD & 10TH SIDE RD ASHGROVE ON M1N 1V1	SE/1.4	0.23	59
<u>3</u>	PRT	M R PETROLEUM SERVICES	TRAFalGAR RD & 10TH SIDE RD ASHGROVE ON	SE/1.4	0.23	60
<u>3</u>	PRT	WRONG INDORG BEAVER /WAS CANGO	TRAFalGAR RD & TENTH ASHGROVE ON	SE/1.4	0.23	60
<u>3</u>	PRT	PIONEER CANGO MANAGEMENT INC C/O COOPERS AND LYBRA	TRAFalGAR RD & TENTH ASHGROVE ON	SE/1.4	0.23	60
<u>3</u>	SPL	Maple Lodge Farms Ltd.	Trafalgar & Regional Road 10 Halton Hills ON	SE/1.4	0.23	60
<u>4</u>	CA	M. LALL & SONS ENTERPRISES INC.	9990 TRAFALGAR ROAD, GEORGETOWN HALTON HILLS TOWN ON L7G 4S5	SE/13.8	0.23	6
<u>4</u>	EBR	M. Lall & Sons Enterprises Inc. Mississauga	9990 TRAFALGAR RD. Town of Halton Hills ON L7G 4S5	SE/13.8	0.23	61
<u>4</u>	EHS		9990 Trafalgar Road Georgetown ON L7G 4S5	SE/13.8	0.23	61
<u>5</u>	EHS		9989 Trafalgar Road Georgetown ON L7G 4S5	SE/11.8	0.23	61
<u>5</u>	GEN	770517 ONTARIO INC.	9989 TRAFALGER ROAD GEORGETOWN ON L7G 4S5	SE/11.8	0.23	62
<u>6</u>	WWIS		lot 10 con 7 ON	SSE/54.5	0.24	62
<u>7</u>	WWIS		lot 11 con 8 ON	ENE/118.9	-0.68	62
<u>8</u>	WWIS		lot 10 con 7 ON	SSE/36.5	0.23	63
<u>8</u>	WWIS		lot 10 con 7 ON	SSE/36.5	0.23	64
<u>9</u>	SCT	ASHGROVE WELDING LTD.	GEORGETOWN ON L7G	E/124.1	-0.57	64
<u>9</u>	SCT	ASHGROVE WELDING LTD.	RR 2 ON L7G 4S5	E/124.1	-0.57	65

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
10	WWIS		lot 11 con 8 ON	E/119.0	-0.43	65
11	WWIS		GEORGETOWN ON	ESE/53.0	0.23	66
12	SCT	ASHGROVE WELDING LTD.	13084 10th Side Rd Georgetown ON L7G 4S5	E/98.9	0.04	66
13	WWIS		lot 10 con 7 ON	SSE/45.0	0.26	67
14	WWIS		lot 10 con 8 ON	SE/28.6	0.23	67
15	WWIS		lot 10 con 8 GEORGETOWN ON	ESE/34.0	0.23	68
16	WWIS		lot 10 con 7 ON	SSE/48.4	0.36	69
17	EHS		Part of Lot 10, Concession 8 (Esquesing) Halton Hills ON	ESE/68.1	0.34	69
18	WWIS		lot 10 con 8 ON	ENE/178.9	-0.31	69
19	WWIS		lot 10 con 7 ON	S/119.9	0.19	70
20	WWIS		lot 10 con 8 ON	E/170.7	0.17	71
21	WWIS		lot 10 con 8 ON	E/177.8	0.23	71
22	WWIS		lot 10 con 8 ON	E/181.3	0.24	72
23	WWIS		lot 10 con 8 ON	E/188.4	0.24	73
24	WWIS		lot 10 con 8 ON	E/170.8	0.23	73
25	WWIS		lot 10 con 8 ON	ENE/265.1	-0.39	74
26	WWIS		lot 10 con 8 ON	ENE/297.6	-0.08	74
27	WWIS		lot 10 con 8 GEORGETOWN ON	ESE/141.1	0.50	75
28	WWIS		lot 10 con 8 ON	ENE/369.7	0.23	76
29	WWIS		lot 11 con 7 ON	NW/75.3	-2.66	76
30	WWIS		MILTON ON	SSE/193.3	0.17	77
31	WWIS		lot 10 con 8 ON	ENE/433.3	0.23	77
32	WWIS		lot 10 con 7 ON	SSW/387.7	0.23	78
33	WWIS		lot 10 con 8 ON	ENE/409.8	0.23	78
34	RSC	2108393 Ontario Inc.	10229 Trafalgar Road Halton Hills ON	NW/21.9	-3.57	79

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
35	WWIS		lot 10 con 8 ON	SE/62.7	0.23	79
36	WWIS		lot 11 con 8 ON	N/462.9	-3.75	80
37	WWIS		lot 9 con 8 ON	SE/23.9	0.23	80
38	WWIS		lot 10 con 7 ON	SE/114.7	-0.13	81
39	WWIS		lot 9 con 8 ON	SE/39.3	0.23	82
40	WWIS		lot 9 con 8 ON	SE/45.0	0.23	82
41	AUWR	MUSTANG SPECIALTEAZ	9811 TRAFALGAR RD GEORGETOWN ON L7G 4S5	SE/42.8	0.23	82
42	EHS		Main St W And Bronte St N Milton ON	N/460.5	-7.10	83
43	WWIS		lot 9 con 7 ON	SE/70.1	-4.64	83
44	WWIS		lot 9 con 8 ON	SE/120.0	-11.82	83
45	WWIS		ON	NNW/253.1	-4.37	84
46	WWIS		lot 13 con 7 ON	NW/74.9	0.23	84
47	WWIS		lot 8 con 7 ON	SE/107.3	-12.63	85
48	WWIS		lot 13 con 7 ON	NW/67.3	0.23	86
49	WWIS		lot 14 con 8 ON	NW/8.6	0.23	86
50	WWIS		lot 8 con 8 ON	ESE/332.0	-14.77	87
51	WWIS		lot 8 con 8 ON	SE/290.7	-14.77	88
52	WWIS		GEOGETOWN ON	NW/171.8	0.23	88
53	WWIS		lot 8 con 7 ON	SSE/323.4	-13.31	89
54	WWIS		lot 14 con 8 GEOGETOWN ON	NW/174.6	0.23	90
54	WWIS		lot 14 con 8 GEOGETOWN ON	NW/174.6	0.23	91
55	WWIS		lot 8 con 8 ON	SE/105.3	-14.77	92
56	WWIS		lot 14 con 8 ON	NW/139.9	0.23	92
57	WWIS		GEOGETOWN ON	NW/151.6	0.23	93
58	GEN	FERRARO & SON GENERAL CONTRACTING INC.	10666 TRAFALGAR ROAD TOWN OF HALTON HILLS ON	NW/113.0	1.30	94

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>59</u>	EASR	RAVELINO CONSTRUCTION LTD.	10641 Trafalgar Georgetown ON	NW/81.1	0.23	<u>94</u>
<u>60</u>	WWIS		lot 8 con 8 ON	SE/72.4	-14.77	<u>94</u>
<u>61</u>	WWIS		lot 14 con 7 ON	NW/238.4	0.23	<u>95</u>
<u>62</u>	WWIS		lot 14 con 7 ON	NW/83.0	0.74	<u>95</u>
<u>63</u>	WWIS		lot 14 con 7 ON	NW/60.0	0.33	<u>96</u>
<u>64</u>	WWIS		lot 14 con 7 ON	NW/90.2	0.23	<u>96</u>
<u>65</u>	WWIS		lot 8 con 8 ON	SE/75.4	-14.77	<u>97</u>
<u>66</u>	WWIS		lot 14 con 8 GEORGETOWN ON	NW/154.9	0.23	<u>98</u>
<u>66</u>	WWIS		lot 14 con 8 GEORGETOWN ON	NW/154.9	0.23	<u>99</u>
<u>67</u>	WWIS		GEOGETOWN ON	NW/145.7	0.23	<u>100</u>
<u>68</u>	WWIS		lot 14 con 7 ON	NW/99.8	0.23	<u>101</u>
<u>69</u>	WWIS		lot 7 con 8 ON	SE/86.1	-14.77	<u>102</u>
<u>70</u>	WWIS		lot 13 con 8 ON	NW/7.2	0.23	<u>103</u>
<u>71</u>	WWIS		lot 7 con 7 ON	SE/105.4	-14.77	<u>104</u>
<u>72</u>	WWIS		lot 14 con 7 ON	NW/157.6	0.23	<u>105</u>
<u>73</u>	WWIS		lot 14 con 7 ON	NW/68.8	0.23	<u>106</u>
<u>74</u>	WWIS		lot 14 con 7 ON	NW/73.8	0.23	<u>107</u>
<u>75</u>	WWIS		lot 8 con 7 ON	NW/96.0	0.23	<u>107</u>
<u>76</u>	WWIS		lot 7 con 7 ON	SE/282.2	-14.77	<u>108</u>
<u>77</u>	WWIS		lot 14 con 7 ON	NW/83.4	0.23	<u>109</u>
<u>78</u>	WWIS		lot 7 con 7 ON	SE/116.5	-14.77	<u>109</u>
<u>79</u>	WWIS		lot 14 con 7 ON	NW/48.2	0.23	<u>110</u>
<u>80</u>	WWIS		lot 15 con 8 ON	NW/95.7	0.23	<u>111</u>
<u>81</u>	WWIS		lot 7 con 7 ON	SE/121.4	-14.95	<u>111</u>
<u>82</u>	WWIS		lot 6 con 7 ON	SE/135.5	-15.05	<u>113</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>83</u>	WWIS		lot 6 con 7 ON	SE/61.3	-14.83	113
<u>84</u>	WWIS		lot 14 con 8 ON	NW/32.4	0.23	114
<u>85</u>	WWIS		lot 6 con 7 ON	SE/142.6	-15.19	115
<u>86</u>	WWIS		lot 6 con 7 ON	SE/59.8	-14.96	116
<u>87</u>	WWIS		GEORGETOWN ON	SE/47.4	-14.97	116
<u>88</u>	WWIS		lot 6 con 7 ON	SE/142.6	-15.37	117
<u>89</u>	WWIS		lot 6 con 7 ON	SE/89.5	-15.21	118
<u>90</u>	WWIS		lot 3 con 7 GEORGETOWN ON	SE/55.9	-15.22	118
<u>91</u>	WWIS		lot 7 con 7 ON	SE/180.0	-16.86	119
<u>92</u>	WWIS		lot 6 con 8 ON	SE/166.6	-18.02	120
<u>93</u>	WWIS		ON	NW/170.1	0.23	121
<u>94</u>	EHS		9156-9158 Trafalgar Road Halton Hills ON L7G 4S5	SE/136.5	-18.82	122
<u>95</u>	WWIS		lot 6 con 7 ON	SE/158.6	-19.72	122
<u>96</u>	WWIS		lot 6 con 7 ON	SE/69.9	-18.23	122
<u>97</u>	WWIS		lot 6 con 8 ON	SE/93.5	-17.68	123
<u>98</u>	WWIS		lot 6 con 7 ON	SE/218.9	-26.80	124
<u>99</u>	WWIS		lot 15 con 8 ON	NW/77.8	0.23	124
<u>100</u>	WWIS		lot 15 con 8 ON	NW/116.0	0.23	125
<u>101</u>	WWIS		lot 15 con 8 ON	NW/187.3	0.23	126
<u>102</u>	WWIS		lot 15 con 7 ON	NW/28.4	0.23	127
<u>103</u>	WWIS		lot 15 con 8 ON	NW/36.6	0.23	127
<u>104</u>	GEN	Halton District School Board	13068 15 Side Road RR #2 Georgetown ON L7G 1W8	NW/145.2	0.23	128
<u>105</u>	WWIS		lot 6 con 7 ON	SE/44.9	-26.81	128
<u>106</u>	CFOT	DOREEN EDGAR	9098 TRAFALGAR RD HALTON HILLS ON L7G 4S5	SE/223.0	-29.29	129
<u>107</u>	CA	HALTON HILLS TOWN	15 SIDEROAD/TRAFalGAR RD. HALTON HILLS TOWN ON	NW/0.9	0.23	12

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>108</u>	WWIS		lot 16 con 8 ON	NW/20.2	0.23	<u>130</u>
<u>109</u>	WWIS		lot 6 con 7 ON	SE/143.8	-29.22	<u>131</u>
<u>110</u>	WWIS		lot 6 con 7 ON	SE/256.6	-29.77	<u>131</u>
<u>111</u>	WWIS		lot 16 con 8 ON	NW/289.6	0.23	<u>132</u>
<u>112</u>	WWIS		lot 16 con 8 ON	NW/87.9	0.23	<u>133</u>
<u>113</u>	WWIS		lot 16 con 8 ON	NW/108.4	0.23	<u>133</u>
<u>114</u>	WWIS		lot 16 con 7 ON	NW/155.2	1.26	<u>134</u>
<u>115</u>	WWIS		lot 16 con 8 ON	NW/166.4	0.23	<u>135</u>
<u>116</u>	WWIS		lot 16 con 8 ON	NW/195.4	0.23	<u>136</u>
<u>117</u>	WWIS		lot 16 con 8 ON	NW/81.5	0.23	<u>136</u>
<u>118</u>	WWIS		lot 16 con 8 ON	NW/154.4	0.23	<u>137</u>
<u>119</u>	WWIS		lot 16 con 8 ON	NW/317.0	0.23	<u>138</u>
<u>120</u>	WWIS		lot 16 con 7 ON	NW/237.8	0.23	<u>139</u>
<u>121</u>	WWIS		lot 16 con 7 ON	NW/169.5	0.55	<u>139</u>
<u>122</u>	WWIS		lot 16 con 8 ON	NW/99.8	0.23	<u>140</u>
<u>123</u>	WWIS		lot 16 con 7 ON	NW/156.2	0.65	<u>141</u>
<u>123</u>	WWIS		lot 16 con 7 ON	NW/156.2	0.65	<u>142</u>
<u>124</u>	WWIS		lot 16 con 8 ON	NW/153.6	0.23	<u>142</u>
<u>125</u>	WWIS		lot 6 con 7 ON	SE/101.2	-29.59	<u>143</u>
<u>126</u>	WWIS		lot 16 con 8 ON	NW/41.6	0.94	<u>144</u>
<u>127</u>	WWIS		lot 6 con 8 ON	SE/11.3	-28.67	<u>144</u>
<u>128</u>	WWIS		lot 6 con 8 ON	SE/454.6	-29.71	<u>145</u>
<u>129</u>	WWIS		lot 6 con 8 ON	SE/460.2	-29.74	<u>146</u>
<u>130</u>	WWIS		lot 6 con 8 ON	SE/421.4	-29.47	<u>146</u>
<u>131</u>	CA	SOUTHFIELD HOLDINGS LTD.	CHANELAY CRESCENT HALTON HILLS TOWN ON	NW/162.4	0.23	<u>14</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
132	WWIS		lot 6 con 8 ON	SE/424.9	-29.51	147
133	WWIS		lot 16 con 8 ON	NW/87.8	0.23	148
134	WWIS		lot 6 con 8 ON	SE/460.2	-29.75	149
135	WWIS		lot 16 con 7 ON	NW/285.9	0.23	149
136	WWIS		lot 16 con 8 ON	NW/27.6	0.35	150
137	WWIS		lot 16 con 8 ON	NW/145.7	0.23	151
138	WWIS		lot 16 con 7 ON	NW/132.9	0.13	151
139	WWIS		lot 16 con 8 ON	NW/89.8	0.23	152
140	WWIS		lot 6 con 7 ON	SE/320.3	-29.77	153
141	SPL	1389849 Ontraio Inc.	Trafalger Rd and 5 Side Rd, Georgetown Halton Hills ON	SE/5.8	-29.14	154
142	WWIS		lot 5 con 8 ON	SE/388.5	-29.41	154
143	WWIS		lot 5 con 8 ON	SE/333.1	-28.78	155
144	WWIS		lot 16 con 7 ON	NW/283.5	0.23	155
144	WWIS		lot 16 con 7 ON	NW/283.5	0.23	156
145	WWIS		lot 5 con 8 ON	SE/450.5	-29.77	157
146	WWIS		lot 5 con 8 ON	SE/415.1	-29.77	157
147	WWIS		lot 5 con 8 ON	SE/372.2	-29.48	158
148	WWIS		lot 5 con 8 ON	SE/344.5	-29.23	159
149	WWIS		lot 5 con 8 ON	SE/446.5	-29.77	159
150	WWIS		lot 5 con 8 ON	SE/2.0	-29.50	160
151	WWIS		lot 16 con 7 ON	NW/461.7	0.23	160
152	WWIS		lot 16 con 8 ON	NW/150.5	0.23	161
153	WWIS		lot 5 con 8 ON	SE/255.0	-29.44	162
154	WWIS		lot 16 con 7 ON	NW/128.1	-0.59	163
155	WWIS		lot 16 con 8 ON	NW/89.0	0.43	163

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
156	WWIS		lot 16 con 7 ON	NW/438.4	0.23	164
157	WWIS		ON	NW/25.0	0.83	165
158	WWIS		lot 16 con 8 ON	NW/178.0	0.23	165
159	WWIS		lot 16 con 8 ON	NW/32.7	0.50	166
160	WWIS		lot 16 con 8 ON	NW/88.3	0.61	166
161	WWIS		lot 5 con 7 ON	SE/86.7	-29.77	167
162	SPL		26 Mill Pond Drive ATKINSON PRIV. RES<UNOFFICIAL> Halton Hills ON L7G 4S6	NW/404.5	0.23	168
163	WWIS		lot 16 con 8 ON	NW/285.4	0.23	168
164	WWIS		lot 16 con 8 ON	NW/112.9	0.00	169
165	WWIS		lot 16 con 8 ON	NW/94.5	-0.46	170
166	SCT	Garold Automation Inc.	47 North Ridge Cres Georgetown ON L7G 6E6	NW/449.5	0.23	170
167	WWIS		lot 16 con 8 ON	NW/23.7	-2.95	171
168	PINC		9 and 13 Mill Pond Drive, Halton Hills ON	NW/195.5	-1.53	172
169	WWIS		lot 16 con 7 ON	NW/206.1	-1.53	172
170	WWIS		lot 16 con 8 ON	NW/15.2	-3.64	173
171	WWIS		lot 16 con 7 ON	NW/184.3	-2.00	173
172	PES	SHEPHERD LAWN CARE LTD	37 STEWARTTOWN RD, RR2 GEORGETOWN ON L7G 4S5	NW/36.8	-4.43	174
173	WWIS		lot 5 con 8 ON	SE/7.9	-29.77	174
174	GEN	GROUNDATION CHEMICALS INCORPORATED17-598	4 MILLPOND ROAD GEORGETOWN ON L7G 4S6	NW/148.8	-3.13	175
174	GEN	PALM EQUIPMENT (CANADA LTD.)	4 MILLPOND DRIVE GEORGETOWN ON L7G 4S6	NW/148.8	-3.13	175
174	GEN	GROUNDATION CHEMICALS INCORPORATED	4 MILLPOND ROAD GEORGETOWN ON L7G 4S6	NW/148.8	-3.13	175
174	GEN	PALM EQUIPMENT (CANADA LTD.)	4 MILLPOND DRIVE GEORGETOWN ON L7G 4S6	NW/148.8	-3.13	175
174	GEN	PALM EQUIPMENT (CANADA LTD.)	4 MILLPOND DRIVE GEORGETOWN ON L7G 4S6	NW/148.8	-3.13	176
175	CA	R.M. OF HALTON	STEWARTTOWN RD/MILLPOND DR. HALTON HILLS TOWN ON	NW/80.3	-4.08	176
176	CA	Georgetown Little Theatre	33 Stewarttown Road R.R. #2, Stn. Main	NW/62.3	-5.12	176

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Halton Hills ON			
177	EHS		11193 Trafagar Road Georgetown ON L7G 4S5	NW/8.0	-8.96	177
178	PINC		25 STEWARTTOWN RD, HALTON HILLS ON	NW/108.2	-6.02	177
178	SPL		25 Stewart Town Rd Halton Hills ON	NW/108.2	-6.02	177
179	WWIS		lot 17 con 7 ON	NW/197.4	-2.63	178
180	HINC		8837 TRAFALGAR ROAD HALTON HILLS ON L7G 4S5	SE/88.0	-29.77	178
180	SPL		8837 Trafalgar Rd Halton Hills ON L7G 4S5	SE/88.0	-29.77	179
181	GEN	Harry Brandford and Sons Painting and Decorating	16 Stewarttown Road RR16 Georgetown ON L7G 4S5	NW/188.8	-1.08	179
181	GEN	Harry Brandford	16 Stewarttown Road RR16 Georgetown ON	NW/188.8	-1.08	180
182	WWIS		lot 5 con 8 ON	SE/62.8	-29.77	180
183	WWIS		lot 4 con 8 ON	SE/5.7	-29.70	181
184	GEN	GROUNDATION CHEMICALS INCORPORATED17-598	4 MILLPOND ROAD, STEWARTTOWN C/O 202-10 MOUNTAINVIEW ROAD SOUTH GEORGETOWN ON L7G 4J9 STEWARTTOWN RD/TRAFalGAR RD. HALTON HILLS TOWN ON	NW/88.8	-4.94	181
185	CA	R.M. OF HALTON	lot 17 con 7 ON	NW/3.6	-11.01	182
186	WWIS		NORTH HALTON GOLF & COUNTRY CLUB 28-408	NW/129.3	-1.76	182
187	GEN	NORTH HALTON GOLF & COUNTRY CLUB	363 MAPLE AVENUE WEST GEORGETOWN ON L7G 4S5	NW/446.0	-14.52	183
187	GEN	NORTH HALTON GOLF & COUNTRY CLUB	363 MAPLE AVENUE WEST GEORGETOWN ON L7G 4S5	NW/446.0	-14.52	183
187	GEN	NORTH HALTON GOLF & COUNTRY CLUB	363 MAPLE AVE WEST GEORGETOWN ON L7G 4S5	NW/446.0	-14.52	183
187	GEN	NORTH HALTON GOLF & COUNTRY CLUB	363 MAPLE AVE WEST GEORGETOWN ON L7G 4S5	NW/446.0	-14.52	184
187	GEN	NORTH HALTON GOLF & COUNTRY CLUB	363 MAPLE AVE WEST GEORGETOWN ON	NW/446.0	-14.52	184
187	GEN	NORTH HALTON GOLF & COUNTRY CLUB	363 MAPLE AVE WEST GEORGETOWN ON	NW/446.0	-14.52	184
187	GEN	NORTH HALTON GOLF & COUNTRY CLUB	363 MAPLE AVE WEST GEORGETOWN ON	NW/446.0	-14.52	184
187	PRT	NORTH HALTON GOLF AND COUNTRY CLUB ATTN COURSE SUP	363 MAPLE AV W GEORGETOWN ON	NW/446.0	-14.52	18
187	PTTW	North Halton Golf and Country Club	363 Maple Avenue West Halton Hills ON	NW/446.0	-14.52	185

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
187	PTTW	North Halton Golf and Country Club Limited	363 Maple Ave West Lot 16, 17, Concession 8 Halton Hills ON	NW/446.0	-14.52	186
188	GEN	NORTH HALTON GOLF & COUNTRY CLUB	363 MAPLE AVE WEST GEORGETOWN ON	NW/438.7	-14.50	186
188	PTTW	North Halton Golf and Country Club	Lot 15, Concession 7,8 Halton Hills ON	NW/438.7	-14.50	186
188	PTTW	North Halton Golf and Country Club Limited	363 Maple Ave W Lots 16 17 Concession 8 Halton Hills ON	NW/438.7	-14.50	187
188	PTTW	North Halton Golf and Country Club Limited	363 Maple Ave W Lots 16 17 Concession 8 Halton Hills ON	NW/438.7	-14.50	187
189	WWIS		lot 17 con 7 GEORGETOWN ON	NW/313.2	12.58	187
190	WWIS		lot 17 con 7 GEORGETOWN ON	NW/349.3	15.42	188
191	WWIS		lot 17 con 7 ON	NW/298.5	12.85	189
192	WWIS		lot 17 con 7 ON	NW/302.8	13.16	189
193	WWIS		lot 17 con 7 ON	NW/414.8	16.24	190
194	WWIS		lot 17 con 7 ON	NW/349.5	15.61	190
195	EHS		Trafalgar Rd Sideroad 17 Halton Hills ON	NW/1.3	3.22	191
195	GEN	NORTH HALTON GOLF & COUNTRY CLUB	CONC.7&8,LT.17,MAPLE AVE.W.&TRAFalgar RD., GEORGETOWN ON L7G 4S5	NW/1.3	3.22	192
195	SPL	SHELL CANADA PRODUCTS LTD.	MAPLE & TRAFALGAR GEORGETOWN SERVICE STATION HALTON HILLS TOWN ON	NW/1.3	3.22	19
195	SPL	BFI	INTERSECTION OF TRAFALGAR AND MAPLE IN GEORGETOWN. MOTOR VEHICLE (OPERATING FLUID) HALTON HILLS TOWN ON	NW/1.3	3.22	19
196	EXP	2142927 ONTARIO INC	11409 TRAFALGAR RD GEORGETOWN ON	NW/21.0	3.75	193
196	EXP	2142927 ONTARIO INC	11409 TRAFALGAR RD GEORGETOWN ON	NW/21.0	3.75	193
196	EXP	2142927 ONTARIO INC	11409 TRAFALGAR RD GEORGETOWN ON	NW/21.0	3.75	193
196	FST	1916769 ONTARIO INC	11409 TRAFALGAR RD GEORGETOWN ON L7G 4S4	NW/21.0	3.75	193
196	FST	1916769 ONTARIO INC	11409 TRAFALGAR RD GEORGETOWN ON L7G 4S4	NW/21.0	3.75	194
196	FST	1916769 ONTARIO INC	11409 TRAFALGAR RD GEORGETOWN ON L7G 4S4	NW/21.0	3.75	194
196	FST	1916769 ONTARIO INC	11409 TRAFALGAR RD GEORGETOWN ON L7G 4S4	NW/21.0	3.75	194
196	FSTH	ALVIN ROYCE O/A 1706674 ONTARIO INC	11409 TRAFALGAR RD LOT 18 CON 8 R R 5	NW/21.0	3.75	195

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
GEORGETOWN ON L7G 4S4						
196	FSTH	ALVIN ROYCE O/A 1706674 ONTARIO INC	11409 TRAFALGAR RD GEORGETOWN ON L7G 4S4	NW/21.0	3.75	195
196	PRT	PIONEER PETROLEUMS ATTN LOLA LAURIE	11409 TRAFALGAR RD LOT 18 CON 8 R R 5 GEORGETOWN ON L7G4S8	NW/21.0	3.75	19
196	RST	OLCO GAS BAR & CONVENIENCE	11409 TRAFALGAR GEORGETOWN ON	NW/21.0	3.75	196
196	RST	ECONO GAS BAR	11409 TRAFALGAR RD GEORGETOWN ON L7G 4S4	NW/21.0	3.75	196
197	WWIS		ON	NW/353.2	15.89	197
198	WWIS		lot 4 con 8 ON	SE/14.5	-47.83	197
199	ANDR	Hyde Pk Blvd Dump (official)	Georgetown ON L7G	NW/121.7	2.44	19
200	WD SH		18 8 HALTON HILLS ON	NW/107.1	2.91	198
201	EHS		3 Halton Hills Drive Halton Hills ON	NW/183.0	1.63	199
202	ECA	The Corporation of the Town of Halton Hills	11494 Trafalgar Rd Lot 18, Concession 7, Former Township of Esquesing Halton Hills ON L7G 4S4	NW/372.6	15.89	199
203	WWIS		lot 18 con 7 ON	NW/14.9	6.23	199
203	WWIS		lot 18 con 7 ON	NW/14.9	6.23	200
204	WWIS		lot 18 con 7 GEORGETOWN ON	NW/49.6	7.14	200
205	WWIS		lot 18 con 7 GEORGETOWN ON	NW/64.6	8.22	201
206	WWIS		lot 18 con 8 ON	NW/38.9	5.45	202
207	RSC	Bennett Health Care Centre	No municipal address, HALTON HILLS ON	NW/203.3	2.18	202
208	WWIS		lot 2 con 8 ON	SE/425.7	-52.20	203
209	WWIS		lot 3 con 7 ON	SE/219.7	-52.50	203
210	WWIS		lot 3 con 8 ON	SE/315.2	-55.03	204
211	WWIS		HALTON HILLS ON	NW/163.2	13.13	204
212	WWIS		lot 9 con 4 MORNBY ON	SE/25.2	-53.98	205
213	SPL		200 Halton Hills Drive (Georgetown) Halton Hills ON	NW/375.2	1.23	205
214	WWIS		lot 3 con 8 ON	SE/425.5	-55.27	206

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
215	WWIS		lot 18 con 8 ON	NW/54.9	6.55	206
216	GEN	J.S. JONES AND SON FUNERAL HOME LTD.	11582 TRAFALGAR ROAD GEORGETOWN ON L7G 4S4	NW/76.9	10.98	207
216	GEN	J.S. JONES AND SON FUNERAL HOME 44-404	LTD. 11582 TRAFALGAR ROAD, PO BOX 255 GEORGETOWN ON L7G 4S4	NW/76.9	10.98	207
216	GEN	J.S. JONES AND SON FUNERAL HOME LTD.	11582 TRAFALGAR ROAD GEORGETOWN ON L7G 4S4	NW/76.9	10.98	207
216	GEN	J.S. JONES AND SON FUNERAL HOME LTD.	11582 TRAFALGAR ROAD GEORGETOWN ON L7G 4S4	NW/76.9	10.98	208
216	GEN	J.S. JONES AND SON FUNERAL HOME LTD.	11582 TRAFALGAR ROAD GEORGETOWN ON L7G 4S4	NW/76.9	10.98	208
216	GEN	J.S. JONES AND SON FUNERAL HOME LTD.	11582 TRAFALGAR ROAD GEORGETOWN ON L7G 4S4	NW/76.9	10.98	208
216	GEN	J.S. JONES AND SON FUNERAL HOME LTD.	11582 TRAFALGAR ROAD GEORGETOWN ON L7G 4S4	NW/76.9	10.98	208
216	GEN	J.S. JONES AND SON FUNERAL HOME LTD.	11582 TRAFALGAR ROAD GEORGETOWN ON L7G 4S4	NW/76.9	10.98	208
216	GEN	J.S. JONES AND SON FUNERAL HOME LTD.	11582 TRAFALGAR ROAD GEORGETOWN ON L7G 4S4	NW/76.9	10.98	208
216	GEN	J.S. JONES AND SON FUNERAL HOME LTD.	11582 TRAFALGAR ROAD GEORGETOWN ON L7G 4S4	NW/76.9	10.98	209
216	GEN	J.S. JONES AND SON FUNERAL HOME LTD.	11582 TRAFALGAR ROAD GEORGETOWN ON	NW/76.9	10.98	209
217	GEN	J.S. JONES AND SON FUNERAL HOME	LTD. LOT 18 PT. CONCESSION 7 HALTON HILLS ON L7G 4Y5	NW/18.7	8.85	209
218	SCT	CARRETAL GRAPHICS	11603 TRAFALGAR RD GEORGETOWN ON L7G 4S4	NW/104.1	5.60	209
219	WWIS		GEORGETOWN ON	NW/172.3	15.71	210
220	GEN	HALTON HILLS, TOWN OF	11620 TRAFALGAR ROAD HALTON HILLS ON L7G 5G2	NW/233.5	16.23	210
220	GEN	HALTON HILLS, TOWN OF 19-230	11620 TRAFALGAR ROAD HALTON HILLS C/O 1 HALTON HILLS DRIVE, PO BOX 128 GEORGETOWN ON L7G 5G2	NW/233.5	16.23	211
220	GEN	THE REGIOAL MUNICIPALITY OF HALTON	11620 TRAFALGAR ROAD HALTON HILLS PUBLIC WORKS YARD GEORGETOWN ON L7G 4S4	NW/233.5	16.23	211
220	GEN	HALTON HILLS, TOWN OF ENGINEERING/PUBLIC WORKS	11620 TRAFALGAR ROAD HALTON HILLS ON L7G 4S4	NW/233.5	16.23	212
220	GEN	Regional Municipality of Halton	11620 Trafalgar Rd. Georgetown ON L7G 4S4	NW/233.5	16.23	212
220	GEN	HALTON HILLS, TOWN OF	11620 TRAFALGAR ROAD HALTON HILLS ON L7G 4S4	NW/233.5	16.23	213
220	GEN	Regional Municipality of Halton	11620 Trafalgar Rd. Georgetown ON L7G 4S4	NW/233.5	16.23	213
220	GEN	HALTON HILLS, TOWN OF	11620 TRAFALGAR ROAD HALTON HILLS ON L7G 4S4	NW/233.5	16.23	214
220	GEN	Regional Municipality of Halton	11620 Trafalgar Rd. Georgetown ON L7G 4S4	NW/233.5	16.23	214
220	GEN	Regional Municipality of Halton	11620 Trafalgar Rd. Georgetown ON L7G 4S4	NW/233.5	16.23	215
220	GEN	HALTON HILLS, TOWN OF	11620 TRAFALGAR ROAD HALTON HILLS ON L7G 4S4	NW/233.5	16.23	216

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
220	GEN	Regional Municipality of Halton	11620 Trafalgar Rd. Georgetown ON L7G 4S4	NW/233.5	16.23	216
220	GEN	HALTON HILLS, TOWN OF	11620 TRAFALGAR ROAD HALTON HILLS ON L7G 5G2	NW/233.5	16.23	217
220	GEN	HALTON HILLS, TOWN OF	11620 TRAFALGAR ROAD HALTON HILLS ON	NW/233.5	16.23	217
220	GEN	Regional Municipality of Halton	11620 Trafalgar Rd. Georgetown ON	NW/233.5	16.23	218
221	FST	TOWN OF HALTON HILLS	11618 TRAFALGAR RD GEORGETOWN ON L7G 4S4	NW/69.4	13.36	218
221	FST	TOWN OF HALTON HILLS	11618 TRAFALGAR RD GEORGETOWN ON L7G 4S4	NW/69.4	13.36	219
221	FST	TOWN OF HALTON HILLS	11618 TRAFALGAR RD GEORGETOWN ON L7G 4S4	NW/69.4	13.36	219
221	FSTH	TOWN OF HALTON HILLS	11618 TRAFALGAR RD GEORGETOWN ON L7G 4S4	NW/69.4	13.36	219
221	FSTH	TOWN OF HALTON HILLS	11618 TRAFALGAR RD GEORGETOWN ON L7G 4S4	NW/69.4	13.36	220
221	GEN	Town of Halton Hills	11618 Trafalgar Road Halton Hills ON L7G 4S4	NW/69.4	13.36	220
221	GEN	The Town of Halton Hills	11618 Trafalgar Road Georgetown ON L7G 4S4	NW/69.4	13.36	221
221	SPL	SHELL CANADA PRODUCTS LTD.	AT RESIDENCE AT 11618 TRAFALGAR RD. TANK TRUCK (CARGO) HALTON HILLS TOWN ON L7G 4S4	NW/69.4	13.36	22
221	SPL	The Regional Municipality of Halton	11618 Trafalgar Rd HALTON HILLS PUBLIC WORKS YARD<UNOFFICIAL> Halton Hills ON L7G 4S4	NW/69.4	13.36	221
222	WWIS		lot 3 con 8 ON	SE/153.1	-56.74	222
223	EHS		11643 Trafalgar Road Georgetown ON L7G 4S4	NW/76.7	9.16	222
224	WWIS		lot 20 con 8 ON	NW/22.3	14.39	223
225	WWIS		lot 3 con 7 ON	SE/151.0	-56.96	223
226	WWIS		lot 19 con 8 ON	NW/52.9	12.29	224
227	WWIS		lot 3 con 7 ON	SE/113.1	-57.50	224
228	WWIS		lot 3 con 7 ON	SE/174.4	-57.10	225
229	SPL		Princess Ann Dr./Atwood, Georgetown Halton Hills ON	NW/254.2	3.41	226
230	WWIS		lot 19 con 7 ON	NW/404.6	16.23	226
231	GEN	GEORGETOWN MEDICAL ASSOCIATES	199 PRINCESS ANNE DRIVE GEORGETOWN ON L7G 0E3	NW/14.2	16.47	227
231	GEN	GEORGETOWN MEDICAL ASSOCIATES	199 PRINCESS ANNE DRIVE GEORGETOWN ON L7G 0E3	NW/14.2	16.47	227

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
231	GEN	GEORGETOWN MEDICAL ASSOCIATES	199 PRINCESS ANNE DRIVE GEORGETOWN ON L7G 0E3	NW/14.2	16.47	227
231	GEN	GEORGETOWN MEDICAL ASSOCIATES	199 PRINCESS ANNE DRIVE GEORGETOWN ON L7G 0E3	NW/14.2	16.47	228
231	GEN	GEORGETOWN MEDICAL ASSOCIATES	199 PRINCESS ANNE DRIVE GEORGETOWN ON	NW/14.2	16.47	228
232	CA	LAW DEV. GROUP GEORGETOWN (NO. 2) LTD.	PRINCESS ANNE DR./TRAFalgar RD HALTON HILLS ON	NW/3.7	16.23	22
233	WWIS		lot 2 con 8 ON	SE/10.8	-59.85	228
234	WWIS		lot 2 con 8 ON	SE/164.8	-59.61	229
235	WWIS		lot 19 con 8 ON	NW/30.5	16.34	230
236	WWIS		lot 19 con 8 ON	NW/95.6	15.26	231
237	WWIS		lot 2 con 8 ON	SE/187.1	-60.31	231
238	WWIS		lot 2 con 8 ON	SE/36.0	-60.69	232
239	WWIS		lot 2 con 8 ON	SE/104.3	-60.77	233
240	WWIS		lot 19 con 8 GEORGETOWN ON	NW/40.7	15.88	233
241	WWIS		lot 2 con 7 ON	SE/424.2	-60.01	234
242	SCT	Capital Woodworking/Carpentry	23 Munro Cir Georgetown ON L7G 6A3	NW/335.4	5.77	235
243	WWIS		lot 19 con 8 ON	NW/60.7	15.01	235
244	WWIS		lot 2 con 7 ON	SE/429.9	-60.77	235
245	WWIS		lot 19 con 8 ON	NW/60.4	15.18	236
246	WWIS		lot 19 con 8 ON	NW/66.1	15.12	237
247	WWIS		lot 2 con 8 ON	SE/235.3	-55.77	238
248	WWIS		lot 2 con 8 ON	SE/249.1	-55.77	238
249	WWIS		lot 1 con 8 ON	SE/102.1	-57.20	239
250	WWIS		lot 1 con 8 ON	SE/69.0	-57.99	239
251	WWIS		lot 1 con 8 ON	SE/99.5	-57.12	240
252	WWIS		lot 2 con 8 ON	SE/227.5	-55.77	240
253	WWIS		lot 2 con 7 ON	SE/494.6	-60.77	241

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
254	WWIS		lot 1 con 8 ON	SE/64.2	-57.70	242
255	WWIS		HORNBY ON	SE/32.7	-57.26	242
256	WWIS		lot 1 con 8 ON	SE/129.1	-59.31	243
257	WWIS		lot 20 con 8 ON	NW/67.1	16.23	244
258	SPL	The Regional Municipality of Halton	168 & 172 Mowat Cres. (Trafalger Road & Burton Road), Georgetown Halton Hills ON	NW/355.1	16.20	245
259	WWIS		lot 20 con 8 GEORGETOWN ON	NW/9.3	16.23	245
260	WWIS		lot 20 con 7 ON	NW/73.1	16.23	246
261	WWIS		lot 1 con 8 ON	SE/103.7	-59.38	246
262	WWIS		lot 20 con 7 ON	NW/43.6	16.23	247
263	CA	1100898 ONTARIO INC.	20 SIDEROAD/TRAfalgar RD. HALTON HILLS TOWN ON	NW/0.1	16.23	24
264	WWIS		lot 20 con 7 ON	NW/309.5	16.23	248
265	WWIS		lot 1 con 8 ON	SE/56.7	-58.61	249
266	WWIS		lot 20 con 8 ON	NW/59.5	16.23	250
267	CFOT	Bahr Saddlery Ltd.	13329 Steeles Ave. W., Hornby Halton ON L0P 1E0	SE/355.6	-60.77	250
267	CFOT	BAHR SADDLERY LTD.	13329 STEELES AVENUE WEST, HORNBY HALTON ON L0P 1E0	SE/355.6	-60.77	250
267	PES	BAHR SADDLERY LIMITED	13329 STEELES AVENUE WEST HORNBY ON L0P 1E0	SE/355.6	-60.77	251
267	PES	BAHR SADDLERY LIMITED	13329 STEELES AVENUE WEST HORNBY ON L0P1E0	SE/355.6	-60.77	251
268	GEN	Region of Halton	13571 Steeles Avenue Hornby ON L0P 1E0	SE/81.0	-59.97	251
268	GEN	Region of Halton	13571 Steeles Avenue Hornby ON L0P 1E0	SE/81.0	-59.97	251
269	WWIS		lot 20 con 8 ON	NW/198.7	16.23	251
270	WWIS		lot 19 con 8 ON	NW/70.1	16.23	252
271	WWIS		lot 20 con 8 ON	NW/168.3	16.23	253
272	WWIS		lot 20 con 8 GEORGETOWN ON	NW/95.8	16.23	253
273	WWIS		lot 20 con 8 ON	NW/275.0	16.23	254
274	WWIS		GEOGETOWN ON	NW/197.6	16.23	254

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
275	WWIS		lot 20 con 8 GEORGETOWN ON	NW/62.6	16.23	255
276	WWIS		lot 1 con 8 ON	SE/99.5	-58.58	256
277	WWIS		lot 20 con 8 GEORGETOWN ON	NW/87.3	16.23	256
278	WWIS		lot 20 con 8 ON	NW/282.1	16.23	257
279	WWIS		ITORNBY ON	SE/50.9	-59.10	258
280	WWIS		lot 1 con 8 ON	SE/160.5	-60.77	258
281	WWIS		lot 1 con 8 ON	SE/408.9	-60.77	259
282	CA	REGIONAL MUN. OF HALTON - LOT 21, CONC.8	LINDSAY CT. WATER PUMP STATION HALTON HILLS TOWN ON	NW/3.7	16.23	26
282	CA	R.M. OF HALTON - LOT 20, CONC. 8	LINDSAY CT./TRAFalgar RD. HALTON HILLS TOWN ON	NW/3.7	16.23	26
283	WWIS		ON	NW/40.7	16.23	260
284	WWIS		lot 20 con 8 ON	NW/226.9	16.23	261
285	WWIS		lot 20 ON	NW/31.9	16.36	262
286	WWIS		lot 21 con 8 ON	NW/27.7	16.33	263
287	WWIS		lot 1 con 8 HORNBY ON	SE/76.1	-59.08	264
288	FST	2042066 ONTARIO INC	8013 TRAFALGAR RD HALTON HILLS ON L0P 1E0	SE/57.9	-59.24	264
288	FST	2042066 ONTARIO INC	8013 TRAFALGAR RD HALTON HILLS ON L0P 1E0	SE/57.9	-59.24	264
288	FSTH	2042066 ONTARIO INC	8013 TRAFALGAR RD HALTON HILLS ON	SE/57.9	-59.24	265
288	FSTH	2042066 ONTARIO INC (AKA BVD HOLDINGS)	8013 TRAFALGAR RD HALTON HILLS ON	SE/57.9	-59.24	265
289	WWIS		lot 20 con 8 ON	NW/36.1	16.54	266
290	CA	1249888 Ontario Inc.	13605 Steeles Ave Hornby Halton Hills ON	SE/32.2	-60.09	267
290	EXP	1249888 ONTARIO INC	13605 STEELES AV HORNBY ON	SE/32.2	-60.09	267
290	EXP	1249888 ONTARIO INC	13605 STEELES AV HORNBY ON	SE/32.2	-60.09	267
290	EXP	1249888 ONTARIO INC	13605 STEELES AV HORNBY ON	SE/32.2	-60.09	268
290	EXP	1249888 ONTARIO INC	13605 STEELES AV HORNBY ON	SE/32.2	-60.09	268
290	EXP	1249888 ONTARIO INC	13605 STEELES AV HORNBY ON	SE/32.2	-60.09	268

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
290	EXP	1249888 ONTARIO INC	13605 STEELES AV HORNBY ON	SE/32.2	-60.09	269
290	EXP	1249888 ONTARIO INC	13605 STEELES AV HORNBY ON	SE/32.2	-60.09	269
290	EXP	1249888 ONTARIO INC	13605 STEELES AV HORNBY ON	SE/32.2	-60.09	269
290	EXP	1249888 ONTARIO INC	13605 STEELES AV HORNBY ON	SE/32.2	-60.09	269
290	EXP	1249888 ONTARIO INC	13605 STEELES AV HORNBY ON	SE/32.2	-60.09	270
290	EXP	1249888 ONTARIO INC	13605 STEELES AV HORNBY ON	SE/32.2	-60.09	270
290	EXP	1249888 ONTARIO INC	13605 STEELES AV HORNBY ON	SE/32.2	-60.09	270
290	EXP	1249888 ONTARIO INC	13605 STEELES AV HORNBY ON	SE/32.2	-60.09	270
290	EXP	1249888 ONTARIO INC	13605 STEELES AV HORNBY ON L0P 1E0	SE/32.2	-60.09	271
290	EXP	1249888 ONTARIO INC	13605 STEELES AV HORNBY ON L0P 1E0	SE/32.2	-60.09	271
290	EXP	1249888 ONTARIO INC	13605 STEELES AV HORNBY ON L0P 1E0	SE/32.2	-60.09	271
290	EXP	1249888 ONTARIO INC	13605 STEELES AV HORNBY ON L0P 1E0	SE/32.2	-60.09	271
290	EXP	1249888 ONTARIO INC	13605 STEELES AV HORNBY ON L0P 1E0	SE/32.2	-60.09	271
290	FSTH	1249888 ONTARIO INC	13605 STEELES AV RR 1 HORNBY ON L0P 1E0	SE/32.2	-60.09	272
290	GEN	1249888 Ontario Inc.	13605 Steeles Avenue Hornby ON L0P 1E0	SE/32.2	-60.09	273
290	SPL		13605 Steeles Ave Halton Hills ON	SE/32.2	-60.09	273
291	WWIS		ON	NW/9.4	16.23	273
292	WWIS		lot 15 con 8 HORNBY ON	SE/38.3	-59.51	274
293	WWIS		lot 1 con 8 ON	SE/42.2	-60.33	274
294	GEN	Region of Halton	13693 Steeles Avenue Hornby ON L0P 1E0	SE/95.1	-59.13	275
294	GEN	Region of Halton	13693 Steeles Avenue Hornby ON L0P 1E0	SE/95.1	-59.13	275
295	RST	PETRO-CANADA	13605 STEELES MILTON ON	SE/35.4	-60.30	275
296	WWIS		lot 1 con 8 ON	SE/164.9	-60.77	276
297	CA	LAW DEV. GROUP GEORGETOWN (NO.2) LTD.	BANTING RD./HWY. #7, PT.LOT 20 HALTON HILLS TOWN ON	NW/453.4	16.23	27
297	CA	LAW DEV. GROUP GEORGETOWN (NO.2) LTD.	BANTING RD./HWY. #7, PT.LOT 20 HALTON HILLS TOWN ON	NW/453.4	16.23	27

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
298	EHS		Concession 8, Part Lot 1 Town of Halton Hills ON	SE/22.2	-59.82	277
299	WWIS		ON	SE/84.4	-59.29	277
300	WWIS		lot 1 con 8 ON	SE/56.2	-59.51	277
301	WWIS		Halton Hills ON	SE/86.3	-59.28	278
302	EHS		Steeles Ave & Trafalgar Rd Halton Hills ON	SE/3.1	-60.23	278
302	EXP	COUNTRY FARE MARKET LTD	LOT 1 CON 8 ESQUESING TWP HORNBY ON M5T 1R5	SE/3.1	-60.23	279
302	GEN	SHELL CANADA PRODUCTS LTD.	RR #2, STEELES & TRAFALGAR, HORNBY C/O 1500 DON MILLS RD. NORTH YORK ON L0P 1E0	SE/3.1	-60.23	279
302	GEN	SHELL CANADA PRODUCTS LTD. 35-531	RR #2, STEELES & TRAFALGAR, HORNBY C/O 1500 DON MILLS RD. NORTH YORK ON L0P 1E0	SE/3.1	-60.23	279
302	GEN	SHELL CANADA PRODUCTS LIMITED	STEELES AND TRAFALGAR HORNBY ON L0P 1E0	SE/3.1	-60.23	279
302	PRT	COUNTRY FARE MARKET LTD	LOT 1 CON 8 ESQUESING TWP HORNBY ON	SE/3.1	-60.23	28
302	PRT	COUNTRY FARE MARKET LTD	LOT 8 CON 1 TRAFALGAR & STEELE HORNBY ON	SE/3.1	-60.23	28
302	PRT	COUNTRY FARE MARKET LTD	UNKNOWN - RR 2 HORNBY ON L0P1E0	SE/3.1	-60.23	28
302	SPL	SHELL CANADA PRODUCTS LTD.	TRAFALGAR ROAD AND STEELES KEY-LOCK STATION HALTON HILLS TOWN ON	SE/3.1	-60.23	28
302	SPL	SHELL CANADA PRODUCTS LTD.	RR2 HORNBY, CORNER OF STEELES AND TRAFALGAR SERVICE STATION HALTON HILLS TOWN ON	SE/3.1	-60.23	28
302	SPL	Bulk Transport Systems	Steeles and Trafalgar - MVA<UNOFFICIAL> Halton Hills ON	SE/3.1	-60.23	281
303	EXP	TRUCK TOWN TERMINAL INC	1693 STEELES AV E & TRAFALGAR RD HORNBY ON	SE/8.1	-60.25	281
304	WWIS		ON	SE/65.3	-60.76	282
305	WWIS		ON	SE/63.0	-60.76	282
306	WWIS		lot 15 con 8 ON	SE/35.0	-60.14	282
307	WWIS		lot 15 con 7 Milton ON	SE/95.7	-60.77	283
308	WWIS		ON	SE/58.4	-60.75	284
309	WWIS		lot 15 con 8 ON	SE/37.3	-60.23	284

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
310	WWIS		lot 15 con 8 ON	SE/59.1	-60.00	285
311	WWIS		lot 20 con 8 GEORGETOWN ON	NW/33.9	17.77	286
312	WWIS		HALTON HILLS ON	SE/111.5	-59.42	286
313	WWIS		lot 15 con 8 ON	SE/53.1	-60.12	287
314	GEN	Imperial Oil	7974 Trafalgar Road Hornby ON	SE/51.8	-60.69	287
314	GEN	Imperial Oil	7974 Trafalgar Road Hornby ON	SE/51.8	-60.69	288
314	WWIS		HORNBY ON	SE/51.8	-60.69	288
315	WWIS		ON	SE/115.5	-59.46	288
316	SPL	RECREATION & PARKS DEPARTMENT	13526 STEELES AVE. WEST. HORNBY COMMUNITY HALL STORAGE TANK HALTON HILLS TOWN ON	SE/159.8	-60.77	28
317	WWIS		lot 21 con 8 ON	NW/334.1	16.23	289
318	CA	EQUITY WASTE MANAGEMENT OF CANADA CORP.	PT.LOT 15/CON.8,14000 STEELES HALTON HILLS TOWN ON	ESE/475.1	-58.23	29
319	WWIS		lot 15 con 7 ON	SE/98.2	-60.77	290
320	WWIS		ON	SE/209.0	-59.75	291
321	WWIS		lot 15 con 7 ON	SE/94.1	-60.77	291
322	WWIS		ON	SE/70.6	-60.77	292
323	WWIS		lot 15 con 8 ON	SE/130.7	-59.58	292
324	WWIS		lot 15 con 7 ON	SE/68.8	-60.75	293
325	ECA	Shell Canada Limited	Hornby Milton ON	SE/79.5	-60.26	294
325	EXP	PISHOY MERCURIUS ONTARIO LTD	7975 TRAFALGAR RD N HORNBY ON	SE/79.5	-60.26	294
325	FST	SAID AWADALLA	7975 TRAFALGAR RD N HORNBY ON L0P 1E0	SE/79.5	-60.26	294
325	FST	SAID AWADALLA	7975 TRAFALGAR RD N HORNBY ON L0P 1E0	SE/79.5	-60.26	294
325	FST	SAID AWADALLA	7975 TRAFALGAR RD N HORNBY ON L0P 1E0	SE/79.5	-60.26	295
325	FST	SAID AWADALLA	7975 TRAFALGAR RD N HORNBY ON L0P 1E0	SE/79.5	-60.26	295
325	FSTH	2060047 ONTARIO INC O/A GAS STN	7975 TRAFALGAR RD N LOT 15 CON 8 HORNBY ON	SE/79.5	-60.26	295

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
325	FSTH	2060047 ONTARIO INC O/A GAS STN	7975 TRAFALGAR RD N HORNBY ON	SE/79.5	-60.26	296
325	GEN	SHELL CANADA PRODUCTS LIMITED	7975 TRAFALGAR ROAD HALTON HILLS ON L0P 1E0	SE/79.5	-60.26	297
325	GEN	SHELL CANADA PRODUCTS LIMITED	7975 TRAFALGAR ROAD HALTON HILLS ON	SE/79.5	-60.26	297
325	GEN	SHELL CANADA PRODUCTS LIMITED	7975 TRAFALGAR ROAD HALTON HILLS ON	SE/79.5	-60.26	297
325	PRT	HORNBY CIRCLE K BONNIE H BAKEWELL	2975 TRAFALGAR RD N LOT 15 CON 8 HORNBY ON	SE/79.5	-60.26	29
325	SPL	SHELL CANADA PRODUCTS LTD.	SHELL STATION AT 7975 TRAFALGAR ROAD, TRAFalgar/Steeles, Hornby Service Station Halton Hills Town On	SE/79.5	-60.26	29
325	SPL	SHELL CANADA PRODUCTS LTD.	SHELL STATION AT 7975 TRAFALGAR ROAD IN HORNBY SERVICE STATION Halton Hills Town On	SE/79.5	-60.26	29
325	SPL	SHELL CANADA PRODUCTS LTD.	7975 TRAFALGAR RD, HORNBY SERVICE STATION Halton Hills Town On	SE/79.5	-60.26	29
325	WWIS		lot 15 con 8 HORNBY ON	SE/79.5	-60.26	299
325	WWIS		lot 15 con 8 HORNBY ON	SE/79.5	-60.26	299
325	WWIS		lot 15 con 8 HORNBY ON	SE/79.5	-60.26	300
326	WWIS		lot 15 con 7 ON	SE/157.3	-60.77	300
327	GEN	DOUG CHALMERS INC.	HWY. #7 WEST, 1 MILE WEST OF TRAFALGAR, ON SOUTH SIDE OF #7 GEORGETOWN ON	NW/3.6	17.54	301
327	SPL	Burnett Farms<UNOFFICIAL>	Highway 7 and Trafalger Rd Halton Hills ON	NW/3.6	17.54	301
328	WWIS		lot 15 con 8 ON	SE/208.0	-59.77	301
329	WWIS		lot 15 con 8 ON	SE/170.1	-59.70	302
330	GEN	FL SIGNS LTD.	1144 STEELES AVE. W. HORNBY ON L0P 1E0	SE/262.8	-59.64	303
330	GEN	FL SIGNS LTD.	1144 STEELES AVE. W. HORNBY ON L0P 1E0	SE/262.8	-59.64	304
330	GEN	FL SIGNS LTD. 15-184	1144 STEELES AVE. W. HORNBY ON L0P 1E0	SE/262.8	-59.64	304
330	GEN	FL SIGNS LTD	1144 STEELES AVE. W. HORNBY ON L0P 1E0	SE/262.8	-59.64	304
330	GEN	FL SIGNS LIMITED	1144 STEELES AVENUE WEST HORNBY ON L0P 1E0	SE/262.8	-59.64	304
330	SCT	F L SIGNS LTD.	1144 STEELES AVE W HORNBY ON L0P 1E0	SE/262.8	-59.64	30

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
331	WWIS		lot 21 con 8 ON	NW/351.0	16.23	305
332	WWIS		ON	SE/267.7	-60.77	305
333	WWIS		lot 15 con 8 ON	SE/107.6	-60.73	306
334	WWIS		lot 15 con 8 ON	SE/116.5	-60.77	306
335	WWIS		lot 20 con 7 ON	NW/148.5	19.78	307
336	WWIS		lot 15 con 8 ON	SE/121.0	-60.77	307
337	WWIS		lot 15 con 8 ON	SE/140.6	-60.60	308
338	WWIS		lot 21 con 7 ON	NW/176.6	20.21	309
339	WWIS		Halton Hills ON	SE/164.6	-60.17	309
340	WWIS		lot 21 con 7 ON	NW/427.6	21.90	310
341	WWIS		lot 15 con 7 ON	SE/158.2	-60.77	311
342	EHS		13722 Steels Ave Halton Hills ON	SE/172.4	-60.25	311
343	GEN	Priestly Demolition Inc.	7935 Trafalgar Road Halton Hills ON	SE/160.8	-60.77	311
344	ECA	Calloway Reit (Halton) Inc.	13722 Steeles Ave W Part of Lot 15, Concession 8 Halton Hills ON	SE/188.6	-60.33	312
345	WWIS		lot 15 con 8 ON	ESE/368.0	-59.30	312
346	WWIS		ON	NW/325.0	16.23	313
347	WWIS		HALTON HILLS ON	ESE/415.9	-59.68	313
348	WWIS		lot 21 con 7 GEORGETOWN ON	NW/51.5	19.86	314
349	WWIS		lot 21 con 7 ON	NW/353.9	23.52	314
350	WWIS		lot 21 con 8 ON	NW/415.1	16.23	315
351	WWIS		lot 15 con 8 ON	SE/375.5	-59.77	315
352	WWIS		lot 15 con 8 ON	SE/377.9	-59.77	316
353	PRT	GULLWING PETROLEUMS INC	7720 TRAFALGAR & STEELES HALTON HILLS ON	SE/262.0	-60.77	31
354	EHS		13850 Steeles Avenue Campbellville ON	SE/432.4	-59.76	317
355	WWIS		lot 21 con 8 ON	NW/123.7	20.55	317

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>356</u>	WWIS		lot 15 con 8 ON	SE/399.9	-60.77	<u>318</u>
<u>357</u>	WWIS		lot 15 con 8 ON	SE/439.1	-60.77	<u>318</u>
<u>358</u>	WWIS		lot 21 con 8 GEORGETOWN ON	NW/210.2	22.42	<u>319</u>
<u>359</u>	WWIS		lot 21 con 8 ON	NW/251.8	22.31	<u>319</u>
<u>360</u>	WWIS		lot 21 con 8 GEORGETOWN ON	NW/246.0	22.89	<u>320</u>
<u>361</u>	WWIS		lot 22 con 7 ON	NW/358.8	27.29	<u>321</u>
<u>362</u>	WWIS		lot 22 con 7 ON	NW/378.6	27.24	<u>321</u>
<u>363</u>	WWIS		lot 22 con 8 GEORGETOWN ON	NW/386.1	26.15	<u>322</u>
<u>364</u>	WWIS		lot 22 con 8 GEORGETOWN ON	NW/394.1	25.92	<u>322</u>
<u>365</u>	WWIS		lot 22 con 7 ON	NW/416.4	28.67	<u>323</u>
<u>366</u>	WWIS		lot 22 con 8 ON	NW/441.1	27.91	<u>323</u>
<u>367</u>	WWIS		lot 22 con 7 ON	NW/464.7	30.73	<u>324</u>
<u>368</u>	WWIS		lot 22 con 8 ON	NW/459.3	28.41	<u>324</u>

Executive Summary: Summary By Data Source

ANDR - Anderson's Waste Disposal Sites

A search of the ANDR database, dated 1860s-Present has found that there are 1 ANDR site(s) within approximately 0.50 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Hyde Pk Blvd Dump (official)	Georgetown ON L7G	121.7	199

AUWR - Automobile Wrecking & Supplies

A search of the AUWR database, dated 2001-Jul 2014 has found that there are 1 AUWR site(s) within approximately 0.50 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
MUSTANG SPECIALTEAZ	9811 TRAFALGAR RD GEORGETOWN ON L7G 4S5	42.8	41

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 14 CA site(s) within approximately 0.50 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
M. LALL & SONS ENTERPRISES INC.	9990 TRAFALGAR ROAD, GEORGETOWN HALTON HILLS TOWN ON L7G 4S5	13.8	4
HALTON HILLS TOWN	15 SIDEROAD/TRAFalgar RD. HALTON HILLS TOWN ON	0.9	107
SOUTHFIELD HOLDINGS LTD.	CHANTELAY CRESCENT HALTON HILLS TOWN ON	162.4	131
R.M. OF HALTON	STEWARTTOWN RD/MILLPOND DR. HALTON HILLS TOWN ON	80.3	175
Georgetown Little Theatre	33 Stewarttown Road R.R. #2, Stn. Main Halton Hills ON	62.3	176
R.M. OF HALTON	STEWARTTOWN RD/TRAFalgar RD. HALTON HILLS TOWN ON	3.6	185
LAW DEV. GROUP GEORGETOWN (NO. 2) LTD.	PRINCESS ANNE DR./TRAFalgar RD HALTON HILLS ON	3.7	232
1100898 ONTARIO INC.	20 SIDEROAD/TRAFalgar RD. HALTON HILLS TOWN ON	0.1	263

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
REGIONAL MUN. OF HALTON - LOT 21, CONC.8	LINDSAY CT. WATER PUMP STATION HALTON HILLS TOWN ON	3.7	282
R.M. OF HALTON - LOT 20, CONC. 8	LINDSAY CT./TRAFalGAR RD. HALTON HILLS TOWN ON	3.7	282
1249888 Ontario Inc.	13605 Steeles Ave Hornby Halton Hills ON	32.2	290
LAW DEV. GROUP GEORGETOWN (NO.2) LTD.	BANTING RD./HWY. #7, PT.LOT 20 HALTON HILLS TOWN ON	453.4	297
LAW DEV. GROUP GEORGETOWN (NO.2) LTD.	BANTING RD./HWY. #7, PT.LOT 20 HALTON HILLS TOWN ON	453.4	297
EQUITY WASTE MANAGEMENT OF CANADA CORP.	PT.LOT 15/CON.8,14000 STEELES HALTON HILLS TOWN ON	475.1	318

CFOT - Commercial Fuel Oil Tanks

A search of the CFOT database, dated 1948-Dec 2015 has found that there are 3 CFOT site(s) within approximately 0.50 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
DOREEN EDGAR	9098 TRAFALGAR RD HALTON HILLS ON L7G 4S5	223.0	106
Bahr Saddlery Ltd.	13329 Steeles Ave. W., Hornby Halton ON L0P 1E0	355.6	267
BAHR SADDLERY LTD.	13329 STEELES AVENUE WEST, HORNBY HALTON ON L0P 1E0	355.6	267

EASR - Environmental Activity and Sector Registry

A search of the EASR database, dated Oct 31 2011-Oct 2015 has found that there are 1 EASR site(s) within approximately 0.50 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
RAVELINO CONSTRUCTION LTD.	10641 Trafalgar Georgetown ON	81.1	59

EBR - Environmental Registry

A search of the EBR database, dated 1994-Jan 2016 has found that there are 1 EBR site(s) within approximately 0.50 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
M. Lall & Sons Enterprises Inc.Mississauga	9990 TRAFALGAR RD. Town of Halton Hills ON L7G 4S5	13.8	4

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 31, 2011-Jun 2015 has found that there are 3 ECA site(s) within approximately 0.50 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
The Corporation of the Town of Halton Hills	11494 Trafalgar Rd Lot 18, Concession 7, Former Township of Esquesing Halton Hills ON L7G 4S4	372.6	202
Shell Canada Limited	Hornby Milton ON	79.5	325
Calloway Reit (Halton) Inc.	13722 Steeles Ave W Part of Lot 15, Concession 8 Halton Hills ON	188.6	344

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Aug 2014 has found that there are 13 EHS site(s) within approximately 0.50 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	9990 Trafalgar Road Georgetown ON L7G 4S5	13.8	4
	9989 Trafalgar Road Georgetown ON L7G 4S5	11.8	5
	Part of Lot 10, Concession 8 (Esquesing) Halton Hills ON	68.1	17
	Main St W And Bronte St N Milton ON	460.5	42
	9156-9158 Trafalgar Road Halton Hills ON L7G 4S5	136.5	94
	11193 Trafalgar Road Georgetown ON L7G 4S5	8.0	177
	Trafalgar Rd Sideroad 17 Halton Hills ON	1.3	195
	3 Halton Hills Drive Halton Hills ON	183.0	201
	11643 Trafalgar Road Georgetown ON L7G 4S4	76.7	223
	Concession 8, Part Lot 1 Town of Halton Hills ON	22.2	298
	Steeles Ave & Trafalgar Rd Halton Hills ON	3.1	302
	13722 Steels Ave Halton Hills ON	172.4	342
	13850 Steeles Avenue Campbellville ON	432.4	354

EXP - List of TSSA Expired Facilities

A search of the EXP database, dated Current to Nov 2015 has found that there are 27 EXP site(s) within approximately 0.50 kilometers of the project property.

Site	Address	Distance (m)	Map Key
1249888 ONTARIO INC	13605 STEELES AV HORNBY ON	32.2	290
1249888 ONTARIO INC	13605 STEELES AV HORNBY ON	32.2	290
1249888 ONTARIO INC	13605 STEELES AV HORNBY ON	32.2	290
1249888 ONTARIO INC	13605 STEELES AV HORNBY ON	32.2	290
COUNTRY FARE MARKET LTD	LOT 1 CON 8 ESQUESING TWP HORNBY ON M5T 1R5	3.1	302
TRUCK TOWN TERMINAL INC	1693 STEELES AV E & TRAFALGAR RD HORNBY ON	8.1	303
PISHOY MERCURIUS ONTARIO LTD	7975 TRAFALGAR RD N HORNBY ON	79.5	325

FST - Fuel Storage Tank

A search of the FST database, dated 2010-Nov 2015 has found that there are 13 FST site(s) within approximately 0.50 kilometers of the project property.

Site	Address	Distance (m)	Map Key
1916769 ONTARIO INC	11409 TRAFALGAR RD GEORGETOWN ON L7G 4S4	21.0	196
1916769 ONTARIO INC	11409 TRAFALGAR RD GEORGETOWN ON L7G 4S4	21.0	196
1916769 ONTARIO INC	11409 TRAFALGAR RD GEORGETOWN ON L7G 4S4	21.0	196
1916769 ONTARIO INC	11409 TRAFALGAR RD GEORGETOWN ON L7G 4S4	21.0	196
TOWN OF HALTON HILLS	11618 TRAFALGAR RD GEORGETOWN ON L7G 4S4	69.4	221
TOWN OF HALTON HILLS	11618 TRAFALGAR RD GEORGETOWN ON L7G 4S4	69.4	221
TOWN OF HALTON HILLS	11618 TRAFALGAR RD GEORGETOWN ON L7G 4S4	69.4	221
2042066 ONTARIO INC	8013 TRAFALGAR RD HALTON HILLS ON L0P 1E0	57.9	288
2042066 ONTARIO INC	8013 TRAFALGAR RD HALTON HILLS ON L0P 1E0	57.9	288
SAID AWADALLA	7975 TRAFALGAR RD N HORNBY ON L0P 1E0	79.5	325
SAID AWADALLA	7975 TRAFALGAR RD N HORNBY ON L0P 1E0	79.5	325
SAID AWADALLA	7975 TRAFALGAR RD N HORNBY ON L0P 1E0	79.5	325

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
SAID AWADALLA	7975 TRAFALGAR RD N HORNBY ON L0P 1E0	79.5	325

FSTH - Fuel Storage Tank - Historic

A search of the FSTH database, dated Pre-Jan 2010* has found that there are 9 FSTH site(s) within approximately 0.50 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
ALVIN ROYCE O/A 1706674 ONTARIO INC	11409 TRAFALGAR RD LOT 18 CON 8 R R 5 GEORGETOWN ON L7G 4S4	21.0	196
ALVIN ROYCE O/A 1706674 ONTARIO INC	11409 TRAFALGAR RD GEORGETOWN ON L7G 4S4	21.0	196
TOWN OF HALTON HILLS	11618 TRAFALGAR RD GEORGETOWN ON L7G 4S4	69.4	221
TOWN OF HALTON HILLS	11618 TRAFALGAR RD GEORGETOWN ON L7G 4S4	69.4	221
2042066 ONTARIO INC (AKA BVD HOLDINGS)	8013 TRAFALGAR RD HALTON HILLS ON	57.9	288
2042066 ONTARIO INC	8013 TRAFALGAR RD HALTON HILLS ON	57.9	288
1249888 ONTARIO INC	13605 STEELES AV RR 1 HORNBY ON L0P 1E0	32.2	290
2060047 ONTARIO INC O/A GAS STN	7975 TRAFALGAR RD N HORNBY ON	79.5	325
2060047 ONTARIO INC O/A GAS STN	7975 TRAFALGAR RD N LOT 15 CON 8 HORNBY ON	79.5	325

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-May 2015 has found that there are 73 GEN site(s) within approximately 0.50 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
770517 ONTARIO INC.	9989 TRAFALGER ROAD GEORGETOWN ON L7G 4S5	11.8	5
FERRARO & SON GENERAL CONTRACTING INC.	10666 TRAFALGAR ROAD TOWN OF HALTON HILLS ON	113.0	58
Halton District School Board	13068 15 Side Road RR #2 Georgetown ON L7G 1W8	145.2	104
GROUNDATION CHEMICALS INCORPORATED17-598	4 MILLPOND ROAD GEORGETOWN ON L7G 4S6	148.8	174
PALM EQUIPMENT (CANADA LTD.)	4 MILLPOND DRIVE GEORGETOWN ON L7G 4S6	148.8	174

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
GROUNDATION CHEMICALS INCORPORATED	4 MILLPOND ROAD GEORGETOWN ON L7G 4S6	148.8	174
PALM EQUIPMENT (CANADA LTD.)	4 MILLPOND DRIVE GEORGETOWN ON L7G 4S6	148.8	174
PALM EQUIPMENT (CANADA LTD.)	4 MILLPOND DRIVE GEORGETOWN ON L7G 4S6	148.8	174
Harry Brandford and Sons Painting and Decorating	16 Stewarttown Road RR16 Georgetown ON L7G 4S5	188.8	181
Harry Brandford	16 Stewarttown Road RR16 Georgetown ON	188.8	181
GROUNDATION CHEMICALS INCORPORATED17-598	4 MILLPOND ROAD, STEWARTTOWN C/O 202-10 MOUNTAINVIEW ROAD SOUTH GEORGETOWN ON L7G 4J9	88.8	184
NORTH HALTON GOLF & COUNTRY CLUB 28-408	363 MAPLE AVENUE WEST GEORGETOWN ON L7G 4S5	446.0	187
NORTH HALTON GOLF & COUNTRY CLUB	363 MAPLE AVENUE WEST GEORGETOWN ON L7G 4S5	446.0	187
NORTH HALTON GOLF & COUNTRY CLUB	363 MAPLE AVE WEST GEORGETOWN ON L7G 4S5	446.0	187
NORTH HALTON GOLF & COUNTRY CLUB	363 MAPLE AVE WEST GEORGETOWN ON L7G 4S5	446.0	187
NORTH HALTON GOLF & COUNTRY CLUB	363 MAPLE AVE WEST GEORGETOWN ON	446.0	187
NORTH HALTON GOLF & COUNTRY CLUB	363 MAPLE AVE WEST GEORGETOWN ON	446.0	187
NORTH HALTON GOLF & COUNTRY CLUB	363 MAPLE AVE WEST GEORGETOWN ON	446.0	187
NORTH HALTON GOLF & COUNTRY CLUB	363 MAPLE AVE WEST GEORGETOWN ON L7G 4S5	446.0	187
NORTH HALTON GOLF & COUNTRY CLUB	363 MAPLE AVE WEST GEORGETOWN ON	438.7	188
NORTH HALTON GOLF & COUNTRY CLUB	CONC.7&8,LT.17,MAPLE AVE.W.&TRAFalgar RD., GEORGETOWN ON L7G 4S5	1.3	195
J.S. JONES AND SON FUNERAL HOME LTD.	11582 TRAFALGAR ROAD GEORGETOWN ON L7G 4S4	76.9	216
J.S. JONES AND SON FUNERAL HOME 44-404	LTD. 11582 TRAFALGAR ROAD, PO BOX 255 GEORGETOWN ON L7G 4S4	76.9	216
J.S. JONES AND SON FUNERAL HOME LTD.	11582 TRAFALGAR ROAD GEORGETOWN ON L7G 4S4	76.9	216
J.S. JONES AND SON FUNERAL HOME LTD.	11582 TRAFALGAR ROAD GEORGETOWN ON L7G 4S4	76.9	216

Site	Address	Distance (m)	Map Key
J.S. JONES AND SON FUNERAL HOME LTD.	11582 TRAFALGAR ROAD GEORGETOWN ON L7G 4S4	76.9	216
J.S. JONES AND SON FUNERAL HOME LTD.	11582 TRAFALGAR ROAD GEORGETOWN ON L7G 4S4	76.9	216
J.S. JONES AND SON FUNERAL HOME LTD.	11582 TRAFALGAR ROAD GEORGETOWN ON L7G 4S4	76.9	216
J.S. JONES AND SON FUNERAL HOME LTD.	11582 TRAFALGAR ROAD GEORGETOWN ON L7G 4S4	76.9	216
J.S. JONES AND SON FUNERAL HOME LTD.	11582 TRAFALGAR ROAD GEORGETOWN ON	76.9	216
J.S. JONES AND SON FUNERAL HOME	LTD. LOT 18 PT. CONCESSION 7 HALTON HILLS ON L7G 4Y5	18.7	217
HALTON HILLS, TOWN OF	11620 TRAFALGAR ROAD HALTON HILLS ON	233.5	220
Regional Municipality of Halton	11620 Trafalgar Rd. Georgetown ON	233.5	220
HALTON HILLS, TOWN OF	11620 TRAFALGAR ROAD HALTON HILLS ON L7G 5G2	233.5	220
HALTON HILLS, TOWN OF 19-230	11620 TRAFALGAR ROAD HALTON HILLS C/O 1 HALTON HILLS DRIVE, PO BOX 128 GEORGETOWN ON L7G 5G2	233.5	220
THE REGIOAL MUNICIPALITY OF HALTON	11620 TRAFALGAR ROAD HALTON HILLS PUBLIC WORKS YARD GEORGETOWN ON L7G 4S4	233.5	220
HALTON HILLS, TOWN OF ENGINEERING/PUBLIC WORKS	11620 TRAFALGAR ROAD HALTON HILLS ON L7G 4S4	233.5	220
Regional Municipality of Halton	11620 Trafalgar Rd. Georgetown ON L7G 4S4	233.5	220
HALTON HILLS, TOWN OF	11620 TRAFALGAR ROAD HALTON HILLS ON L7G 4S4	233.5	220
Regional Municipality of Halton	11620 Trafalgar Rd. Georgetown ON L7G 4S4	233.5	220
HALTON HILLS, TOWN OF	11620 TRAFALGAR ROAD HALTON HILLS ON L7G 4S4	233.5	220
Regional Municipality of Halton	11620 Trafalgar Rd. Georgetown ON L7G 4S4	233.5	220
Regional Municipality of Halton	11620 Trafalgar Rd. Georgetown ON L7G 4S4	233.5	220
HALTON HILLS, TOWN OF	11620 TRAFALGAR ROAD HALTON HILLS ON L7G 4S4	233.5	220
Regional Municipality of Halton	11620 Trafalgar Rd. Georgetown ON L7G 4S4	233.5	220
HALTON HILLS, TOWN OF	11620 TRAFALGAR ROAD HALTON HILLS ON L7G 5G2	233.5	220

Site	Address	Distance (m)	Map Key
Town of Halton Hills	11618 Trafalgar Road Halton Hills ON L7G 4S4	69.4	221
The Town of Halton Hills	11618 Trafalgar Road Georgetown ON L7G 4S4	69.4	221
GEORGETOWN MEDICAL ASSOCIATES	199 PRINCESS ANNE DRIVE GEORGETOWN ON L7G 0E3	14.2	231
GEORGETOWN MEDICAL ASSOCIATES	199 PRINCESS ANNE DRIVE GEORGETOWN ON L7G 0E3	14.2	231
GEORGETOWN MEDICAL ASSOCIATES	199 PRINCESS ANNE DRIVE GEORGETOWN ON L7G 0E3	14.2	231
GEORGETOWN MEDICAL ASSOCIATES	199 PRINCESS ANNE DRIVE GEORGETOWN ON L7G 0E3	14.2	231
GEORGETOWN MEDICAL ASSOCIATES	199 PRINCESS ANNE DRIVE GEORGETOWN ON	14.2	231
Region of Halton	13571 Steeles Avenue Hornby ON L0P 1E0	81.0	268
Region of Halton	13571 Steeles Avenue Hornby ON L0P 1E0	81.0	268
1249888 Ontario Inc.	13605 Steeles Avenue Hornby ON L0P 1E0	32.2	290
Region of Halton	13693 Steeles Avenue Hornby ON L0P 1E0	95.1	294
Region of Halton	13693 Steeles Avenue Hornby ON L0P 1E0	95.1	294
SHELL CANADA PRODUCTS LTD.	RR #2, STEELES & TRAFALGAR, HORNBY C/O 1500 DON MILLS RD. NORTH YORK ON L0P 1E0	3.1	302
SHELL CANADA PRODUCTS LTD. 35-531	RR #2, STEELES & TRAFALGAR, HORNBY C/O 1500 DON MILLS RD. NORTH YORK ON L0P 1E0	3.1	302
SHELL CANADA PRODUCTS LIMITED	STEELES AND TRAFALGAR HORNBY ON L0P 1E0	3.1	302
Imperial Oil	7974 Trafalgar Road Hornby ON	51.8	314
Imperial Oil	7974 Trafalgar Road Hornby ON	51.8	314
SHELL CANADA PRODUCTS LIMITED	7975 TRAFALGAR ROAD HALTON HILLS ON L0P 1E0	79.5	325
SHELL CANADA PRODUCTS LIMITED	7975 TRAFALGAR ROAD HALTON HILLS ON	79.5	325
SHELL CANADA PRODUCTS LIMITED	7975 TRAFALGAR ROAD HALTON HILLS ON	79.5	325
DOUG CHALMERS INC.	HWY. #7 WEST, 1 MILE WEST OF TRAFALGAR, ON SOUTH SIDE OF #7 GEORGETOWN ON	3.6	327
FL SIGNS LTD.	1144 STEELES AVE. W. HORNBY ON L0P 1E0	262.8	330

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
FL SIGNS LTD.	1144 STEELES AVE. W. HORNBY ON L0P 1E0	262.8	330
FL SIGNS LTD. 184	15- 1144 STEELES AVE. W. HORNBY ON L0P 1E0	262.8	330
FL SIGNS LTD	1144 STEELES AVE. W. HORNBY ON L0P 1E0	262.8	330
FL SIGNS LIMITED	1144 STEELES AVENUE WEST HORNBY ON L0P 1E0	262.8	330
Priestly Demolition Inc.	7935 Trafalgar Road Halton Hills ON	160.8	343

HINC - TSSA Historic Incidents

A search of the HINC database, dated 2006-June 2009* has found that there are 1 HINC site(s) within approximately 0.50 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	8837 TRAFALGAR ROAD HALTON HILLS ON L7G 4S5	88.0	180

PES - Pesticide Register

A search of the PES database, dated 1988-Jun 2013 has found that there are 3 PES site(s) within approximately 0.50 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
SHEPHERD LAWN CARE LTD	37 STEWARTTOWN RD, RR2 GEORGETOWN ON L7G 4S5	36.8	172
BAHR SADDLERY LIMITED	13329 STEELES AVENUE WEST HORNBY ON L0P 1E0	355.6	267
BAHR SADDLERY LIMITED	13329 STEELES AVENUE WEST HORNBY ON L0P1E0	355.6	267

PINC - TSSA Pipeline Incidents

A search of the PINC database, dated June 2009-2014 has found that there are 2 PINC site(s) within approximately 0.50 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	9 and 13 Mill Pond Drive, Halton Hills ON	195.5	168
	25 STEWARTTOWN RD, HALTON HILLS ON	108.2	178

PRT - Private and Retail Fuel Storage Tanks

A search of the PRT database, dated 1989-1996* has found that there are 10 PRT site(s) within approximately 0.50 kilometers of the project property.

Site	Address	Distance (m)	Map Key
PIONEER CANGO MANAGEMENT INC C/O COOPERS AND LYBRA	TRAFalGAR RD & TENTH ASHGROVE ON	1.4	3
M R PETROLEUM SERVICES	TRAFalGAR RD & 10TH SIDE RD ASHGROVE ON	1.4	3
WRONG INDORG BEAVER /WAS CANGO	TRAFalGAR RD & TENTH ASHGROVE ON	1.4	3
NORTH HALTON GOLF AND COUNTRY CLUB ATTN COURSE SUP	363 MAPLE AV W GEORGETOWN ON	446.0	187
PIONEER PETROLEUMS ATTN LOLA LAURIE	11409 TRAFALGAR RD LOT 18 CON 8 R R 5 GEORGETOWN ON L7G4S8	21.0	196
COUNTRY FAIR MARKET LTD	UNKNOWN - RR 2 HORNBY ON L0P1E0	3.1	302
COUNTRY FAIR MARKET LTD	LOT 8 CON 1 TRAFALGAR & STEELE HORNBY ON	3.1	302
COUNTRY FAIR MARKET LTD	LOT 1 CON 8 ESQUESING TWP HORNBY ON	3.1	302
HORNBY CIRCLE K BONNIE H BAKEWELL	2975 TRAFALGAR RD N LOT 15 CON 8 HORNBY ON	79.5	325
GULLWING PETROLEUMS INC	7720 TRAFALGAR & STEELES HALTON HILLS ON	262.0	353

PTTW - Permit to Take Water

A search of the PTTW database, dated 1994-Jan 2016 has found that there are 5 PTTW site(s) within approximately 0.50 kilometers of the project property.

Site	Address	Distance (m)	Map Key
North Halton Golf and Country Club	363 Maple Avenue West Halton Hills ON	446.0	187
North Halton Golf and Country Club Limited	363 Maple Ave West Lot 16, 17, Concession 8 Halton Hills ON	446.0	187
North Halton Golf and Country Club	Lot 15, Concession 7,8 Halton Hills ON	438.7	188
North Halton Golf and Country Club Limited	363 Maple Ave W Lots 16 17 Concession 8 Halton Hills ON	438.7	188
North Halton Golf and Country Club Limited	363 Maple Ave W Lots 16 17 Concession 8 Halton Hills ON	438.7	188

RSC - Record of Site Condition

A search of the RSC database, dated 1997-Sept 2001, Oct 2004-Jan 2016 has found that there are 2 RSC site(s) within approximately 0.50 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
2108393 Ontario Inc.	10229 Trafalgar Road Halton Hills ON	21.9	34
Bennett Health Care Centre	No municipal address, HALTON HILLS ON	203.3	207

RST - Retail Fuel Storage Tanks

A search of the RST database, dated 1999-Jul 2014 has found that there are 3 RST site(s) within approximately 0.50 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
ECONO GAS BAR	11409 TRAFALGAR RD GEORGETOWN ON L7G 4S4	21.0	196
OLCO GAS BAR & CONVENIENCE	11409 TRAFALGAR GEORGETOWN ON	21.0	196
PETRO-CANADA	13605 STEELES MILTON ON	35.4	295

SCT - Scott's Manufacturing Directory

A search of the SCT database, dated 1992-Mar 2011* has found that there are 7 SCT site(s) within approximately 0.50 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
ASHGROVE WELDING LTD.	GEORGETOWN ON L7G	124.1	9
ASHGROVE WELDING LTD.	RR 2 ON L7G 4S5	124.1	9
ASHGROVE WELDING LTD.	13084 10th Side Rd Georgetown ON L7G 4S5	98.9	12
Garold Automation Inc.	47 North Ridge Cres Georgetown ON L7G 6E6	449.5	166
CARRETAL GRAPHICS	11603 TRAFALGAR RD GEORGETOWN ON L7G 4S4	104.1	218
Capital Woodworking/Carpentry	23 Munro Cir Georgetown ON L7G 6A3	335.4	242
F L SIGNS LTD.	1144 STEELES AVE W HORNBY ON L0P 1E0	262.8	330

SPL - Ontario Spills

A search of the SPL database, dated 1988-Jun 2015 has found that there are 21 SPL site(s) within approximately 0.50 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Maple Lodge Farms Ltd.	Trafalgar & Regional Road 10 Halton Hills ON	1.4	3
1389849 Ontraio Inc.	Trafalger Rd and 5 Side Rd, Georgetown Halton Hills ON	5.8	141
	26 Mill Pond Drive ATKINSON PRIV. RES<UNOFFICIAL> Halton Hills ON L7G 4S6	404.5	162
	25 Stewart Town Rd Halton Hills ON	108.2	178
	8837 Trafalgar Rd Halton Hills ON L7G 4S5	88.0	180
BFI	INTERSECTION OF TRAFALGAR AND MAPLE IN GEORGETOWN. MOTOR VEHICLE (OPERATING FLUID) HALTON HILLS TOWN ON	1.3	195
SHELL CANADA PRODUCTS LTD.	MAPLE & TRAFALGAR GEORGETOWN SERVICE STATION HALTON HILLS TOWN ON 200 Halton Hills Drive (Georgetown) Halton Hills ON	1.3	195
SHELL CANADA PRODUCTS LTD.	AT RESIDENCE AT 11618 TRAFALGAR RD. TANK TRUCK (CARGO) HALTON HILLS TOWN ON L7G 4S4	69.4	221
The Regional Municipality of Halton	11618 Trafalgar Rd HALTON HILLS PUBLIC WORKS YARD<UNOFFICIAL> Halton Hills ON L7G 4S4	69.4	221
	Princess Ann Dr./Atwood, Georgetown Halton Hills ON	254.2	229
The Regional Municipality of Halton	168 & 172 Mowat Cres. (Trafalger Road & Burton Road), Georgetown Halton Hills ON	355.1	258
	13605 Steeles Ave Halton Hills ON	32.2	290
SHELL CANADA PRODUCTS LTD.	TRAFALGAR ROAD AND STEELES KEY-LOCK STATION HALTON HILLS TOWN ON	3.1	302
SHELL CANADA PRODUCTS LTD.	RR2 HORNBY, CORNER OF STEELES AND TRAFALGAR SERVICE STATION HALTON HILLS TOWN ON	3.1	302
Bulk Transport Systems	Steeles and Trafalgar - MVA<UNOFFICIAL> Halton Hills ON	3.1	302
RECREATION & PARKS DEPARTMENT	13526 STEELES AVE. WEST. HORNBY COMMUNITY HALL STORAGE TANK HALTON HILLS TOWN ON	159.8	316
SHELL CANADA PRODUCTS LTD.	SHELL STATION AT 7975 TRAFALGAR ROAD, TRAFALGAR/STEELES, HORNBY SERVICE STATION HALTON HILLS TOWN ON	79.5	325

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
SHELL CANADA PRODUCTS LTD.	SHELL STATION AT 7975 TRAFALGAR ROAD IN HORNBY SERVICE STATION HALTON HILLS TOWN ON	79.5	325
SHELL CANADA PRODUCTS LTD.	7975 TRAFALGAR RD, HORNBY SERVICE STATION HALTON HILLS TOWN ON	79.5	325
Burnett Farms<UNOFFICIAL>	Highway 7 and Trafalger Rd Halton Hills ON	3.6	327

WDSH - Waste Disposal Sites - MOE 1991 Historical Approval Inventory

A search of the WDSH database, dated Up to Oct 1990* has found that there are 1 WDSH site(s) within approximately 0.50 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	18 8 HALTON HILLS ON	107.1	200

WWIS - Water Well Information System

A search of the WWIS database, dated 1955-Mar 2014 has found that there are 304 WWIS site(s) within approximately 0.50 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 11 con 8 ON	3.2	1
	lot 11 con 8 ON	69.3	2
	lot 10 con 7 ON	54.5	6
	lot 11 con 8 ON	118.9	7
	lot 10 con 7 ON	36.5	8
	lot 10 con 7 ON	36.5	8
	lot 11 con 8 ON	119.0	10
		53.0	11
	GEORGETOWN ON		
	lot 10 con 7 ON	45.0	13
	lot 10 con 8 ON	28.6	14
	lot 10 con 8 GEORGETOWN ON	34.0	15

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 10 con 7 ON	48.4	<u>16</u>
	lot 10 con 8 ON	178.9	<u>18</u>
	lot 10 con 7 ON	119.9	<u>19</u>
	lot 10 con 8 ON	170.7	<u>20</u>
	lot 10 con 8 ON	177.8	<u>21</u>
	lot 10 con 8 ON	181.3	<u>22</u>
	lot 10 con 8 ON	188.4	<u>23</u>
	lot 10 con 8 ON	170.8	<u>24</u>
	lot 10 con 8 ON	265.1	<u>25</u>
	lot 10 con 8 ON	297.6	<u>26</u>
	lot 10 con 8 GEORGETOWN ON	141.1	<u>27</u>
	lot 10 con 8 ON	369.7	<u>28</u>
	lot 11 con 7 ON	75.3	<u>29</u>
	MILTON ON	193.3	<u>30</u>
	lot 10 con 8 ON	433.3	<u>31</u>
	lot 10 con 7 ON	387.7	<u>32</u>
	lot 10 con 8 ON	409.8	<u>33</u>
	lot 10 con 8 ON	62.7	<u>35</u>
	lot 11 con 8 ON	462.9	<u>36</u>
	lot 9 con 8 ON	23.9	<u>37</u>
	lot 10 con 7 ON	114.7	<u>38</u>
	lot 9 con 8 ON	39.3	<u>39</u>
	lot 9 con 8 ON	45.0	<u>40</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 9 con 7 ON	70.1	<u>43</u>
	lot 9 con 8 ON	120.0	<u>44</u>
		253.1	<u>45</u>
	ON		
	lot 13 con 7 ON	74.9	<u>46</u>
	lot 8 con 7 ON	107.3	<u>47</u>
	lot 13 con 7 ON	67.3	<u>48</u>
	lot 14 con 8 ON	8.6	<u>49</u>
	lot 8 con 8 ON	332.0	<u>50</u>
	lot 8 con 8 ON	290.7	<u>51</u>
		171.8	<u>52</u>
	GEORGETOWN ON		
	lot 8 con 7 ON	323.4	<u>53</u>
	lot 14 con 8 GEORGETOWN ON	174.6	<u>54</u>
	lot 14 con 8 GEORGETOWN ON	174.6	<u>54</u>
	lot 8 con 8 ON	105.3	<u>55</u>
	lot 14 con 8 ON	139.9	<u>56</u>
		151.6	<u>57</u>
	GEORGETOWN ON		
	lot 8 con 8 ON	72.4	<u>60</u>
	lot 14 con 7 ON	238.4	<u>61</u>
	lot 14 con 7 ON	83.0	<u>62</u>
	lot 14 con 7 ON	60.0	<u>63</u>
	lot 14 con 7 ON	90.2	<u>64</u>
	lot 8 con 8 ON	75.4	<u>65</u>
	lot 14 con 8 GEORGETOWN ON	154.9	<u>66</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 14 con 8 GEORGETOWN ON	154.9	<u>66</u>
	GEORGETOWN ON	145.7	<u>67</u>
	lot 14 con 7 ON	99.8	<u>68</u>
	lot 7 con 8 ON	86.1	<u>69</u>
	lot 13 con 8 ON	7.2	<u>70</u>
	lot 7 con 7 ON	105.4	<u>71</u>
	lot 14 con 7 ON	157.6	<u>72</u>
	lot 14 con 7 ON	68.8	<u>73</u>
	lot 14 con 7 ON	73.8	<u>74</u>
	lot 8 con 7 ON	96.0	<u>75</u>
	lot 7 con 7 ON	282.2	<u>76</u>
	lot 14 con 7 ON	83.4	<u>77</u>
	lot 7 con 7 ON	116.5	<u>78</u>
	lot 14 con 7 ON	48.2	<u>79</u>
	lot 15 con 8 ON	95.7	<u>80</u>
	lot 7 con 7 ON	121.4	<u>81</u>
	lot 6 con 7 ON	135.5	<u>82</u>
	lot 6 con 7 ON	61.3	<u>83</u>
	lot 14 con 8 ON	32.4	<u>84</u>
	lot 6 con 7 ON	142.6	<u>85</u>
	lot 6 con 7 ON	59.8	<u>86</u>
	GEORGETOWN ON	47.4	<u>87</u>
	lot 6 con 7 ON	142.6	<u>88</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 6 con 7 ON	89.5	<u>89</u>
	lot 3 con 7 GEORGETOWN ON	55.9	<u>90</u>
	lot 7 con 7 ON	180.0	<u>91</u>
	lot 6 con 8 ON	166.6	<u>92</u>
	ON	170.1	<u>93</u>
	lot 6 con 7 ON	158.6	<u>95</u>
	lot 6 con 7 ON	69.9	<u>96</u>
	lot 6 con 8 ON	93.5	<u>97</u>
	lot 6 con 7 ON	218.9	<u>98</u>
	lot 15 con 8 ON	77.8	<u>99</u>
	lot 15 con 8 ON	116.0	<u>100</u>
	lot 15 con 8 ON	187.3	<u>101</u>
	lot 15 con 7 ON	28.4	<u>102</u>
	lot 15 con 8 ON	36.6	<u>103</u>
	lot 6 con 7 ON	44.9	<u>105</u>
	lot 16 con 8 ON	20.2	<u>108</u>
	lot 6 con 7 ON	143.8	<u>109</u>
	lot 6 con 7 ON	256.6	<u>110</u>
	lot 16 con 8 ON	289.6	<u>111</u>
	lot 16 con 8 ON	87.9	<u>112</u>
	lot 16 con 8 ON	108.4	<u>113</u>
	lot 16 con 7 ON	155.2	<u>114</u>
	lot 16 con 8 ON	166.4	<u>115</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 16 con 8 ON	195.4	116
	lot 16 con 8 ON	81.5	117
	lot 16 con 8 ON	154.4	118
	lot 16 con 8 ON	317.0	119
	lot 16 con 7 ON	237.8	120
	lot 16 con 7 ON	169.5	121
	lot 16 con 8 ON	99.8	122
	lot 16 con 7 ON	156.2	123
	lot 16 con 7 ON	156.2	123
	lot 16 con 8 ON	153.6	124
	lot 6 con 7 ON	101.2	125
	lot 16 con 8 ON	41.6	126
	lot 6 con 8 ON	11.3	127
	lot 6 con 8 ON	454.6	128
	lot 6 con 8 ON	460.2	129
	lot 6 con 8 ON	421.4	130
	lot 6 con 8 ON	424.9	132
	lot 16 con 8 ON	87.8	133
	lot 6 con 8 ON	460.2	134
	lot 16 con 7 ON	285.9	135
	lot 16 con 8 ON	27.6	136
	lot 16 con 8 ON	145.7	137
	lot 16 con 7 ON	132.9	138

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 16 con 8 ON	89.8	<u>139</u>
	lot 6 con 7 ON	320.3	<u>140</u>
	lot 5 con 8 ON	388.5	<u>142</u>
	lot 5 con 8 ON	333.1	<u>143</u>
	lot 16 con 7 ON	283.5	<u>144</u>
	lot 16 con 7 ON	283.5	<u>144</u>
	lot 5 con 8 ON	450.5	<u>145</u>
	lot 5 con 8 ON	415.1	<u>146</u>
	lot 5 con 8 ON	372.2	<u>147</u>
	lot 5 con 8 ON	344.5	<u>148</u>
	lot 5 con 8 ON	446.5	<u>149</u>
	lot 5 con 8 ON	2.0	<u>150</u>
	lot 16 con 7 ON	461.7	<u>151</u>
	lot 16 con 8 ON	150.5	<u>152</u>
	lot 5 con 8 ON	255.0	<u>153</u>
	lot 16 con 7 ON	128.1	<u>154</u>
	lot 16 con 8 ON	89.0	<u>155</u>
	lot 16 con 7 ON	438.4	<u>156</u>
	ON	25.0	<u>157</u>
	lot 16 con 8 ON	178.0	<u>158</u>
	lot 16 con 8 ON	32.7	<u>159</u>
	lot 16 con 8 ON	88.3	<u>160</u>
	lot 5 con 7 ON	86.7	<u>161</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 16 con 8 ON	285.4	<u>163</u>
	lot 16 con 8 ON	112.9	<u>164</u>
	lot 16 con 8 ON	94.5	<u>165</u>
	lot 16 con 8 ON	23.7	<u>167</u>
	lot 16 con 7 ON	206.1	<u>169</u>
	lot 16 con 8 ON	15.2	<u>170</u>
	lot 16 con 7 ON	184.3	<u>171</u>
	lot 5 con 8 ON	7.9	<u>173</u>
	lot 17 con 7 ON	197.4	<u>179</u>
	lot 5 con 8 ON	62.8	<u>182</u>
	lot 4 con 8 ON	5.7	<u>183</u>
	lot 17 con 7 ON	129.3	<u>186</u>
	lot 17 con 7 GEORGETOWN ON	313.2	<u>189</u>
	lot 17 con 7 GEORGETOWN ON	349.3	<u>190</u>
	lot 17 con 7 ON	298.5	<u>191</u>
	lot 17 con 7 ON	302.8	<u>192</u>
	lot 17 con 7 ON	414.8	<u>193</u>
	lot 17 con 7 ON	349.5	<u>194</u>
	ON	353.2	<u>197</u>
	lot 4 con 8 ON	14.5	<u>198</u>
	lot 18 con 7 ON	14.9	<u>203</u>
	lot 18 con 7 ON	14.9	<u>203</u>
	lot 18 con 7 GEORGETOWN ON	49.6	<u>204</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 18 con 7 GEORGETOWN ON	64.6	<u>205</u>
	lot 18 con 8 ON	38.9	<u>206</u>
	lot 2 con 8 ON	425.7	<u>208</u>
	lot 3 con 7 ON	219.7	<u>209</u>
	lot 3 con 8 ON	315.2	<u>210</u>
		163.2	<u>211</u>
	HALTON HILLS ON		
	lot 9 con 4 MORNBY ON	25.2	<u>212</u>
	lot 3 con 8 ON	425.5	<u>214</u>
	lot 18 con 8 ON	54.9	<u>215</u>
		172.3	<u>219</u>
	GEORGETOWN ON		
	lot 3 con 8 ON	153.1	<u>222</u>
	lot 20 con 8 ON	22.3	<u>224</u>
	lot 3 con 7 ON	151.0	<u>225</u>
	lot 19 con 8 ON	52.9	<u>226</u>
	lot 3 con 7 ON	113.1	<u>227</u>
	lot 3 con 7 ON	174.4	<u>228</u>
	lot 19 con 7 ON	404.6	<u>230</u>
	lot 2 con 8 ON	10.8	<u>233</u>
	lot 2 con 8 ON	164.8	<u>234</u>
	lot 19 con 8 ON	30.5	<u>235</u>
	lot 19 con 8 ON	95.6	<u>236</u>
	lot 2 con 8 ON	187.1	<u>237</u>
	lot 2 con 8 ON	36.0	<u>238</u>


<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 2 con 8 ON	104.3	<u>239</u>
	lot 19 con 8 GEORGETOWN ON	40.7	<u>240</u>
	lot 2 con 7 ON	424.2	<u>241</u>
	lot 19 con 8 ON	60.7	<u>243</u>
	lot 2 con 7 ON	429.9	<u>244</u>
	lot 19 con 8 ON	60.4	<u>245</u>
	lot 19 con 8 ON	66.1	<u>246</u>
	lot 2 con 8 ON	235.3	<u>247</u>
	lot 2 con 8 ON	249.1	<u>248</u>
	lot 1 con 8 ON	102.1	<u>249</u>
	lot 1 con 8 ON	69.0	<u>250</u>
	lot 1 con 8 ON	99.5	<u>251</u>
	lot 2 con 8 ON	227.5	<u>252</u>
	lot 2 con 7 ON	494.6	<u>253</u>
	lot 1 con 8 ON	64.2	<u>254</u>
	HORNBY ON	32.7	<u>255</u>
	lot 1 con 8 ON	129.1	<u>256</u>
	lot 20 con 8 ON	67.1	<u>257</u>
	lot 20 con 8 GEORGETOWN ON	9.3	<u>259</u>
	lot 20 con 7 ON	73.1	<u>260</u>
	lot 1 con 8 ON	103.7	<u>261</u>
	lot 20 con 7 ON	43.6	<u>262</u>
	lot 20 con 7 ON	309.5	<u>264</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 1 con 8 ON	56.7	<u>265</u>
	lot 20 con 8 ON	59.5	<u>266</u>
	lot 20 con 8 ON	198.7	<u>269</u>
	lot 19 con 8 ON	70.1	<u>270</u>
	lot 20 con 8 ON	168.3	<u>271</u>
	lot 20 con 8 GEORGETOWN ON	95.8	<u>272</u>
	lot 20 con 8 ON	275.0	<u>273</u>
	GEORGETOWN ON	197.6	<u>274</u>
	lot 20 con 8 GEORGETOWN ON	62.6	<u>275</u>
	lot 1 con 8 ON	99.5	<u>276</u>
	lot 20 con 8 GEORGETOWN ON	87.3	<u>277</u>
	lot 20 con 8 ON	282.1	<u>278</u>
	ITORNBY ON	50.9	<u>279</u>
	lot 1 con 8 ON	160.5	<u>280</u>
	lot 1 con 8 ON	408.9	<u>281</u>
	ON	40.7	<u>283</u>
	lot 20 con 8 ON	226.9	<u>284</u>
	lot 20 ON	31.9	<u>285</u>
	lot 21 con 8 ON	27.7	<u>286</u>
	lot 1 con 8 HORNBY ON	76.1	<u>287</u>
	lot 20 con 8 ON	36.1	<u>289</u>
	ON	9.4	<u>291</u>
	lot 15 con 8 HORNBY ON	38.3	<u>292</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 1 con 8 ON	42.2	<u>293</u>
	lot 1 con 8 ON	164.9	<u>296</u>
		84.4	<u>299</u>
	ON		
	lot 1 con 8 ON	56.2	<u>300</u>
		86.3	<u>301</u>
	Halton Hills ON		
		65.3	<u>304</u>
	ON		
		63.0	<u>305</u>
	ON		
	lot 15 con 8 ON	35.0	<u>306</u>
		95.7	<u>307</u>
	lot 15 con 7 Milton ON		
		58.4	<u>308</u>
	ON		
	lot 15 con 8 ON	37.3	<u>309</u>
		59.1	<u>310</u>
	lot 15 con 8 ON		
	lot 20 con 8 GEORGETOWN ON	33.9	<u>311</u>
		111.5	<u>312</u>
	HALTON HILLS ON		
		53.1	<u>313</u>
	lot 15 con 8 ON		
		51.8	<u>314</u>
	HORNBY ON		
		115.5	<u>315</u>
	ON		
	lot 21 con 8 ON	334.1	<u>317</u>
		98.2	<u>319</u>
	lot 15 con 7 ON		
		209.0	<u>320</u>
	ON		
	lot 15 con 7 ON	94.1	<u>321</u>
		70.6	<u>322</u>
	ON		
	lot 15 con 8 ON	130.7	<u>323</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 15 con 7 ON	68.8	324
	lot 15 con 8 HORNBY ON	79.5	325
	lot 15 con 8 HORNBY ON	79.5	325
	lot 15 con 8 HORNBY ON	79.5	325
	lot 15 con 7 ON	157.3	326
	lot 15 con 8 ON	208.0	328
	lot 15 con 8 ON	170.1	329
	lot 21 con 8 ON	351.0	331
		267.7	332
	ON		
	lot 15 con 8 ON	107.6	333
	lot 15 con 8 ON	116.5	334
	lot 20 con 7 ON	148.5	335
	lot 15 con 8 ON	121.0	336
	lot 15 con 8 ON	140.6	337
	lot 21 con 7 ON	176.6	338
		164.6	339
	Halton Hills ON		
	lot 21 con 7 ON	427.6	340
	lot 15 con 7 ON	158.2	341
	lot 15 con 8 ON	368.0	345
		325.0	346
	ON		
		415.9	347
	HALTON HILLS ON		
	lot 21 con 7 GEORGETOWN ON	51.5	348
	lot 21 con 7 ON	353.9	349

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 21 con 8 ON	415.1	350
	lot 15 con 8 ON	375.5	351
	lot 15 con 8 ON	377.9	352
	lot 21 con 8 ON	123.7	355
	lot 15 con 8 ON	399.9	356
	lot 15 con 8 ON	439.1	357
	lot 21 con 8 GEORGETOWN ON	210.2	358
	lot 21 con 8 ON	251.8	359
	lot 21 con 8 GEORGETOWN ON	246.0	360
	lot 22 con 7 ON	358.8	361
	lot 22 con 7 ON	378.6	362
	lot 22 con 8 GEORGETOWN ON	386.1	363
	lot 22 con 8 GEORGETOWN ON	394.1	364
	lot 22 con 7 ON	416.4	365
	lot 22 con 8 ON	441.1	366
	lot 22 con 7 ON	464.7	367
	lot 22 con 8 ON	459.3	368




Map

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0

Order No: 20160225127


- | | | |
|--|-----------------------------------|--------------------------------|
| Project Property | Industrial and Resource - Regions | National Park |
| Buffer Outline | Main Line | Provincial or Territorial Park |
| Yellow ▲ Eris Sites with Higher Elevation | Sidetrack | Other Park |
| Orange □ Eris Sites with Same Elevation | Transit Line | Golf Course or Driving Range |
| Red ▼ Eris Sites with Lower Elevation | Abandoned Line | Park or Sports Field |
| White Circle Eris Sites with Unknown Elevation | | Other Recreation Area |

80°14'W


**Grid 1**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 2**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 3**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 4**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 5**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 6**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 7**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0



80°14'W

**Grid 8**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0


Buffer Outline	Expressway	Industrial and Resource - Regions	National Park
Eris Sites with Higher Elevation	Principal Highway	Main Line	Provincial or Territorial Park
Eris Sites with Same Elevation	Secondary Highway	Sidetrack	Other Park
Eris Sites with Lower Elevation	Major Road	Transit Line	Golf Course or Driving Range
Eris Sites with Unknown Elevation	Local road	Abandoned Line	Park or Sports Field
	Trail		Other Recreation Area
	Proposed Road		
	Ferry Route/Ice Road		

80°14'W


**Grid 9**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 10**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 11**

Order No: 20160225127


Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W

**Grid 12**

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 13**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 14**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 15**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W

**Grid 16**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0



80°14'W

ARBORGLEN DR

43°10'30"N


43°10'30"N

188(4) 187(11)

NORTH RIDGE CRES


1:3210

BELMONT BLVD


**Grid 17**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0



80°14'W




Grid 18

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0


[purple dashed line icon]	Buffer Outline	[dark teal line icon]	Expressway	[white with vertical lines icon]	Industrial and Resource - Regions	[dark green square icon]	National Park
[yellow triangle icon]	Eris Sites with Higher Elevation	[red line icon]	Principal Highway	[grey line with cross-hatch icon]	Main Line	[medium green square icon]	Provincial or Territorial Park
[orange square icon]	Eris Sites with Same Elevation	[yellow line icon]	Secondary Highway	[grey line with dotted pattern icon]	Sidetrack	[light green square icon]	Other Park
[red downward triangle icon]	Eris Sites with Lower Elevation	[black line icon]	Major Road	[blue line icon]	Transit Line	[dark green square icon]	Golf Course or Driving Range
[white circle icon]	Eris Sites with Unknown Elevation	[grey line icon]	Local road	[light grey line icon]	Abandoned Line	[medium green square icon]	Park or Sports Field
		[green line icon]	Trail			[light green square icon]	Other Recreation Area
		[grey line icon]	Proposed Road				
		— —	Ferry Route/Ice Road				

80°14'W



**Grid 19**

Order No: 20160225127


Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0



80°14'W




80°14'W


**Grid 21**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W




Grid 22

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 23**

Order No: 20160225127


Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W

**Grid 24**

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 25**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 26**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 27**

Order No: 20160225127


Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0



80°14'W




80°14'W

**Grid 29**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0



80°14'W

72


61

43°10'30"N

43°10'30"N




1:3210


**Grid 30**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 31**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 32**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 33**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 34**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 35**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 36**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W




Grid 37

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 38**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 39**

Order No: 20160225127


Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W

**Grid 40**

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 41**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 42**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 43**

Order No: 20160225127


Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W



Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 45**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 46**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 47**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 48**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 49**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 50**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 51**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 52**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W

**Grid 53**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0



80°14'W

76

43°10'30"N

43°10'30"N




1:3210


Grid 54

Order No: 20160225127


Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W

**Grid 55**

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W



**Grid 56**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0



80°14'W



80°14'W

98

106

110

140


43°10'30"N

43°10'30"N

90 45 0 90 m


1:3210

REGIONAL RD 8 & SIDEROAD 5

**Grid 58**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0



80°14'W

105

106

110

109

140

125

127

141

153

161

171


REGIONAL RD 9 & SIDEROAD 5

SIDEROAD 5
TRAFAVGAR RD

43°10'30"N

1:3210


43°10'30"N




Order No: 20160225127

Grid 59

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 60**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 61**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 62**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 63**

Order No: 20160225127


Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W

**Grid 64**

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 65**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 66**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 67**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 68**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 69**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 70**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 71**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 72**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 73**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W




Grid 74

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0



80°14'W


**Grid 75**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0


Buffer Outline	Expressway	Industrial and Resource - Regions	National Park
Eris Sites with Higher Elevation	Principal Highway	Main Line	Provincial or Territorial Park
Eris Sites with Same Elevation	Secondary Highway	Sidetrack	Other Park
Eris Sites with Lower Elevation	Major Road	Transit Line	Golf Course or Driving Range
Eris Sites with Unknown Elevation	Local road	Abandoned Line	Park or Sports Field
	Trail		Other Recreation Area
	Proposed Road		
	Ferry Route/Ice Road		

80°14'W


**Grid 76**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0




80°14'W


**Grid 77**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0





80°14'W

**Grid 78**

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0






Grid 79

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0



79°57'W

79°55'30"W

79°54'W

79°52'30"W

79°51'W

43°39'N

43°39'N

43°37'30"N


43°37'30"N

43°36'N

43°36'N

43°34'30"N

43°34'30"N



Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community
1:71900

Aerial

Order No: 20160225127

Address: Trafalgar Rd 7 Hwy, Halton Hills, ON, L0P1E0

Source: ESRI World Imagery, Updated October 2014

© Ecolog ERIS Ltd

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<u>1</u>	1 of 1	<i>NW/3.2</i>	257.8	lot 11 con 8 ON	WWIS
Well ID:	2806523			Lot:	011
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Eastng Nad83:	589101			Northing Nad83:	4829044
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Domestic			Construction Date:	15-JUN-85
Sec. Water Use:				Well Depth:	65 ft
Pump Rate:	5 GPM			Static Water Level:	5 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	253.5			Elevation Reliability:	
Depth to Bedrock:	30			Overburden/Bedrock k:	Bedrock
Water Type:	FRESH			Casing Material:	FRESH, MINERAL
--- Details ---					
Thickness:	11 ft			Original Depth:	11 ft
Material Colour:				Material:	PREVIOUSLY DUG
+ Thickness:	19 ft			Original Depth:	30 ft
Material Colour:				Material:	CLAY, STONES
+ Thickness:	35 ft			Original Depth:	65 ft
Material Colour:	RED			Material:	SHALE
<u>2</u>	1 of 1	<i>ENE/69.3</i>	257.1	lot 11 con 8 ON	WWIS
Well ID:	2806435			Lot:	011
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Eastng Nad83:	589214.4			Northing Nad83:	4829033
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	08-MAR-86
Sec. Water Use:				Well Depth:	95 ft
Pump Rate:	3 GPM			Static Water Level:	7 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction	Cable Tool			Flowing (y/n):	N

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Method: <i>Elevation (m):</i>	255.06			<i>Elevation</i>	
Depth to Bedrock:	42			<i>Reliability:</i> <i>Overburden/Bedrock k:</i>	Bedrock
Water Type:	FRESH			<i>Casing Material:</i>	FRESH, MINERAL
--- Details ---					
Thickness:	27 ft			<i>Original Depth:</i>	27 ft
Material Colour:	BROWN			<i>Material:</i>	CLAY, STONES, DENSE
+ Thickness:	15 ft			<i>Original Depth:</i>	42 ft
Material Colour:	RED			<i>Material:</i>	CLAY, STONES, DENSE
+ Thickness:	53 ft			<i>Original Depth:</i>	95 ft
Material Colour:	RED			<i>Material:</i>	SHALE, HARD
3	1 of 7	SE/1.4	257.8	PIONEER CANGO MANAGEMENT INC C/O COOPERS AND LYBRAND - D. DAL BELLO TRAFALGAR RD & TENTH ASHGROVE ON	EXP
<i>Instance ID:</i>	380287				
<i>TSSA Program Area:</i>					
<i>Maximum Hazard Rank:</i>					
<i>Facility Type:</i>					
<i>Expired Date:</i>					
<i>Instance Number:</i>	9192472				
<i>Instance Type:</i>	FS Facility				
<i>Status:</i>	EXPIRED				
<i>Description:</i>	FS Gasoline Station - Full Serve				
3	2 of 7	SE/1.4	257.8	CANGO INC** TRAFALGAR RD & TENTH ASHGROVE ON L2G 5Z6	EXP
<i>Instance ID:</i>					
<i>TSSA Program Area:</i>					
<i>Maximum Hazard Rank:</i>					
<i>Facility Type:</i>					
<i>Expired Date:</i>	11/20/1990				
<i>Instance Number:</i>	9837238				
<i>Instance Type:</i>	FS Facility				
<i>Status:</i>	EXPIRED				
<i>Description:</i>					
3	3 of 7	SE/1.4	257.8	M R PETROLEUM SERVICES TRAFALGAR RD & 10TH SIDE RD ASHGROVE ON M1N 1V1	EXP
<i>Instance ID:</i>					
<i>TSSA Program Area:</i>					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Maximum Hazard Rank:					
<i>Facility Type:</i>					
<i>Expired Date:</i>	7/4/1991				
<i>Instance Number:</i>	9858310				
<i>Instance Type:</i>	FS Facility				
<i>Status:</i>	EXPIRED				
<i>Description:</i>					
<u>3</u>	4 of 7	SE/1.4	257.8	M R PETROLEUM SERVICES TRAFalgar RD & 10TH SIDE RD ASHGROVE ON	PRT
<i>Location ID:</i>	17680				
<i>Type:</i>	retail				
<i>Expiry Date:</i>	1992-07-31				
<i>Capacity (L):</i>	0				
<i>Licence #:</i>	0060034001				
<u>3</u>	5 of 7	SE/1.4	257.8	WRONG INDORG BEAVER /WAS CANGO TRAFalgar RD & TENTH ASHGROVE ON	PRT
<i>Location ID:</i>	1058				
<i>Type:</i>	retail				
<i>Expiry Date:</i>	1991-11-30				
<i>Capacity (L):</i>	15000				
<i>Licence #:</i>	0056470001				
<u>3</u>	6 of 7	SE/1.4	257.8	PIONEER CANGO MANAGEMENT INC C/O COOPERS AND LYBRA TRAFalgar RD & TENTH ASHGROVE ON	PRT
<i>Location ID:</i>	17917				
<i>Type:</i>	retail				
<i>Expiry Date:</i>	1991-08-31				
<i>Capacity (L):</i>	0				
<i>Licence #:</i>	0000017756				
<u>3</u>	7 of 7	SE/1.4	257.8	Maple Lodge Farms Ltd. Trafalgar & Regional Road 10 Halton Hills ON	SPL
<i>Ref NO:</i>	7604-9WKGZA				
<i>Contaminant Code:</i>	45				
<i>Contaminant Name:</i>	OFFAL				
<i>Contaminant Quantity:</i>	20 L				
<i>Incident Cause:</i>	Unknown / N/A				
<i>Incident Dt:</i>	5/16/2015				
<i>Incident Reason:</i>	Unknown / N/A				
<i>Incident Summary:</i>	Maple Lodge Farms: 20L chicken offal to intersection				
<i>MOE Reported Dt:</i>	5/16/2015				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Environmental Impact:</i> <i>Nature of Impact:</i> <i>Receiving Medium:</i> <i>SAC Action Class:</i> <i>Sector Source Type:</i> <i>Site Municipality:</i>				Land Land Spills Halton Hills	
<u>4</u>	1 of 3	SE/13.8	257.8	M. LALL & SONS ENTERPRISES INC. 9990 TRAFALGAR ROAD, GEORGETOWN HALTON HILLS TOWN ON L7G 4S5	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:				8-3146-95- 95 4/12/1995 Industrial air Approved WASTE OIL FURNACE MODEL CB-2800 Suspended Particulate Matter, Nitrogen Oxides, Sulphur Dioxide, Zinc No Controls	
<u>4</u>	2 of 3	SE/13.8	257.8	M. Lall & Sons Enterprises Inc. Mississauga 9990 TRAFALGAR RD. Town of Halton Hills ON L7G 4S5	EBR
Year: EBR Registry No.: Ministry Ref. No.: Type: Instrument Type: Proposal Date: Location: Proponent Address:				1997 IA7E0937 Instrument EPA s. 9 - Approval for discharge into the natural environment other than water (i.e. Air) 6/25/97 Town of Halton Hills M. Lall & Sons Enterprises Inc. Mississauga, 7033 Telford Way, Unit #1, Mississauga, Ontario, L5S 1V4	
<u>4</u>	3 of 3	SE/13.8	257.8	9990 Trafalgar Road Georgetown ON L7G 4S5	EHS
Order No.: Report Date: Report Type: Search Radius (km): Addit. Info Ordered:				20020830008 9/11/02 Basic Report 0.25 Fire Insur. Maps and/or Site Plans and/or Inspection Reports	
<u>5</u>	1 of 2	SE/11.8	257.8	9989 Trafalgar Road Georgetown ON L7G 4S5	EHS
Order No.:				20021111001	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Report Date:	11/12/02				
Report Type:	Basic Report				
Search Radius (km):	0.25				
Addit. Info Ordered:	Fire Insur. Maps and/or Site Plans and/or Inspection Reports				
5	2 of 2	SE/11.8	257.8	770517 ONTARIO INC. 9989 TRAFALGER ROAD GEORGETOWN ON L7G 4S5	GEN
Generator #:	ON6309348				
Approval Yrs:	02,03,04				
SIC Code:					
SIC Description:					
--- Details ---					
Waste Code:	252				
Waste Description:	WASTE OILS & LUBRICANTS				
6	1 of 1	SSE/54.5	257.8	lot 10 con 7 ON	WWIS
Well ID:	2809682			Lot:	010
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	589179			Northing Nad83:	4828893
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Domestic			Construction Date:	16-JAN-03
Sec. Water Use:				Well Depth:	205 ft
Pump Rate:	3 GPM			Static Water Level:	18 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Rotary (Air)			Flowing (y/n):	N
Elevation (m):	256.88			Elevation	
Depth to Bedrock:	44			Reliability:	
Water Type:	FRESH			Overburden/Bedrock	Bedrock
k:				Casing Material:	FRESH
--- Details ---					
Thickness:	2 ft			Original Depth:	2 ft
Material Colour:	BROWN			Material:	TOPSOIL
+ Thickness:					
Thickness:	42 ft			Original Depth:	44 ft
Material Colour:	BROWN			Material:	CLAY, LIGHT-COLOURED
+ Thickness:					
Thickness:	161 ft			Original Depth:	205 ft
Material Colour:	BLUE			Material:	SHALE
7	1 of 1	ENE/118.9	256.9	lot 11 con 8 ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Well ID:	2805673			Lot:	011
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	589274.4			Northing Nad83:	4829043
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	25-SEP-80
Sec. Water Use:				Well Depth:	25 ft
Pump Rate:	10 GPM			Static Water Level:	6 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	255.12			Elevation	
Depth to Bedrock:	20			Reliability:	
Water Type:	FRESH			Overburden/Bedrock k:	Bedrock
--- Details ---					
Thickness:	20 ft			Original Depth:	20 ft
Material Colour:	BROWN			Material:	SAND, STONES, PACKED
+					
Thickness:	5 ft			Original Depth:	25 ft
Material Colour:	RED			Material:	SHALE, SOFT
8	1 of 2	SSE/36.5	257.8	lot 10 con 7 ON	WWIS
Well ID:	2805438			Lot:	010
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	589214.4			Northing Nad83:	4828883
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	27-OCT-78
Sec. Water Use:				Well Depth:	37 ft
Pump Rate:	14 GPM			Static Water Level:	3 ft
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	256.73			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:	FRESH			Overburden/Bedrock k:	Overburden
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:	BROWN			Material:	TOPSOIL
+					
Thickness:	33 ft			Original Depth:	34 ft
Material Colour:	BROWN			Material:	CLAY, STONES, PACKED
+					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Thickness:	3 ft			Original Depth:	37 ft
Material Colour:	BROWN			Material:	SAND, STONES, LOOSE
8	2 of 2	SSE/36.5	257.8	lot 10 con 7 ON	WWIS
Well ID:	2805756			Lot:	010
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Eastng Nad83:	589214.4			Northing Nad83:	4828883
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	20-OCT-81
Sec. Water Use:				Well Depth:	140 ft
Pump Rate:	2 GPM			Static Water Level:	9 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Rotary (Air)			Flowing (y/n):	N
Elevation (m):	256.73			Elevation	
Depth to Bedrock:	34			Reliability:	
Water Type:	FRESH			Overburden/Bedrock k:	Bedrock
--- Details ---				Casing Material:	FRESH
Thickness:	34 ft			Original Depth:	34 ft
Material Colour:	BROWN			Material:	CLAY, SOFT
+					
Thickness:	10 ft			Original Depth:	44 ft
Material Colour:	RED			Material:	SHALE, CLAY, SOFT
+					
Thickness:	96 ft			Original Depth:	140 ft
Material Colour:	RED			Material:	SHALE, LIMESTONE, PACKED
9	1 of 2	E/124.1	257.0	ASHGROVE WELDING LTD.	SCT
				GEORGETOWN ON L7G	
Established:	1953				
Plant Size (ft²):	6000				
Employment:	8				
--- Details ---					
SIC/NAICS Code:	3599				
Description:	INDUSTRIAL AND COMMERCIAL MACHINERY AND EQUIPMENT, NOT ELSEWHERE CLASSIFIED				
+					
SIC/NAICS Code:	3713				
Description:	TRUCK AND BUS BODIES				
+					
SIC/NAICS Code:	3715				
Description:	TRUCK TRAILERS				
+					
SIC/NAICS Code:	3444				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Description:	SHEET METAL WORK				
+ SIC/NAICS Code:	3499				
Description:	FABRICATED METAL PRODUCTS, NOT ELSEWHERE CLASSIFIED				
+ SIC/NAICS Code:	3556				
Description:	FOOD PRODUCTS MACHINERY				
<hr/>					
9	2 of 2	E/124.1	257.0	ASHGROVE WELDING LTD. RR 2 ON L7G 4S5	SCT
Established:	1953				
Plant Size (ft²):	6000				
Employment:	8				
--- Details ---					
SIC/NAICS Code:	3444				
Description:	SHEET METAL WORK				
+ SIC/NAICS Code:	3499				
Description:	FABRICATED METAL PRODUCTS, N.E.C.				
+ SIC/NAICS Code:	3556				
Description:	FOOD PRODUCTS MACHINERY				
+ SIC/NAICS Code:	3713				
Description:	TRUCK & BUS BODIES				
+ SIC/NAICS Code:	3715				
Description:	TRUCK TRAILERS				
<hr/>					
10	1 of 1	E/119.0	257.2	lot 11 con 8 ON	WWIS
Well ID:	2805653			Lot:	011
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	589294.4			Northing Nad83:	4829023
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	23-OCT-80
Sec. Water Use:				Well Depth:	24 ft
Pump Rate:	10 GPM			Static Water Level:	6 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	255.18			Elevation	
Depth to Bedrock:	20			Reliability:	
Water Type:	FRESH			Overburden/Bedrock	Bedrock
---				k:	
Thickness:	1 ft			Casing Material:	SULPHUR
				Original Depth:	1 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Material Colour:	BROWN			Material:	TOPSOIL
+ Thickness:	19 ft			Original Depth:	20 ft
Material Colour:	BROWN			Material:	SAND, STONES, PACKED
+ Thickness:	4 ft			Original Depth:	24 ft
Material Colour:	RED			Material:	SHALE, HARD

11	1 of 1	ESE/53.0	257.8	GEORGETOWN ON	WWIS
Well ID:	7160593			Lot:	
Concession:				Concession Name:	
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	589284			Northing Nad83:	4828940
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:				Construction Date:	12-JUL-10
Sec. Water Use:				Well Depth:	38 m
Pump Rate:	4 LPM			Static Water Level:	3.13 m
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	
Elevation (m):				Elevation	
Depth to Bedrock:				Reliability:	
Water Type:	FRESH			Overburden/Bedrock:	
--- Details ---				K:	
Thickness:	2 m			Casing Material:	FRESH, MINERIAL
Material Colour:				Original Depth:	2 m
+ Thickness:	12 m			Material:	TOPSOIL
Material Colour:	BROWN			Original Depth:	14 m
+ Thickness:	2 m			Material:	CLAY
Material Colour:	GREY			Original Depth:	16 m
+ Thickness:	2 m			Material:	GRAVEL
Material Colour:	RED			Original Depth:	18 m
+ Thickness:	20 m			Material:	CLAY
Material Colour:	RED			Original Depth:	38 m
+ Thickness:				Material:	SHALE

12	1 of 1	E/98.9	257.7	ASHGROVE WELDING LTD. 13084 10th Side Rd Georgetown ON L7G 4S5	SCT
--------------------	--------	--------	-------	---	---------------------

Established: 1953
Plant Size (ft²): 6000

Order No: 20160225127

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Employment:	8				
-- Details --					
SIC/NAICS Code:	331110				
Description:	Iron and Steel Mills and Ferro-Alloy Manufacturing				
+ SIC/NAICS Code:	332329				
Description:	Other Ornamental and Architectural Metal Products Manufacturing				
+ SIC/NAICS Code:	332710				
Description:	Machine Shops				
+ SIC/NAICS Code:	333299				
Description:	All Other Industrial Machinery Manufacturing				
+ SIC/NAICS Code:	336211				
Description:	Motor Vehicle Body Manufacturing				
+ SIC/NAICS Code:	336212				
Description:	Truck Trailer Manufacturing				
13	1 of 1	SSE/45.0	257.9	lot 10 con 7 ON	WWIS
Well ID:	2801113			Lot:	010
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	589220.4			Northing Nad83:	4828865
Zone:	17			Utm Reliability:	unknown UTM
Primary Water Use:	Commerical			Construction Date:	20-MAY-47
Sec. Water Use:	Domestic			Well Depth:	65 ft
Pump Rate:	10 GPM			Static Water Level:	15 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	257.17			Elevation Reliability:	
Depth to Bedrock:	30			Overburden/Bedrock k:	Bedrock
Water Type:	MINERIAL			Casing Material:	FRESH, MINERIAL
-- Details --					
Thickness:	30 ft			Original Depth:	30 ft
Material Colour:				Material:	GRAVEL, CLAY
+ Thickness:	35 ft			Original Depth:	65 ft
Material Colour:	RED			Material:	SHALE
14	1 of 1	SE/28.6	257.8	lot 10 con 8 ON	WWIS
Well ID:	2801226			Lot:	010
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Easting Nad83:</i>	589275.4			<i>Northing Nad83:</i>	(ESQUESING)
<i>Zone:</i>	17			<i>Utm Reliability:</i>	4828914
<i>Primary Water Use:</i>	Domestic			<i>Construction Date:</i>	unknown UTM
<i>Sec. Water Use:</i>	Commercial			<i>Well Depth:</i>	23-SEP-58
<i>Pump Rate:</i>	1 GPM			<i>Static Water Level:</i>	78 ft
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	8 ft
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	CLEAR
<i>Construction Method:</i>	Cable Tool			<i>Flowing (y/n):</i>	Water Supply
<i>Elevation (m):</i>	254.44				N
<i>Depth to Bedrock:</i>	24			<i>Elevation Reliability:</i>	
<i>Water Type:</i>	MINERIAL			<i>Overburden/Bedrock K:</i>	Bedrock
--- Details ---				<i>Casing Material:</i>	FRESH, MINERIAL
<i>Thickness:</i>	1 ft			<i>Original Depth:</i>	1 ft
<i>Material Colour:</i>				<i>Material:</i>	TOPSOIL
+ <i>Thickness:</i>	14 ft			<i>Original Depth:</i>	15 ft
<i>Material Colour:</i>	YELLOW			<i>Material:</i>	CLAY
+ <i>Thickness:</i>	9 ft			<i>Original Depth:</i>	24 ft
<i>Material Colour:</i>	RED			<i>Material:</i>	CLAY
+ <i>Thickness:</i>	54 ft			<i>Original Depth:</i>	78 ft
<i>Material Colour:</i>				<i>Material:</i>	SHALE
15	1 of 1	ESE/34.0	257.8	lot 10 con 8 GEORGETOWN ON	WWIS
<i>Well ID:</i>	7160598			<i>Lot:</i>	010
<i>Concession:</i>	08			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	589282			<i>Northing Nad83:</i>	4828915
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 10 - 30 m
<i>Primary Water Use:</i>				<i>Construction Date:</i>	04-JUL-10
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	86 ft
<i>Pump Rate:</i>	1.5 GPM			<i>Static Water Level:</i>	3.15 ft
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	CLEAR
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Water Supply
<i>Construction Method:</i>	Cable Tool			<i>Flowing (y/n):</i>	
<i>Elevation (m):</i>				<i>Elevation Reliability:</i>	
<i>Depth to Bedrock:</i>				<i>Overburden/Bedrock K:</i>	
<i>Water Type:</i>	FRESH			<i>Casing Material:</i>	FRESH, MINERIAL
--- Details ---					
<i>Thickness:</i>	2 ft			<i>Original Depth:</i>	2 ft
<i>Material Colour:</i>				<i>Material:</i>	TOPSOIL

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
+ <i>Thickness:</i> 9 ft <i>Material Colour:</i> BROWN				<i>Original Depth:</i> 11 ft <i>Material:</i> CLAY	
+ <i>Thickness:</i> 4 ft <i>Material Colour:</i> RED				<i>Original Depth:</i> 15 ft <i>Material:</i> CLAY	
+ <i>Thickness:</i> 71 ft <i>Material Colour:</i> RED				<i>Original Depth:</i> 86 ft <i>Material:</i> SHALE, HARD	
16	1 of 1	SSE/48.4	258.0	<i>Lot 10 con 7 ON</i>	WWIS
<i>Well ID:</i> 2801114 <i>Concession:</i> 07 <i>County:</i> HALTON				<i>Lot:</i> 010 <i>Concession Name:</i> CON <i>Municipality:</i> HALTON HILLS TOWN (ESQUESING)	
<i>Easting Nad83:</i> 589225.4 <i>Zone:</i> 17 <i>Primary Water Use:</i> Commercial <i>Sec. Water Use:</i> Domestic <i>Pump Rate:</i> 5 GPM <i>Flow Rate:</i> <i>Specific Capacity:</i> <i>Construction Method:</i> <i>Elevation (m):</i> 257.36				<i>Northing Nad83:</i> 4828855 <i>Utm Reliability:</i> unknown UTM <i>Construction Date:</i> 24-JAN-52 <i>Well Depth:</i> 43 ft <i>Static Water Level:</i> 5 ft <i>Clear/Cloudy:</i> CLOUDY <i>Final Well Status:</i> Water Supply <i>Flowing (y/n):</i> N	
<i>Depth to Bedrock:</i> 25				<i>Elevation</i> <i>Reliability:</i> <i>Overburden/Bedrock k:</i> Bedrock	
<i>Water Type:</i> FRESH				<i>Casing Material:</i> FRESH, MINERAL	
--- Details ---					
<i>Thickness:</i> 25 ft <i>Material Colour:</i>				<i>Original Depth:</i> 25 ft <i>Material:</i> CLAY, GRAVEL	
+ <i>Thickness:</i> 18 ft <i>Material Colour:</i> RED				<i>Original Depth:</i> 43 ft <i>Material:</i> SHALE	
17	1 of 1	ESE/68.1	258.0	<i>Part of Lot 10, Concession 8 (Esquesing) Halton Hills ON</i>	EHS
<i>Order No.:</i> 20100317026 <i>Report Date:</i> 3/26/2010 <i>Report Type:</i> Standard Report <i>Search Radius (km):</i> 0.25 <i>Addit. Info Ordered:</i>					
18	1 of 1	ENE/178.9	257.3	<i>Lot 10 con 8 ON</i>	WWIS
<i>Well ID:</i> 2807169				<i>Lot:</i> 010	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Concession: County:	08 HALTON			Concession Name: Municipality:	CON HALTON HILLS TOWN (ESQUESING)
Eastng Nad83: Zone: Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m):	589339 17 Domestic 4 GPM CLEAR Water Supply Cable Tool 256.34			Northing Nad83: Utm Reliability: Construction Date: Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n):	4829063 margin of error : 10 - 30 m 05-NOV-88 90 ft 27 ft CLEAR Water Supply N
Depth to Bedrock:	46			Elevation Reliability: Overburden/Bedrock k:	Bedrock
Water Type:	FRESH			Casing Material:	FRESH, MINERIAL
--- Details ---					
Thickness: Material Colour:	23 ft BROWN			Original Depth: Material:	23 ft SAND, CLAY, GRAVEL
+ Thickness: Material Colour:	7 ft GREY			Original Depth: Material:	30 ft SAND
+ Thickness: Material Colour:	16 ft GREY			Original Depth: Material:	46 ft SAND, CLAY, GRAVEL
+ Thickness: Material Colour:	2 ft RED			Original Depth: Material:	48 ft SHALE, GRAVEL
+ Thickness: Material Colour:	42 ft RED			Original Depth: Material:	90 ft SHALE, ROCK
19	1 of 1	S/119.9	257.8	lot 10 con 7 ON	WWIS
Well ID: Concession: County:	2801112 07 HALTON			Lot: Concession Name: Municipality:	010 CON HALTON HILLS TOWN (ESQUESING)
Eastng Nad83: Zone: Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m):	589179.4 17 Domestic 4 GPM CLEAR Water Supply Cable Tool 260.5			Northing Nad83: Utm Reliability: Construction Date: Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n):	4828800 unknown UTM 08-MAY-47 78 ft 5 ft Water Supply N
Depth to Bedrock:	49			Elevation Reliability: Overburden/Bedrock k:	Bedrock

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Water Type:	FRESH			Casing Material:	FRESH, MINERIAL
--- Details ---					
Thickness:	49 ft			Original Depth:	49 ft
Material Colour:				Material:	GRAVEL, CLAY
+ Thickness:	29 ft			Original Depth:	78 ft
Material Colour:	RED			Material:	SHALE
20	1 of 1	E/170.7	257.8	lot 10 con 8 ON	WWIS
Well ID:	2801227			Lot:	010
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	589361.4			Northing Nad83:	4829029
Zone:	17			Utm Reliability:	unknown UTM
Primary Water Use:	Domestic			Construction Date:	13-DEC-60
Sec. Water Use:				Well Depth:	36 ft
Pump Rate:	0 GPM			Static Water Level:	20 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	256.08			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock k:	Overburden
Water Type:	FRESH			Casing Material:	SULPHUR
--- Details ---					
Thickness:	20 ft			Original Depth:	20 ft
Material Colour:	BROWN			Material:	TOPSOIL, SILT
+ Thickness:	1 ft			Original Depth:	21 ft
Material Colour:	BROWN			Material:	MEDIUM SAND
+ Thickness:	15 ft			Original Depth:	36 ft
Material Colour:	BROWN			Material:	CLAY
21	1 of 1	E/177.8	257.8	lot 10 con 8 ON	WWIS
Well ID:	2801231			Lot:	010
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	589371.4			Northing Nad83:	4829029
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Domestic			Construction Date:	28-JUN-67
Sec. Water Use:				Well Depth:	25 ft
Pump Rate:	1 GPM			Static Water Level:	17 ft
Flow Rate:				Clear/Cloudy:	CLEAR

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Specific Capacity: Construction Method: Elevation (m):	Boring 256.28			Final Well Status: Flowing (y/n):	Water Supply N
Depth to Bedrock:	23			Elevation Reliability: Overburden/Bedrock k:	Bedrock
Water Type:	FRESH			Casing Material:	SULPHUR
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:				Material:	TOPSOIL
+ Thickness:	6 ft			Original Depth:	7 ft
Material Colour:	BROWN			Material:	CLAY
+ Thickness:	10 ft			Original Depth:	17 ft
Material Colour:	RED			Material:	CLAY
+ Thickness:	6 ft			Original Depth:	23 ft
Material Colour:				Material:	HARDPAN
+ Thickness:	2 ft			Original Depth:	25 ft
Material Colour:	RED			Material:	SHALE
22	1 of 1	E/181.3	257.9	lot 10 con 8 ON	WWIS
Well ID:	2808451			Lot:	010
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	589372.4			Northing Nad83:	4829033
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Domestic			Construction Date:	10-NOV-95
Sec. Water Use:				Well Depth:	60 ft
Pump Rate:	5 GPM			Static Water Level:	6 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	256.39			Elevation Reliability:	
Depth to Bedrock:	24			Overburden/Bedrock k:	Bedrock
Water Type:	FRESH			Casing Material:	FRESH, MINERIAL
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:	BLACK			Material:	TOPSOIL
+ Thickness:	23 ft			Original Depth:	24 ft
Material Colour:	BROWN			Material:	CLAY

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
+ Thickness: 36 ft Material Colour: RED				Original Depth: 60 ft Material: SHALE	
23	1 of 1	E/188.4	257.9	lot 10 con 8 ON	WWIS
Well ID: 2801228 Concession: 08 County: HALTON				Lot: 010 Concession Name: CON Municipality: HALTON HILLS TOWN (ESQUESING)	
Easting Nad83: 589371.4 Zone: 17 Primary Water Use: Domestic Sec. Water Use: Pump Rate: 2 GPM Flow Rate: Specific Capacity: Construction Method: Elevation (m): 256.63				Northing Nad83: 4829044 Utm Reliability: margin of error : 100 m - 300 m Construction Date: 11-MAY-63 Well Depth: 36 ft Static Water Level: 20 ft Clear/Cloudy: CLEAR Final Well Status: Water Supply Flowing (y/n): N	
Depth to Bedrock:				Elevation Reliability: Overburden/Bedrock	Overburden
Water Type: FRESH				Casing Material:	SULPHUR
--- Details ---					
Thickness: 20 ft Material Colour: BROWN				Original Depth: 20 ft Material:	TOPSOIL, CLAY
+ Thickness: 14 ft Material Colour: RED				Original Depth: 34 ft Material:	CLAY
+ Thickness: 2 ft Material Colour:				Original Depth: 36 ft Material:	MEDIUM SAND
24	1 of 1	E/170.8	257.8	lot 10 con 8 ON	WWIS
Well ID: 2801225 Concession: 08 County: HALTON				Lot: 010 Concession Name: CON Municipality: HALTON HILLS TOWN (ESQUESING)	
Easting Nad83: 589391.4 Zone: 17 Primary Water Use: Domestic Sec. Water Use: Pump Rate: 0 GPM Flow Rate: Specific Capacity: Construction Method: Elevation (m): 255.97				Northing Nad83: 4828999 Utm Reliability: unknown UTM Construction Date: 11-SEP-54 Well Depth: 25 ft Static Water Level: 5 ft Clear/Cloudy: CLEAR Final Well Status: Water Supply Flowing (y/n): N	
				Elevation Reliability:	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Depth to Bedrock:	15			Overburden/Bedrock k:	Bedrock
Water Type:	FRESH			Casing Material:	SULPHUR
--- Details ---					
Thickness:	14 ft			Original Depth:	14 ft
Material Colour:	BROWN			Material:	CLAY
+ Thickness:	1 ft			Original Depth:	15 ft
Material Colour:				Material:	GRAVEL
+ Thickness:	10 ft			Original Depth:	25 ft
Material Colour:	RED			Material:	SHALE
25	1 of 1	ENE/265.1	257.2	lot 10 con 8 ON	WWIS
Well ID:	2806918			Lot:	010
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	589390			Northing Nad83:	4829134
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Domestic			Construction Date:	20-MAY-88
Sec. Water Use:				Well Depth:	110 ft
Pump Rate:	2 GPM			Static Water Level:	6 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	257.28			Elevation Reliability:	
Depth to Bedrock:	27			Overburden/Bedrock k:	Bedrock
Water Type:	FRESH			Casing Material:	FRESH
--- Details ---					
Thickness:	27 ft			Original Depth:	27 ft
Material Colour:	BROWN			Material:	CLAY, GRAVELLY
+ Thickness:	83 ft			Original Depth:	110 ft
Material Colour:	RED			Material:	SHALE
26	1 of 1	ENE/297.6	257.5	lot 10 con 8 ON	WWIS
Well ID:	2806917			Lot:	010
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	589417			Northing Nad83:	4829153
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Domestic			Construction Date:	16-MAY-88
Sec. Water Use:				Well Depth:	94 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Pump Rate:	8 GPM			Static Water Level:	5 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	256.62			Elevation Reliability:	
Depth to Bedrock:	31			Overburden/Bedrock k:	Bedrock
Water Type:	FRESH			Casing Material:	FRESH, MINERIAL
--- Details ---					
Thickness:	18 ft			Original Depth:	18 ft
Material Colour:	BROWN			Material:	CLAY, GRAVELLY
+ Thickness:	5 ft			Original Depth:	23 ft
Material Colour:	GREY			Material:	CLAY, GRAVELLY
+ Thickness:	8 ft			Original Depth:	31 ft
Material Colour:	BROWN			Material:	CLAY, GRAVELLY
+ Thickness:	63 ft			Original Depth:	94 ft
Material Colour:	RED			Material:	SHALE

27	1 of 1	ESE/141.1	258.1	lot 10 con 8 GEORGETOWN ON	WWIS
Well ID:	7160588			Lot:	010
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	589489			Northing Nad83:	4828859
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:				Construction Date:	02-JUL-10
Sec. Water Use:				Well Depth:	62 ft
Pump Rate:	3 GPM			Static Water Level:	2.21 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	
Elevation (m):				Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock k:	
Water Type:	FRESH			Casing Material:	FRESH, MINERIAL
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:				Material:	TOPSOIL
+ Thickness:	7 ft			Original Depth:	8 ft
Material Colour:	BROWN			Material:	CLAY
+					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Thickness:</i>	4 ft			<i>Original Depth:</i>	12 ft
<i>Material Colour:</i>				<i>Material:</i>	STONES, GRAVEL
+					
<i>Thickness:</i>	3 ft			<i>Original Depth:</i>	15 ft
<i>Material Colour:</i>				<i>Material:</i>	SAND, GRAVEL
+					
<i>Thickness:</i>	47 ft			<i>Original Depth:</i>	62 ft
<i>Material Colour:</i>	RED			<i>Material:</i>	SHALE
<hr/>					
<u>28</u>	1 of 1	ENE/369.7	257.8	lot 10 con 8 ON	WWIS
<i>Well ID:</i>	2806725			<i>Lot:</i>	010
<i>Concession:</i>	08			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	589465			<i>Northing Nad83:</i>	4829207
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 10 - 30 m
<i>Primary Water Use:</i>	Domestic			<i>Construction Date:</i>	26-AUG-87
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	91 ft
<i>Pump Rate:</i>	6 GPM			<i>Static Water Level:</i>	14 ft
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	CLEAR
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Water Supply
<i>Construction Method:</i>	Cable Tool			<i>Flowing (y/n):</i>	N
<i>Elevation (m):</i>	255.39			<i>Elevation</i>	
<i>Depth to Bedrock:</i>	14			<i>Reliability:</i>	
<i>Water Type:</i>	FRESH			<i>Overburden/Bedrock k:</i>	Bedrock
<hr/>					
--- Details ---				<i>Casing Material:</i>	FRESH, MINERAL
<i>Thickness:</i>	14 ft			<i>Original Depth:</i>	14 ft
<i>Material Colour:</i>	RED			<i>Material:</i>	CLAY
+					
<i>Thickness:</i>	77 ft			<i>Original Depth:</i>	91 ft
<i>Material Colour:</i>	RED			<i>Material:</i>	SHALE
<hr/>					
<u>29</u>	1 of 1	NW/75.3	255.0	lot 11 con 7 ON	WWIS
<i>Well ID:</i>	2809960			<i>Lot:</i>	011
<i>Concession:</i>	07			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	588913			<i>Northing Nad83:</i>	4829344
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 100 m - 300 m
<i>Primary Water Use:</i>	Not Used			<i>Construction Date:</i>	01-JUN-04
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	
<i>Pump Rate:</i>				<i>Static Water Level:</i>	
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Abandoned-Other
<i>Construction Method:</i>	Not Known			<i>Flowing (y/n):</i>	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Elevation (m):	252.33			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock k:	No formation data
Water Type:				Casing Material:	
30	1 of 1	SSE/193.3	257.8	MILTON ON	WWIS
Well ID:	2810198			Lot:	
Concession:				Concession Name:	
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	589285.8			Northing Nad83:	4828589
Zone:	17			Utm Reliability:	
Primary Water Use:				Construction Date:	24-MAR-05
Sec. Water Use:				Well Depth:	5.49 m
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Observation Wells
Construction Method:	Driving			Flowing (y/n):	
Elevation (m):	261.06			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock k:	Overburden
Water Type:				Casing Material:	Not stated
--- Details ---					
Thickness:	.3 m			Original Depth:	.3 m
Material Colour:	BROWN			Material:	GRAVEL, SAND, FILL
+					
Thickness:	3.97 m			Original Depth:	4.27 m
Material Colour:	BROWN			Material:	CLAY, SILT, GRAVEL
+					
Thickness:	1.22 m			Original Depth:	5.49 m
Material Colour:	GREY			Material:	CLAY, SILT, GRAVEL
31	1 of 1	ENE/433.3	257.8	lot 10 con 8 ON	WWIS
Well ID:	2806726			Lot:	010
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	589510			Northing Nad83:	4829252
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Domestic			Construction Date:	24-AUG-87
Sec. Water Use:				Well Depth:	90 ft
Pump Rate:	15 GPM			Static Water Level:	16 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Elevation (m):	256.59			Elevation Reliability:	
Depth to Bedrock:	13			Overburden/Bedrock k:	Bedrock
Water Type:	FRESH			Casing Material:	FRESH, MINERIAL
--- Details ---					
Thickness:	13 ft			Original Depth:	13 ft
Material Colour:	RED			Material:	CLAY
+					
Thickness:	77 ft			Original Depth:	90 ft
Material Colour:	RED			Material:	SHALE
<hr/>					
<u>32</u>	1 of 1	SSW/387.7	257.8	lot 10 con 7 ON	WWIS
Well ID:	2804837			Lot:	010
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	589028.4			Northing Nad83:	4828572
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Domestic			Construction Date:	01-DEC-75
Sec. Water Use:				Well Depth:	130 ft
Pump Rate:	2 GPM			Static Water Level:	12 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Rotary (Convent.)			Flowing (y/n):	N
Elevation (m):	256.94			Elevation Reliability:	
Depth to Bedrock:	58			Overburden/Bedrock k:	Bedrock
Water Type:	FRESH			Casing Material:	FRESH, MINERIAL
--- Details ---					
Thickness:	58 ft			Original Depth:	58 ft
Material Colour:				Material:	CLAY, STONES, SAND
+					
Thickness:	72 ft			Original Depth:	130 ft
Material Colour:	RED			Material:	SHALE
<hr/>					
<u>33</u>	1 of 1	ENE/409.8	257.8	lot 10 con 8 ON	WWIS
Well ID:	2804467			Lot:	010
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	589578.4			Northing Nad83:	4829150
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	22-MAY-74
Sec. Water Use:				Well Depth:	120 ft
Pump Rate:	3 GPM			Static Water Level:	5 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	CLEAR
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Water Supply
<i>Construction Method:</i>	Rotary (Convent.)			<i>Flowing (y/n):</i>	N
<i>Elevation (m):</i>	256.77			<i>Elevation Reliability:</i>	
<i>Depth to Bedrock:</i>	36			<i>Overburden/Bedrock k:</i>	Bedrock
<i>Water Type:</i>	FRESH			<i>Casing Material:</i>	FRESH, MINERIAL
--- Details ---					
<i>Thickness:</i>	18 ft			<i>Original Depth:</i>	18 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	CLAY, STONES
+ <i>Thickness:</i>	18 ft			<i>Original Depth:</i>	36 ft
<i>Material Colour:</i>	BLUE			<i>Material:</i>	CLAY, GRAVEL
+ <i>Thickness:</i>	84 ft			<i>Original Depth:</i>	120 ft
<i>Material Colour:</i>	RED			<i>Material:</i>	SHALE

<u>34</u>	1 of 1	NW/21.9	254.0	2108393 Ontario Inc. 10229 Trafalgar Road Halton Hills ON	RSC
<i>Date Submitted:</i>	27-Jun-14				
<i>Date Acknowledg.:</i>					
<i>Date Returned:</i>					
<i>Certification Date:</i>					
<i>Soil Type:</i>					
<i>Restoration Type:</i>					
<i>Registration #:</i>	213449				
<i>Stratified (Y/N):</i>					
<i>Criteria:</i>					
<i>Consultant:</i>					
<i>District Office:</i>	Halton Hills				
<i>Intended Prop Use:</i>	Residential				
<i>Current Property Use:</i>					
<i>Certificate Prop Use #:</i>					
<i>Applicable Standards:</i>					
<i>Legal Description:</i>					
<i>Prop. Identification #:</i>					
<i>Entire legal prop. (y/n):</i>					
<i>UTM Coordinates:</i>					
<i>Latitude & Longitude:</i>					
<i>Accuracy Estimate:</i>					
<i>Measurement Method:</i>					
<i>CPU Issued Sect 1686:</i>					

<u>35</u>	1 of 1	SE/62.7	257.8	lot 10 con 8 ON	WWIS
<i>Well ID:</i>	2801230			<i>Lot:</i>	010
<i>Concession:</i>	08			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Easting Nad83: Zone: Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m):	589629.4 17 Domestic Boring 257.55			Northing Nad83: Utm Reliability: Construction Date: Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n):	(ESQUESING) 4828607 margin of error : 100 m - 300 m 28-AUG-63 28 ft 20 ft CLEAR Water Supply N
Depth to Bedrock:				Elevation Reliability: Overburden/Bedrock K:	Overburden
Water Type:	FRESH			Casing Material:	SULPHUR
--- Details ---					
Thickness: Material Colour:	20 ft BROWN			Original Depth: Material:	20 ft TOPSOIL, CLAY
+ Thickness: Material Colour:	8 ft			Original Depth: Material:	28 ft GRAVEL
36	1 of 1	N/462.9	253.9	lot 11 con 8 ON	WWIS
Well ID: Concession: County:	2801235 08 HALTON			Lot: Concession Name: Municipality:	011 CON HALTON HILLS TOWN (ESQUESING)
Easting Nad83: Zone: Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m):	589134.4 17 Domestic Boring 253.6			Northing Nad83: Utm Reliability: Construction Date: Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n):	4829671 margin of error : 100 m - 300 m 29-JUN-67 25 ft 5 ft CLEAR Water Supply N
Depth to Bedrock:	5			Elevation Reliability: Overburden/Bedrock K:	Bedrock
Water Type:	FRESH			Casing Material:	SULPHUR
--- Details ---					
Thickness: Material Colour:	5 ft BROWN			Original Depth: Material:	5 ft TOPSOIL, CLAY
+ Thickness: Material Colour:	20 ft RED			Original Depth: Material:	25 ft SHALE
37	1 of 1	SE/23.9	257.8	lot 9 con 8 ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Well ID:	2801229			Lot:	009
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	589629.4			Northing Nad83:	4828552
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Public			Construction Date:	06-JUL-63
Sec. Water Use:				Well Depth:	20 ft
Pump Rate:	25 GPM			Static Water Level:	15 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	259.5			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:	FRESH			Casing Material:	SULPHUR
--- Details ---					
Thickness:	15 ft			Original Depth:	15 ft
Material Colour:	BROWN			Material:	TOPSOIL, CLAY
+					
Thickness:	5 ft			Original Depth:	20 ft
Material Colour:				Material:	COARSE SAND, GRAVEL
38	1 of 1	SE/114.7	257.5	lot 10 con 7 ON	WWIS
Well ID:	2801115			Lot:	010
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	589528.4			Northing Nad83:	4828457
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Livestock			Construction Date:	05-FEB-59
Sec. Water Use:				Well Depth:	97 ft
Pump Rate:	12 GPM			Static Water Level:	30 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	262.34			Elevation Reliability:	
Depth to Bedrock:	46			Overburden/Bedrock:	Bedrock
Water Type:	FRESH			Casing Material:	FRESH, MINERAL
--- Details ---					
Thickness:	30 ft			Original Depth:	30 ft
Material Colour:				Material:	PREV. DRILLED
+					
Thickness:	16 ft			Original Depth:	46 ft
Material Colour:	RED			Material:	CLAY

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
+ Thickness: 51 ft Material Colour: RED				Original Depth: 97 ft Material: SHALE	
<u>39</u>	1 of 1	SE/39.3	257.8	lot 9 con 8 ON	WWIS
Well ID: 7200063 Concession: 08 County: HALTON				Lot: 009 Concession Name: CON Municipality: HALTON HILLS TOWN (ESQUESING)	
Easting Nad83: 589678 Zone: 17 Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m): Depth to Bedrock: Water Type:				Northing Nad83: 4828525 Utm Reliability: margin of error : 30 m - 100 m Construction Date: 28-OCT-12 Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n): Elevation Reliability: Overburden/Bedrock k: Casing Material:	
<u>40</u>	1 of 1	SE/45.0	257.8	lot 9 con 8 ON	WWIS
Well ID: 7200065 Concession: 08 County: HALTON				Lot: 009 Concession Name: CON Municipality: HALTON HILLS TOWN (ESQUESING)	
Easting Nad83: 589687 Zone: 17 Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m): Depth to Bedrock: Water Type:				Northing Nad83: 4828524 Utm Reliability: margin of error : 30 m - 100 m Construction Date: 12-NOV-12 Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n): Elevation Reliability: Overburden/Bedrock k: Casing Material:	
<u>41</u>	1 of 1	SE/42.8	257.8	MUSTANG SPECIALTEAZ 9811 TRAFALGAR RD GEORGETOWN ON L7G 4S5	AUWR
Facility: Description:				AUTOMOBILE PARTS & SUPPLIES-USED & REBUILT	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
42	1 of 1	N/460.5	250.5	Main St W And Bronte St N Milton ON	EHS
Order No.:	20120504005				
Report Date:	5/9/2012				
Report Type:	Custom Report				
Search Radius (km):	0.25				
Addit. Info Ordered:	Fire Insur. Maps and/or Site Plans;				
43	1 of 1	SE/70.1	253.0	lot 9 con 7 ON	WWIS
Well ID:	2801111			Lot:	009
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	589817.4			Northing Nad83:	4828230
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Livestock			Construction Date:	20-NOV-63
Sec. Water Use:	Domestic			Well Depth:	41 ft
Pump Rate:	3 GPM			Static Water Level:	32 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	260.19			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:	FRESH			Overburden/Bedrock K:	Overburden
--- Details --				Casing Material:	SULPHUR
Thickness:	30 ft			Original Depth:	30 ft
Material Colour:	BROWN			Material:	CLAY
+					
Thickness:	5 ft			Original Depth:	35 ft
Material Colour:				Material:	MEDIUM SAND
+					
Thickness:	6 ft			Original Depth:	41 ft
Material Colour:				Material:	COARSE SAND
44	1 of 1	SE/120.0	245.8	lot 9 con 8 ON	WWIS
Well ID:	2801224			Lot:	009
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	590142.4			Northing Nad83:	4828173
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Domestic			Construction Date:	27-MAY-60

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Sec. Water Use:				Well Depth:	62 ft
Pump Rate:	6 GPM			Static Water Level:	24 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	253.42			Elevation Reliability:	
Depth to Bedrock:	41			Overburden/Bedrock K:	Bedrock
Water Type:	FRESH			Casing Material:	FRESH, MINERIAL
--- Details ---					
Thickness:	41 ft			Original Depth:	41 ft
Material Colour:	BROWN			Material:	CLAY
+					
Thickness:	21 ft			Original Depth:	62 ft
Material Colour:	RED			Material:	SHALE

45	1 of 1	NNW/253.1	253.2		WWIS
				ON	
Well ID:	7199079			Lot:	
Concession:				Concession Name:	
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	588411			Northing Nad83:	4830100
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:				Construction Date:	26-NOV-12
Sec. Water Use:				Well Depth:	
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	
Construction Method:				Flowing (y/n):	
Elevation (m):				Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock K:	
Water Type:				Casing Material:	

46	1 of 1	NW/74.9	257.8	lot 13 con 7 ON	WWIS
Well ID:	2803133			Lot:	013
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	588104.4			Northing Nad83:	4829943
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	08-JUL-69
Sec. Water Use:				Well Depth:	75 ft
Pump Rate:	25 GPM			Static Water Level:	14 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	259.59			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:	FRESH			Casing Material:	FRESH
--- Details ---					
Thickness:	22 ft			Original Depth:	22 ft
Material Colour:	BROWN			Material:	CLAY
+ Thickness:	31 ft			Original Depth:	53 ft
Material Colour:	BROWN			Material:	SILT
+ Thickness:	15 ft			Original Depth:	68 ft
Material Colour:	BLUE			Material:	CLAY
+ Thickness:	7 ft			Original Depth:	75 ft
Material Colour:				Material:	GRAVEL
47	1 of 1	SE/107.3	245.0	lot 8 con 7 ON	WWIS
Well ID:	2801110			Lot:	008
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	590120.5			Northing Nad83:	4827873
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Domestic			Construction Date:	29-JAN-63
Sec. Water Use:				Well Depth:	64 ft
Pump Rate:	10 GPM			Static Water Level:	42 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	248.85			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:	FRESH			Casing Material:	SULPHUR
--- Details ---					
Thickness:	3 ft			Original Depth:	3 ft
Material Colour:				Material:	TOPSOIL
+ Thickness:	57 ft			Original Depth:	60 ft
Material Colour:				Material:	CLAY, STONES
+ Thickness:	4 ft			Original Depth:	64 ft
Material Colour:				Material:	GRAVEL

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
48	1 of 1	NW/67.3	257.8	lot 13 con 7 ON	WWIS
Well ID:	2801117			Lot:	013
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	588020.4			Northing Nad83:	4830038
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Domestic			Construction Date:	07-MAY-63
Sec. Water Use:				Well Depth:	29 ft
Pump Rate:	1 GPM			Static Water Level:	15 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	256.95			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:	FRESH			Overburden/Bedrock k:	Overburden
--- Details --				Casing Material:	SULPHUR
Thickness:	10 ft			Original Depth:	10 ft
Material Colour:	BROWN			Material:	TOPSOIL, CLAY
+ Thickness:	15 ft			Original Depth:	25 ft
Material Colour:	GREY			Material:	CLAY
+ Thickness:	4 ft			Original Depth:	29 ft
Material Colour:	GREY			Material:	MEDIUM SAND, CLAY
49	1 of 1	NW/8.6	257.8	lot 14 con 8 ON	WWIS
Well ID:	2809396			Lot:	014
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	588029			Northing Nad83:	4830137
Zone:	17			Utm Reliability:	margin of error : 3 - 10 m
Primary Water Use:	Not Used			Construction Date:	24-MAR-00
Sec. Water Use:				Well Depth:	170 ft
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Abandoned-Supply
Construction Method:	Other Method			Flowing (y/n):	
Elevation (m):	257.91			Elevation	
Depth to Bedrock:	165			Reliability:	
Water Type:				Overburden/Bedrock k:	Bedrock
--- Details --				Casing Material:	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Thickness:</i>	17 ft			<i>Original Depth:</i>	17 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	CLAY, SILT, DENSE
+					
<i>Thickness:</i>	21 ft			<i>Original Depth:</i>	38 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	SAND, GRAVEL
+					
<i>Thickness:</i>	37 ft			<i>Original Depth:</i>	75 ft
<i>Material Colour:</i>	GREY			<i>Material:</i>	SILT, CLAY
+					
<i>Thickness:</i>	5 ft			<i>Original Depth:</i>	80 ft
<i>Material Colour:</i>	GREY			<i>Material:</i>	SAND
+					
<i>Thickness:</i>	10 ft			<i>Original Depth:</i>	90 ft
<i>Material Colour:</i>	GREY			<i>Material:</i>	CLAY, SILT, STONES
+					
<i>Thickness:</i>	47 ft			<i>Original Depth:</i>	137 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	SAND, SILT, STONES
+					
<i>Thickness:</i>	28 ft			<i>Original Depth:</i>	165 ft
<i>Material Colour:</i>	GREY			<i>Material:</i>	FINE SAND, FINE GRAVEL
+					
<i>Thickness:</i>	5 ft			<i>Original Depth:</i>	170 ft
<i>Material Colour:</i>	RED			<i>Material:</i>	SHALE

50	1 of 1	ESE/332.0	242.8	lot 8 con 8 ON	WWIS
<i>Well ID:</i>	2801221			<i>Lot:</i>	008
<i>Concession:</i>	08			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	590477.5			<i>Northing Nad83:</i>	4828137
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 100 m - 300 m
<i>Primary Water Use:</i>	Domestic			<i>Construction Date:</i>	28-FEB-63
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	33 ft
<i>Pump Rate:</i>	5 GPM			<i>Static Water Level:</i>	10 ft
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	CLEAR
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Water Supply
<i>Construction Method:</i>	Boring			<i>Flowing (y/n):</i>	N
<i>Elevation (m):</i>	248.24			<i>Elevation</i>	
<i>Depth to Bedrock:</i>				<i>Reliability:</i>	
<i>Water Type:</i>	FRESH			<i>Overburden/Bedrock K:</i>	Overburden
--- Details ---				<i>Casing Material:</i>	SULPHUR
<i>Thickness:</i>	29 ft			<i>Original Depth:</i>	29 ft
<i>Material Colour:</i>				<i>Material:</i>	CLAY
+					
<i>Thickness:</i>	4 ft			<i>Original Depth:</i>	33 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Material Colour:				Material:	GRAVEL
51	1 of 1	SE/290.7	242.8	Lot 8 con 8 ON	WWIS
Well ID:	2807164			Lot:	008
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	590472			Northing Nad83:	4828084
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Domestic			Construction Date:	29-AUG-88
Sec. Water Use:				Well Depth:	33 ft
Pump Rate:	4 GPM			Static Water Level:	20 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	247.13			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock k:	Overburden
Water Type:	FRESH			Casing Material:	FRESH, Not stated
--- Details ---					
Thickness:	10 ft			Original Depth:	10 ft
Material Colour:	BROWN			Material:	SAND
+ Thickness:	7 ft			Original Depth:	17 ft
Material Colour:	BROWN			Material:	SAND, CLAY
+ Thickness:	4 ft			Original Depth:	21 ft
Material Colour:	RED			Material:	CLAY, GRAVEL
+ Thickness:	7 ft			Original Depth:	28 ft
Material Colour:	BROWN			Material:	SAND, COARSE GRAVEL, DRY
+ Thickness:	2 ft			Original Depth:	30 ft
Material Colour:	BROWN			Material:	COARSE SAND, WATER-BEARING
+ Thickness:	3 ft			Original Depth:	33 ft
Material Colour:	BROWN			Material:	SAND, FINE GRAVEL
52	1 of 1	NW/171.8	257.8	GEORGETOWN ON	WWIS
Well ID:	7148823			Lot:	
Concession:				Concession Name:	
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	588108			Northing Nad83:	4830289
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Test Hole			Construction Date:	03-APR-09

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Sec. Water Use:				Well Depth:	51.2 ft
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Test Hole
Construction Method:	Diamond			Flowing (y/n):	
Elevation (m):	258.62				
Depth to Bedrock:				Elevation	
Water Type:	Untested			Reliability:	
--- Details ---				Overburden/Bedrock K:	
Thickness:	.5 ft			Casing Material:	
Material Colour:	BROWN			Original Depth:	.5 ft
+ Thickness:	3.5 ft			Material:	TOPSOIL, SILT, LOOSE
Material Colour:	GREY			Original Depth:	4 ft
+ Thickness:	10 ft			Material:	SILT, CLAY, DENSE
Material Colour:	GREY			Original Depth:	14 ft
+ Thickness:	9 ft			Material:	SILT, SAND, CLAY
Material Colour:	GREY			Original Depth:	23 ft
+ Thickness:	17 ft			Material:	SAND, SILT, STONES
Material Colour:	GREY			Original Depth:	40 ft
+ Thickness:	4 ft			Material:	SILT, STONES, SAND
Material Colour:	BROWN			Original Depth:	44 ft
+ Thickness:	4 ft			Material:	SAND, GRAVEL, DENSE
Material Colour:	BROWN			Original Depth:	48 ft
+ Thickness:	3.2 ft			Material:	SILT, SAND, GRAVEL
Material Colour:	RED			Original Depth:	51.2 ft
				Material:	SHALE, DENSE, HARD

53	1 of 1	SSE/323.4	244.3	lot 8 con 7 ON	WWIS
Well ID:	2801109			Lot:	008
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	590054.5			Northing Nad83:	4827633
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Livestock			Construction Date:	22-JAN-63
Sec. Water Use:				Well Depth:	14 ft
Pump Rate:	3 GPM			Static Water Level:	7 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction	Boring			Flowing (y/n):	N

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Method: <i>Elevation (m):</i>	252.12				
Depth to Bedrock:					
Water Type:	FRESH				
--- Details ---					
Thickness:	2 ft			Original Depth:	2 ft
Material Colour:				Material:	TOPSOIL
+ Thickness:	8 ft			Original Depth:	10 ft
Material Colour:	BROWN			Material:	CLAY
+ Thickness:	4 ft			Original Depth:	14 ft
Material Colour:				Material:	GRAVEL
54	1 of 2	NW/174.6	257.8	lot 14 con 8 GEORGETOWN ON	WWIS
Well ID:	7123207			Lot:	014
Concession:	08			Concession Name:	
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	588100			Northing Nad83:	4830301
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Municipal			Construction Date:	4/23/2009
Sec. Water Use:	Test Hole			Well Depth:	160
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	
Construction Method:	Rotary (Reverse)			Flowing (y/n):	Test Hole
Elevation (m):				Elevation	
Depth to Bedrock:				Reliability:	
Water Type:				Overburden/Bedrock k:	
--- Details ---				Casing Material:	
Thickness:	132			Original Depth:	132
Material Colour:	GREY			Material:	SAND, STONES, LAYERED
+ Thickness:	11			Original Depth:	143
Material Colour:	GREY			Material:	SILT, STONES, MEDIUM-GRAINED
+ Thickness:	6.5			Original Depth:	149.5
Material Colour:	RED			Material:	CLAY, TILL, MEDIUM-GRAINED
+ Thickness:	10.5			Original Depth:	160
Material Colour:	RED			Material:	SHALE

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
54	2 of 2	NW/174.6	257.8	lot 14 con 8 GEORGETOWN ON	WWIS
Well ID:	7123341			Lot:	014
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	588100			Northing Nad83:	4830301
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Municipal			Construction Date:	23-APR-09
Sec. Water Use:	Test Hole			Well Depth:	160 ft
Pump Rate:	10 GPM			Static Water Level:	3 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Test Hole
Construction Method:	Rotary (Convent.)			Flowing (y/n):	
Elevation (m):	258.49			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock k:	
Water Type:	FRESH			Casing Material:	FRESH
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:	BLACK			Material:	TOPSOIL
+ Thickness:	8 ft			Original Depth:	9 ft
Material Colour:	BROWN			Material:	CLAY, TILL
+ Thickness:	4 ft			Original Depth:	13 ft
Material Colour:	GREY			Material:	CLAY, TILL
+ Thickness:	1 ft			Original Depth:	14 ft
Material Colour:	BROWN			Material:	GRAVEL, STONES, MEDIUM-GRAINED
+ Thickness:	3 ft			Original Depth:	17 ft
Material Colour:	GREY			Material:	CLAY, TILL
+ Thickness:	3 ft			Original Depth:	20 ft
Material Colour:	BROWN			Material:	SAND, , FINE-GRAINED
+ Thickness:	58 ft			Original Depth:	78 ft
Material Colour:	GREY			Material:	CLAY, TILL
+ Thickness:	2 ft			Original Depth:	80 ft
Material Colour:	GREY			Material:	CLAY, TILL, LOOSE
+ Thickness:	28 ft			Original Depth:	108 ft
Material Colour:	GREY			Material:	CLAY, TILL
+ Thickness:	24 ft			Original Depth:	132 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Material Colour:	GREY			Material:	SAND, STONES, LAYERED
+ Thickness:	11 ft			Original Depth:	143 ft
Material Colour:	GREY			Material:	SILT, STONES, MEDIUM-GRAINED
+ Thickness:	6.5 ft			Original Depth:	149.5 ft
Material Colour:	RED			Material:	CLAY, TILL, MEDIUM-GRAINED
+ Thickness:	10.5 ft			Original Depth:	160 ft
Material Colour:	RED			Material:	SHALE
55	1 of 1	SE/105.3	242.8	lot 8 con 8 ON	WWIS
Well ID:	2801220			Lot:	008
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	590416.5			Northing Nad83:	4827877
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Domestic			Construction Date:	08-MAY-61
Sec. Water Use:				Well Depth:	28 ft
Pump Rate:	2 GPM			Static Water Level:	15 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	242.22			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock: k:	Overburden
Water Type:	FRESH			Casing Material:	SULPHUR
--- Details ---					
Thickness:	26 ft			Original Depth:	26 ft
Material Colour:	BROWN			Material:	TOPSOIL, CLAY, GRAVEL
+ Thickness:	2 ft			Original Depth:	28 ft
Material Colour:				Material:	GRAVEL
56	1 of 1	NW/139.9	257.8	lot 14 con 8 ON	WWIS
Well ID:	2804461			Lot:	014
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	587957.4			Northing Nad83:	4830395
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	04-SEP-73
Sec. Water Use:				Well Depth:	25 ft
Pump Rate:	8 GPM			Static Water Level:	10 ft
Flow Rate:				Clear/Cloudy:	CLEAR

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Specific Capacity: Construction Method: Elevation (m):	Boring 257.94			Final Well Status: Flowing (y/n):	Water Supply N
Depth to Bedrock:				Elevation Reliability: Overburden/Bedrock k:	Overburden
Water Type:	FRESH			Casing Material:	SULPHUR
--- Details ---					
Thickness: + Thickness:	1 ft 10 ft			Original Depth: Material:	1 ft TOPSOIL
Material Colour:	BROWN			Original Depth: Material:	CLAY
Thickness: + Thickness:	5 ft			Original Depth: Material:	16 ft CLAY
Material Colour:	GREY			Original Depth: Material:	25 ft MEDIUM SAND
Thickness: + Thickness:	9 ft			Original Depth: Material:	
Material Colour:	GREY				
57	1 of 1	NW/151.6	257.8	GEORGETOWN ON	
Well ID:	7148825			Lot:	
Concession:				Concession Name:	
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	587966			Northing Nad83:	4830403
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Test Hole			Construction Date:	18-MAR-10
Sec. Water Use:				Well Depth:	56.2 m
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Monitoring and Test Hole
Construction Method:	Diamond			Flowing (y/n):	
Elevation (m):	257.85			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock k:	
Water Type:				Casing Material:	
--- Details ---					
Thickness: + Thickness:	1 m 29 m			Original Depth: Material:	1 m TOPSOIL, SAND, SOFT
Material Colour:	BROWN			Original Depth: Material:	SILT, SAND, CLAY
Thickness: + Thickness:	17 m			Original Depth: Material:	47 m SAND, SILT, LOOSE
Material Colour:	BROWN				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
+ Thickness: 6 m Material Colour: RED				Original Depth: 53 m Material: SILT, SHALE, GRAVEL	
+ Thickness: 3.2 m Material Colour: RED				Original Depth: 56.2 m Material: SHALE, , HARD	
58	1 of 1	NW/113.0	258.9	FERRARO & SON GENERAL CONTRACTING INC. 10666 TRAFALGAR ROAD TOWN OF HALTON HILLS ON	GEN
Generator #: ON2123200 Approval Yrs: 96,97,98,99,00,01 SIC Code: 4219 SIC Description: OTHER SITE WORK					
--- Details --- Waste Code: 251 Waste Description: OIL SKIMMINGS & SLUDGES + Waste Code: 252 Waste Description: WASTE OILS & LUBRICANTS					
59	1 of 1	NW/81.1	257.8	RAVELINO CONSTRUCTION LTD. 10641 Trafalgar Georgetown ON	EASR
CofA Number: R-004-8485794634 Date: 2/12/15 Status: Registered Project Type: Waste Management System					
60	1 of 1	SE/72.4	242.8	lot 8 con 8 ON	WWIS
Well ID: 2801222 Concession: 08 County: HALTON				Lot: 008 Concession Name: CON Municipality: HALTON HILLS TOWN (ESQUESING)	
Easting Nad83: 590525.5 Zone: 17 Primary Water Use: Industrial Sec. Water Use: Domestic Pump Rate: 50 GPM Flow Rate: Specific Capacity: Construction Method: Boring Elevation (m): 241.76 Depth to Bedrock:				Northing Nad83: 4827721 Utm Reliability: margin of error : 100 m - 300 m Construction Date: 12-NOV-64 Well Depth: 30 ft Static Water Level: 22 ft Clear/Cloudy: CLEAR Final Well Status: Water Supply Flowing (y/n): N	
Water Type: FRESH				Elevation Reliability: Overburden/Bedrock K: Casing Material: SULPHUR	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
--- Details ---					
Thickness:	25 ft			Original Depth:	25 ft
Material Colour:	BROWN			Material:	TOPSOIL, CLAY, MEDIUM SAND
+					
Thickness:	5 ft			Original Depth:	30 ft
Material Colour:				Material:	GRAVEL
61	1 of 1	NW/238.4	257.8	lot 14 con 7 ON	WWIS
Well ID:	2802752			Lot:	014
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	587644.4			Northing Nad83:	4830173
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Commerical			Construction Date:	22-OCT-68
Sec. Water Use:				Well Depth:	35 ft
Pump Rate:	4 GPM			Static Water Level:	23 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	261.73			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock K:	Overburden
Water Type:	FRESH			Casing Material:	SULPHUR
--- Details ---					
Thickness:	12 ft			Original Depth:	12 ft
Material Colour:	BROWN			Material:	TOPSOIL, MEDIUM SAND
+					
Thickness:	11 ft			Original Depth:	23 ft
Material Colour:	BROWN			Material:	MEDIUM SAND
+					
Thickness:	12 ft			Original Depth:	35 ft
Material Colour:	BROWN			Material:	COARSE SAND, CLAY
62	1 of 1	NW/83.0	258.4	lot 14 con 7 ON	WWIS
Well ID:	2803733			Lot:	014
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	587744.4			Northing Nad83:	4830293
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	18-JUN-71
Sec. Water Use:				Well Depth:	31 ft
Pump Rate:				Static Water Level:	17 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	260.01			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:	FRESH			Casing Material:	SALTY, SULPHUR
--- Details ---					
Thickness:	13 ft			Original Depth:	13 ft
Material Colour:	BROWN			Material:	CLAY
+ Thickness:	18 ft			Original Depth:	31 ft
Material Colour:	BROWN			Material:	MEDIUM SAND
63	1 of 1	NW/60.0	257.9	lot 14 con 7 ON	WWIS
Well ID:	2807105			Lot:	014
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	587745.9			Northing Nad83:	4830324
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Commerical			Construction Date:	20-OCT-88
Sec. Water Use:				Well Depth:	33 ft
Pump Rate:	3 GPM			Static Water Level:	24 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	260.28			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:	FRESH			Casing Material:	SALTY, SULPHUR
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:	BROWN			Material:	TOPSOIL, SOFT
+ Thickness:	7 ft			Original Depth:	8 ft
Material Colour:	BROWN			Material:	CLAY, FINE SAND
+ Thickness:	16 ft			Original Depth:	24 ft
Material Colour:	RED			Material:	CLAY, STONES, FINE SAND
+ Thickness:	9 ft			Original Depth:	33 ft
Material Colour:	BROWN			Material:	SAND, LOOSE
64	1 of 1	NW/90.2	257.8	lot 14 con 7 ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Well ID:	2806139			Lot:	014
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Eastng Nad83:	587694.4			Northing Nad83:	4830333
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Livestock			Construction Date:	27-OCT-75
Sec. Water Use:				Well Depth:	47 ft
Pump Rate:	5 GPM			Static Water Level:	35 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	261.34			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:	FRESH			Overburden/Bedrock k:	Overburden
--- Details --				Casing Material:	SALTY, SULPHUR
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:	BROWN			Material:	TOPSOIL
+					
Thickness:	11 ft			Original Depth:	12 ft
Material Colour:	BROWN			Material:	CLAY
+					
Thickness:	4 ft			Original Depth:	16 ft
Material Colour:	GREY			Material:	CLAY, HARD
+					
Thickness:	2 ft			Original Depth:	18 ft
Material Colour:	BROWN			Material:	SAND, WATER-BEARING
+					
Thickness:	6 ft			Original Depth:	24 ft
Material Colour:	GREY			Material:	CLAY, SAND
+					
Thickness:	21 ft			Original Depth:	45 ft
Material Colour:	BROWN			Material:	CLAY, SAND
+					
Thickness:	2 ft			Original Depth:	47 ft
Material Colour:	BROWN			Material:	MUCK, SAND

65	1 of 1	SE/75.4	242.8	lot 8 con 8 ON	WWIS
Well ID:	2804690			Lot:	008
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Eastng Nad83:	590592.5			Northing Nad83:	4827658
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	12-DEC-74
Sec. Water Use:				Well Depth:	33 ft
Pump Rate:	14 GPM			Static Water Level:	14 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	240.39			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock k:	Overburden
Water Type:	FRESH			Casing Material:	SALTY, SULPHUR
--- Details ---					
Thickness:	2 ft			Original Depth:	2 ft
Material Colour:	BROWN			Material:	FILL
+ Thickness:	1 ft			Original Depth:	3 ft
Material Colour:	BROWN			Material:	TOPSOIL
+ Thickness:	5 ft			Original Depth:	8 ft
Material Colour:	BROWN			Material:	CLAY
+ Thickness:	13 ft			Original Depth:	21 ft
Material Colour:	BROWN			Material:	SAND, GRAVEL, STONES
+ Thickness:	12 ft			Original Depth:	33 ft
Material Colour:	GREY			Material:	COARSE SAND, GRAVEL

66	1 of 2	NW/154.9	257.8	lot 14 con 8 GEORGETOWN ON	WWIS
Well ID:	7123205			Lot:	014
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	587840			Northing Nad83:	4830534
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Municipal			Construction Date:	04-MAY-09
Sec. Water Use:	Test Hole			Well Depth:	160 ft
Pump Rate:	10 GPM			Static Water Level:	18 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Rotary (Convent.)			Flowing (y/n):	
Elevation (m):	259.95			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock k:	
Water Type:	FRESH			Casing Material:	FRESH
--- Details ---					
Thickness:	9 ft			Original Depth:	9 ft
Material Colour:	BROWN			Material:	CLAY
+ Thickness:	1 ft			Original Depth:	10 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Material Colour:	RED			Material:	CLAY
+					
Thickness:	9 ft			Original Depth:	19 ft
Material Colour:	RED			Material:	CLAY, STONES
+					
Thickness:	2 ft			Original Depth:	21 ft
Material Colour:	BROWN			Material:	SAND, STONES, FINE-GRAINED
+					
Thickness:	4 ft			Original Depth:	25 ft
Material Colour:	BROWN			Material:	SAND
+					
Thickness:	30 ft			Original Depth:	55 ft
Material Colour:	GREY			Material:	CLAY, TILL
+					
Thickness:	21 ft			Original Depth:	76 ft
Material Colour:	GREY			Material:	CLAY
+					
Thickness:	14 ft			Original Depth:	90 ft
Material Colour:	RED			Material:	CLAY, STONES
+					
Thickness:	16 ft			Original Depth:	106 ft
Material Colour:	GREY			Material:	CLAY, TILL, PACKED
+					
Thickness:	3 ft			Original Depth:	109 ft
Material Colour:	RED			Material:	CLAY, TILL, LOOSE
+					
Thickness:	21 ft			Original Depth:	130 ft
Material Colour:	GREY			Material:	CLAY, STONES
+					
Thickness:	15 ft			Original Depth:	145 ft
Material Colour:	GREY			Material:	SILT, SAND, FINE-GRAINED
+					
Thickness:	2 ft			Original Depth:	147 ft
Material Colour:	GREY			Material:	SAND, SILT, MEDIUM-GRAINED
+					
Thickness:	2 ft			Original Depth:	149 ft
Material Colour:	RED			Material:	CLAY, STONES
+					
Thickness:	10 ft			Original Depth:	159 ft
Material Colour:	RED			Material:	SHALE
+					
Thickness:	1 ft			Original Depth:	160 ft
Material Colour:	GREY			Material:	SHALE

66

2 of 2

NW/154.9

257.8

lot 14 con 8
GEORGETOWN ON

WWIS

Well ID:

7123206

Lot:

014

99

erisinfo.com EcoLog ERIS Ltd.

Trafalgar Road EA Trafalgar Rd 7 Hwy Halton Hills ON L0P1E0

Order No: 20160225127

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Concession: County:	08 HALTON			Concession Name: Municipality:	
Easting Nad83: Zone:	587840 17			Northing Nad83: Utm Reliability:	4830534 margin of error : 10 - 30 m
Primary Water Use: Sec. Water Use:	Municipal Test Hole			Construction Date:	5/4/2009
Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m):				Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n):	160 18 Water Supply
Depth to Bedrock:				Elevation Reliability: Overburden/Bedrock: k:	
Water Type:				Casing Material:	
--- Details ---					
Thickness: Material Colour:	109 RED			Original Depth: Material:	109 CLAY, TILL, LOOSE
+ Thickness: Material Colour:	21 GREY			Original Depth: Material:	130 CLAY, STONES
+ Thickness: Material Colour:	15 GREY			Original Depth: Material:	145 SILT, SAND, FINE-GRAINED
+ Thickness: Material Colour:	2 GREY			Original Depth: Material:	147 SAND, SILT, MEDIUM-GRAINED
+ Thickness: Material Colour:	2 RED			Original Depth: Material:	149 CLAY, STONES
+ Thickness: Material Colour:	10 RED			Original Depth: Material:	159 SHALE
+ Thickness: Material Colour:	1 GREY			Original Depth: Material:	160 SHALE
67	1 of 1	NW/145.7	257.8	GEORGETOWN ON	WWIS
Well ID: Concession: County:	7148824 HALTON			Lot: Concession Name: Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83: Zone:	587822 17			Northing Nad83: Utm Reliability:	4830539 margin of error : 30 m - 100 m
Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate:				Construction Date: Well Depth: Static Water Level: Clear/Cloudy:	10-MAR-10 52 m

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Specific Capacity: Construction Method: Elevation (m):	Diamond			Final Well Status: Flowing (y/n):	Monitoring and Test Hole
Depth to Bedrock:				Elevation Reliability: Overburden/Bedrock k:	
Water Type:	Untested			Casing Material:	
--- Details ---					
Thickness:	.5 m			Original Depth:	.5 m
Material Colour:	BROWN			Material:	TOPSOIL, SOFT, WATER-BEARING
+ Thickness:	3.3 m			Original Depth:	3.8 m
Material Colour:	BROWN			Material:	SILT, CLAY, SAND
+ Thickness:	5.2 m			Original Depth:	9 m
Material Colour:	BROWN			Material:	SAND, GRAVEL, LOOSE
+ Thickness:	13.6 m			Original Depth:	22.6 m
Material Colour:	GREY			Material:	SILT, CLAY, SAND
+ Thickness:	23.9 m			Original Depth:	46.5 m
Material Colour:	BROWN			Material:	SAND, SILT, STONES
+ Thickness:	3.3 m			Original Depth:	49.8 m
Material Colour:	RED			Material:	SILT, CLAY, SAND
+ Thickness:	2.2 m			Original Depth:	52 m
Material Colour:	RED			Material:	SHALE, , HARD

68	1 of 1	NW/99.8	257.8	lot 14 con 7 ON	WWIS
Well ID:	2808277			Lot:	014
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	587632.9			Northing Nad83:	4830381
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Domestic			Construction Date:	20-OCT-94
Sec. Water Use:				Well Depth:	55 ft
Pump Rate:				Static Water Level:	22 ft
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	263.23			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock k:	Overburden
Water Type:	FRESH			Casing Material:	SALTY, SULPHUR

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:				Material:	TOPSOIL
+					
Thickness:	4 ft			Original Depth:	5 ft
Material Colour:	BROWN			Material:	CLAY
+					
Thickness:	7 ft			Original Depth:	12 ft
Material Colour:	BROWN			Material:	CLAY, STONES
+					
Thickness:	10 ft			Original Depth:	22 ft
Material Colour:	BROWN			Material:	SAND, DRY
+					
Thickness:	13 ft			Original Depth:	35 ft
Material Colour:	BROWN			Material:	SAND, WATER-BEARING
+					
Thickness:	20 ft			Original Depth:	55 ft
Material Colour:	GREY			Material:	CLAY
<hr/>					
69	1 of 1	SE/86.1	242.8	lot 7 con 8 ON	WWIS
Well ID:	2801219			Lot:	007
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	590645.5			Northing Nad83:	4827620
Zone:	17			Utm Reliability:	unknown UTM
Primary Water Use:	Domestic			Construction Date:	19-JUN-67
Sec. Water Use:				Well Depth:	22 ft
Pump Rate:	3 GPM			Static Water Level:	10 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	239.99			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:	FRESH			Overburden/Bedrock	Overburden
k:				K:	
Casing Material:				Casing Material:	SULPHUR
--- Details ---					
Thickness:	2 ft			Original Depth:	2 ft
Material Colour:				Material:	TOPSOIL
+					
Thickness:	3 ft			Original Depth:	5 ft
Material Colour:	BROWN			Material:	CLAY
+					
Thickness:	13 ft			Original Depth:	18 ft
Material Colour:				Material:	CLAY
+					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Thickness:	4 ft			Original Depth:	22 ft
Material Colour:				Material:	GRAVEL
70	1 of 1	NW/7.2	257.8	lot 13 con 8 ON	WWIS
Well ID:	2807092			Lot:	013
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	587683.4			Northing Nad83:	4830482
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Not Used			Construction Date:	25-JUN-87
Sec. Water Use:				Well Depth:	155 ft
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Observation Wells
Construction Method:	Rotary (Convent.)			Flowing (y/n):	
Elevation (m):	262.5			Elevation	
Depth to Bedrock:	141			Reliability:	
Water Type:				Overburden/Bedrock:	Bedrock
--- Details --				k:	
Thickness:	12 ft			Casing Material:	FRESH
Material Colour:	BROWN				
+					
Thickness:	5 ft			Original Depth:	12 ft
Material Colour:	GREY			Material:	CLAY, GRAVEL, STICKY
+					
Thickness:	4 ft			Original Depth:	17 ft
Material Colour:	GREY			Material:	CLAY, , STICKY
+					
Thickness:	12 ft			Original Depth:	21 ft
Material Colour:	BROWN			Material:	CLAY, GRAVEL, STICKY
+					
Thickness:	25 ft			Original Depth:	33 ft
Material Colour:	GREY			Material:	CLAY, GRAVEL, STICKY
+					
Thickness:	11 ft			Original Depth:	58 ft
Material Colour:	RED			Material:	CLAY, SANDY, GRAVEL
+					
Thickness:	2 ft			Original Depth:	69 ft
Material Colour:	GREY			Material:	CLAY, SANDY, GRAVEL
+					
Thickness:	5 ft			Original Depth:	71 ft
Material Colour:				Material:	CLAY, SANDY, GRAVEL
+					
Thickness:	10 ft			Original Depth:	76 ft
				Material:	GRAVEL, CLAY, SAND
+					
Thickness:				Original Depth:	86 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Material Colour:				Material:	GRAVEL, SAND, CLAY
+					
Thickness:	14 ft			Original Depth:	100 ft
Material Colour:	GREY			Material:	CLAY, GRAVEL, SAND
+					
Thickness:	9 ft			Original Depth:	109 ft
Material Colour:				Material:	GRAVEL, SAND, CLAY
+					
Thickness:	5 ft			Original Depth:	114 ft
Material Colour:	RED			Material:	CLAY, GRAVEL
+					
Thickness:	10 ft			Original Depth:	124 ft
Material Colour:				Material:	SAND, CLAY
+					
Thickness:	17 ft			Original Depth:	141 ft
Material Colour:				Material:	SAND, GRAVEL, PACKED
+					
Thickness:	14 ft			Original Depth:	155 ft
Material Colour:				Material:	SHALE

71	1 of 1	SE/105.4	242.8	lot 7 con 7 ON	WWIS
Well ID:	2801104			Lot:	007
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	590529.5			Northing Nad83:	4827465
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Not Used			Construction Date:	31-MAY-67
Sec. Water Use:				Well Depth:	68 ft
Pump Rate:	10 GPM			Static Water Level:	23 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Test Hole
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	242.9			Elevation	
Depth to Bedrock:	66			Reliability:	
Water Type:	FRESH			Overburden/Bedrock	Mixed in a Layer
--- Details --				k:	
Thickness:	1 ft			Casing Material:	FRESH
Material Colour:					
+					
Thickness:	11 ft			Original Depth:	1 ft
Material Colour:				Material:	TOPSOIL
+					
Thickness:	1 ft			Original Depth:	12 ft
Material Colour:	RED			Material:	CLAY, GRAVEL
+					
Thickness:	1 ft			Original Depth:	13 ft
Material Colour:				Material:	CLAY, SHALE

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
+					
Thickness:	1 ft			Original Depth:	14 ft
Material Colour:				Material:	MEDIUM SAND, GRAVEL, CLAY
+					
Thickness:	7 ft			Original Depth:	21 ft
Material Colour:				Material:	COARSE SAND, GRAVEL
+					
Thickness:	6 ft			Original Depth:	27 ft
Material Colour:				Material:	GRAVEL, MEDIUM SAND, CLAY
+					
Thickness:	9 ft			Original Depth:	36 ft
Material Colour:				Material:	GRAVEL, MEDIUM SAND
+					
Thickness:	11 ft			Original Depth:	47 ft
Material Colour:				Material:	MEDIUM SAND, GRAVEL
+					
Thickness:	8 ft			Original Depth:	55 ft
Material Colour:				Material:	GRAVEL, MEDIUM SAND, CLAY
+					
Thickness:	2 ft			Original Depth:	57 ft
Material Colour:				Material:	MEDIUM SAND, GRAVEL, CLAY
+					
Thickness:	9 ft			Original Depth:	66 ft
Material Colour:	RED			Material:	CLAY, MEDIUM SAND, GRAVEL
+					
Thickness:	2 ft			Original Depth:	68 ft
Material Colour:	GREY			Material:	CLAY, GRAVEL, SHALE

72	1 of 1	NW/157.6	257.8	lot 14 con 7 ON	WWIS
Well ID:	2801118			Lot:	014
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	587566.4			Northing Nad83:	4830366
Zone:	17			Utm Reliability:	unknown UTM
Primary Water Use:	Domestic			Construction Date:	08-SEP-56
Sec. Water Use:				Well Depth:	150 ft
Pump Rate:	2 GPM			Static Water Level:	16 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	264.7			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock k:	Overburden
Water Type:	FRESH			Casing Material:	FRESH

--- Details ---

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Thickness:</i>	26 ft			<i>Original Depth:</i>	26 ft
<i>Material Colour:</i>				<i>Material:</i>	PREVIOUSLY DUG
+ <i>Thickness:</i>	14 ft			<i>Original Depth:</i>	40 ft
<i>Material Colour:</i>	BLUE			<i>Material:</i>	CLAY
+ <i>Thickness:</i>	70 ft			<i>Original Depth:</i>	110 ft
<i>Material Colour:</i>				<i>Material:</i>	QUICKSAND
+ <i>Thickness:</i>	35 ft			<i>Original Depth:</i>	145 ft
<i>Material Colour:</i>				<i>Material:</i>	MEDIUM SAND, SILT, GRAVEL
+ <i>Thickness:</i>	5 ft			<i>Original Depth:</i>	150 ft
<i>Material Colour:</i>				<i>Material:</i>	COARSE SAND, GRAVEL
73	1 of 1	NW/68.8	257.8	lot 14 con 7 ON	WWIS
<i>Well ID:</i>	2806942			<i>Lot:</i>	014
<i>Concession:</i>	07			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	587615.9			<i>Northing Nad83:</i>	4830442
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 10 - 30 m
<i>Primary Water Use:</i>	Domestic			<i>Construction Date:</i>	11-JUL-88
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	40 ft
<i>Pump Rate:</i>	3 GPM			<i>Static Water Level:</i>	28 ft
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	CLEAR
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Water Supply
<i>Construction Method:</i>	Boring			<i>Flowing (y/n):</i>	N
<i>Elevation (m):</i>	263.85			<i>Elevation</i>	
<i>Depth to Bedrock:</i>				<i>Reliability:</i>	
<i>Water Type:</i>	FRESH			<i>Overburden/Bedrock k:</i>	Overburden
--- Details ---				<i>Casing Material:</i>	SALTY, SULPHUR
<i>Thickness:</i>	2 ft			<i>Original Depth:</i>	2 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	TOPSOIL, LOOSE
+ <i>Thickness:</i>	16 ft			<i>Original Depth:</i>	18 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	SAND, STONES
+ <i>Thickness:</i>	20 ft			<i>Original Depth:</i>	38 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	SAND, WATER-BEARING
+ <i>Thickness:</i>	2 ft			<i>Original Depth:</i>	40 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	SAND, LOOSE

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
74	1 of 1	NW/73.8	257.8	lot 14 con 7 ON	WWIS
Well ID:	2806752			Lot:	014
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	587610.9			Northing Nad83:	4830440
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Domestic			Construction Date:	01-JUN-85
Sec. Water Use:				Well Depth:	40 ft
Pump Rate:	10 GPM			Static Water Level:	-28 ft
Flow Rate:	4 GPM			Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	Y
Elevation (m):	263.95			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:	FRESH			Casing Material:	SALTY, SULPHUR
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:	BROWN			Material:	TOPSOIL
+ Thickness:	10 ft			Original Depth:	11 ft
Material Colour:	BROWN			Material:	CLAY, STONES, PACKED
+ Thickness:	1 ft			Original Depth:	12 ft
Material Colour:	GREY			Material:	MEDIUM SAND
+ Thickness:	5 ft			Original Depth:	17 ft
Material Colour:	BROWN			Material:	CLAY, STONES
+ Thickness:	3 ft			Original Depth:	20 ft
Material Colour:	GREY			Material:	CLAY, STONES
+ Thickness:	2 ft			Original Depth:	22 ft
Material Colour:	BROWN			Material:	CLAY, PACKED
+ Thickness:	18 ft			Original Depth:	40 ft
Material Colour:	GREY			Material:	MEDIUM SAND, COARSE SAND, FINE SAND

75	1 of 1	NW/96.0	257.8	lot 8 con 7 ON	WWIS
Well ID:	2809782			Lot:	008
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	587569.6			Northing Nad83:	4830450

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Zone:	17			Utm Reliability:	margin of error : 3 km - 10 km
Primary Water Use:	Domestic			Construction Date:	24-JUL-03
Sec. Water Use:				Well Depth:	
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Abandoned-Other
Construction Method:	Boring			Flowing (y/n):	
Elevation (m):	264.58			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:				Overburden/Bedrock k:	No formation data
				Casing Material:	
76	1 of 1	SE/282.2	242.8	lot 7 con 7 ON	WWIS
Well ID:	2801105			Lot:	007
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	590433.5			Northing Nad83:	4827311
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Not Used			Construction Date:	01-JUN-67
Sec. Water Use:				Well Depth:	72 ft
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Test Hole
Construction Method:	Cable Tool			Flowing (y/n):	
Elevation (m):	245.56			Elevation	
Depth to Bedrock:	71			Reliability:	
Water Type:				Overburden/Bedrock k:	Bedrock
--- Details --				Casing Material:	
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:				Material:	TOPSOIL
+ Thickness:	5 ft			Original Depth:	6 ft
Material Colour:	BROWN			Material:	CLAY
+ Thickness:	39 ft			Original Depth:	45 ft
Material Colour:				Material:	CLAY, GRAVEL
+ Thickness:	5 ft			Original Depth:	50 ft
Material Colour:				Material:	GRAVEL, CLAY
+ Thickness:	9 ft			Original Depth:	59 ft
Material Colour:	RED			Material:	CLAY, GRAVEL
+ Thickness:	4 ft			Original Depth:	63 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Material Colour:	GREY			Material:	CLAY, GRAVEL
+ Thickness:	6 ft			Original Depth:	69 ft
Material Colour:	RED			Material:	CLAY, GRAVEL
+ Thickness:	2 ft			Original Depth:	71 ft
Material Colour:	GREY			Material:	CLAY, GRAVEL
+ Thickness:	1 ft			Original Depth:	72 ft
Material Colour:	GREY			Material:	SHALE
77	1 of 1	NW/83.4	257.8	lot 14 con 7 ON	WWIS
Well ID:	2805141			Lot:	014
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Eastng Nad83:	587564.4			Northing Nad83:	4830473
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Domestic			Construction Date:	26-JAN-77
Sec. Water Use:				Well Depth:	47 ft
Pump Rate:	8 GPM			Static Water Level:	32 ft
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	264.31			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:	FRESH			Casing Material:	SALTY, SULPHUR
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:	BROWN			Material:	TOPSOIL
+ Thickness:	11 ft			Original Depth:	12 ft
Material Colour:	BROWN			Material:	CLAY, PACKED
+ Thickness:	3 ft			Original Depth:	15 ft
Material Colour:	BROWN			Material:	MEDIUM SAND, SOFT
+ Thickness:	5 ft			Original Depth:	20 ft
Material Colour:	BROWN			Material:	CLAY, SAND, STONES
+ Thickness:	27 ft			Original Depth:	47 ft
Material Colour:	BROWN			Material:	MEDIUM SAND, LOOSE
78	1 of 1	SE/116.5	242.8	lot 7 con 7 ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Well ID:	2801103			Lot:	007
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	590593.5			Northing Nad83:	4827385
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Livestock			Construction Date:	14-JUN-67
Sec. Water Use:	Domestic			Well Depth:	62 ft
Pump Rate:	100 GPM			Static Water Level:	18 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	243.69			Elevation Reliability:	
Depth to Bedrock:	61			Overburden/Bedrock k:	Bedrock
Water Type:	FRESH			Casing Material:	FRESH
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:				Material:	TOPSOIL
+ Thickness:	27 ft			Original Depth:	28 ft
Material Colour:				Material:	CLAY, GRAVEL
+ Thickness:	19 ft			Original Depth:	47 ft
Material Colour:				Material:	MEDIUM SAND, GRAVEL
+ Thickness:	14 ft			Original Depth:	61 ft
Material Colour:	RED			Material:	CLAY, MEDIUM SAND, GRAVEL
+ Thickness:	1 ft			Original Depth:	62 ft
Material Colour:	GREY			Material:	SHALE
79	1 of 1	NW/48.2	257.8	lot 14 con 7 ON	WWIS
Well ID:	2802974			Lot:	014
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	587524.4			Northing Nad83:	4830563
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	25-OCT-68
Sec. Water Use:				Well Depth:	37 ft
Pump Rate:				Static Water Level:	24 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	263.02			Elevation Reliability:	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:	FRESH			Casing Material:	SULPHUR
--- Details ---					
Thickness:	10 ft			Original Depth:	10 ft
Material Colour:	BROWN			Material:	CLAY, MEDIUM SAND
+ Thickness:	14 ft			Original Depth:	24 ft
Material Colour:				Material:	MEDIUM SAND
+ Thickness:	13 ft			Original Depth:	37 ft
Material Colour:				Material:	COARSE SAND, CLAY
80	1 of 1	NW/95.7	257.8	lot 15 con 8 ON	WWIS
Well ID:	2801241			Lot:	015
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	587519.4			Northing Nad83:	4830772
Zone:	17			Utm Reliability:	unknown UTM
Primary Water Use:	Livestock			Construction Date:	21-JAN-57
Sec. Water Use:	Domestic			Well Depth:	46 ft
Pump Rate:	5 GPM			Static Water Level:	36 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	263.31			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:	FRESH			Casing Material:	SULPHUR
--- Details ---					
Thickness:	20 ft			Original Depth:	20 ft
Material Colour:	BROWN			Material:	TOPSOIL, CLAY
+ Thickness:	16 ft			Original Depth:	36 ft
Material Colour:	BROWN			Material:	MEDIUM SAND, CLAY
+ Thickness:	10 ft			Original Depth:	46 ft
Material Colour:	BROWN			Material:	COARSE SAND, GRAVEL
81	1 of 1	SE/121.4	242.7	lot 7 con 7 ON	WWIS
Well ID:	2801106			Lot:	007
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Easting Nad83:</i>	590867.5			<i>Northing Nad83:</i>	4827103
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 100 m - 300 m
<i>Primary Water Use:</i>	Not Used			<i>Construction Date:</i>	05-JUN-67
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	54 ft
<i>Pump Rate:</i>				<i>Static Water Level:</i>	23 ft
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Observation Wells
<i>Construction Method:</i>	Cable Tool			<i>Flowing (y/n):</i>	N
<i>Elevation (m):</i>	247.29			<i>Elevation Reliability:</i>	
<i>Depth to Bedrock:</i>	51			<i>Overburden/Bedrock k:</i>	Mixed in a Layer
<i>Water Type:</i>	FRESH			<i>Casing Material:</i>	FRESH
--- Details ---					
<i>Thickness:</i>	1 ft			<i>Original Depth:</i>	1 ft
<i>Material Colour:</i>				<i>Material:</i>	TOPSOIL
+ <i>Thickness:</i>	11 ft			<i>Original Depth:</i>	12 ft
<i>Material Colour:</i>				<i>Material:</i>	CLAY, GRAVEL
+ <i>Thickness:</i>	1 ft			<i>Original Depth:</i>	13 ft
<i>Material Colour:</i>				<i>Material:</i>	MEDIUM SAND, GRAVEL, CLAY
+ <i>Thickness:</i>	7 ft			<i>Original Depth:</i>	20 ft
<i>Material Colour:</i>				<i>Material:</i>	MEDIUM SAND, GRAVEL
+ <i>Thickness:</i>	2 ft			<i>Original Depth:</i>	22 ft
<i>Material Colour:</i>				<i>Material:</i>	COARSE SAND, GRAVEL
+ <i>Thickness:</i>	4 ft			<i>Original Depth:</i>	26 ft
<i>Material Colour:</i>				<i>Material:</i>	GRAVEL, MEDIUM SAND
+ <i>Thickness:</i>	12 ft			<i>Original Depth:</i>	38 ft
<i>Material Colour:</i>				<i>Material:</i>	COARSE SAND, GRAVEL
+ <i>Thickness:</i>	6 ft			<i>Original Depth:</i>	44 ft
<i>Material Colour:</i>				<i>Material:</i>	GRAVEL, MEDIUM SAND
+ <i>Thickness:</i>	1 ft			<i>Original Depth:</i>	45 ft
<i>Material Colour:</i>				<i>Material:</i>	MEDIUM SAND, CLAY
+ <i>Thickness:</i>	6 ft			<i>Original Depth:</i>	51 ft
<i>Material Colour:</i>	RED			<i>Material:</i>	CLAY, MEDIUM SAND, GRAVEL
+ <i>Thickness:</i>	3 ft			<i>Original Depth:</i>	54 ft
<i>Material Colour:</i>	GREY			<i>Material:</i>	CLAY, SHALE

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<u>82</u>	1 of 1	SE/135.5	242.6	lot 6 con 7 ON	WWIS
Well ID:	2801098			Lot:	006
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	590867.5			Northing Nad83:	4827083
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Domestic			Construction Date:	15-JUN-60
Sec. Water Use:				Well Depth:	46 ft
Pump Rate:				Static Water Level:	25 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	247.25			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:	FRESH			Casing Material:	SULPHUR
--- Details ---					
Thickness:	12 ft			Original Depth:	12 ft
Material Colour:	BROWN			Material:	CLAY
+ Thickness:					
Thickness:	34 ft			Original Depth:	46 ft
Material Colour:	RED			Material:	CLAY
<u>83</u>	1 of 1	SE/61.3	242.8	lot 6 con 7 ON	WWIS
Well ID:	2801102			Lot:	006
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	590922.5			Northing Nad83:	4827133
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:				Construction Date:	30-AUG-65
Sec. Water Use:				Well Depth:	62 ft
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Abandoned-Supply
Construction Method:	Boring			Flowing (y/n):	
Elevation (m):	245.93			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:				Casing Material:	
--- Details ---					
Thickness:	30 ft			Original Depth:	30 ft
Material Colour:				Material:	CLAY
+ 					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Thickness:</i>	2 ft			<i>Original Depth:</i>	32 ft
<i>Material Colour:</i>				<i>Material:</i>	GRAVEL
+					
<i>Thickness:</i>	30 ft			<i>Original Depth:</i>	62 ft
<i>Material Colour:</i>				<i>Material:</i>	GRAVEL, BOULDERS
84	1 of 1	NW/32.4	257.8	lot 14 con 8 ON	WWIS
<i>Well ID:</i>	2807095			<i>Lot:</i>	014
<i>Concession:</i>	08			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	587336.4			<i>Northing Nad83:</i>	4830866
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 10 - 30 m
<i>Primary Water Use:</i>	Not Used			<i>Construction Date:</i>	19-JUN-87
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	120 ft
<i>Pump Rate:</i>				<i>Static Water Level:</i>	
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Observation Wells
<i>Construction Method:</i>	Rotary (Convent.)			<i>Flowing (y/n):</i>	
<i>Elevation (m):</i>	264.88			<i>Elevation Reliability:</i>	
<i>Depth to Bedrock:</i>	88			<i>Overburden/Bedrock:</i>	Mixed in a Layer
<i>Water Type:</i>				<i>Casing Material:</i>	FRESH
--- Details ---					
<i>Thickness:</i>	12 ft			<i>Original Depth:</i>	12 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	CLAY, STONES, STICKY
+					
<i>Thickness:</i>	4 ft			<i>Original Depth:</i>	16 ft
<i>Material Colour:</i>	GREY			<i>Material:</i>	CLAY, SAND, GRAVEL
+					
<i>Thickness:</i>	7 ft			<i>Original Depth:</i>	23 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	CLAY, SAND, GRAVEL
+					
<i>Thickness:</i>	13 ft			<i>Original Depth:</i>	36 ft
<i>Material Colour:</i>				<i>Material:</i>	SAND, , LOOSE
+					
<i>Thickness:</i>	2 ft			<i>Original Depth:</i>	38 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	CLAY, SANDY
+					
<i>Thickness:</i>	33 ft			<i>Original Depth:</i>	71 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	SAND, , PACKED
+					
<i>Thickness:</i>	17 ft			<i>Original Depth:</i>	88 ft
<i>Material Colour:</i>				<i>Material:</i>	CLAY, GRAVEL, PACKED
+					
<i>Thickness:</i>	13 ft			<i>Original Depth:</i>	101 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Material Colour:				Material:	GRAVEL, ROCK, PACKED
+				Original Depth:	106 ft
Thickness:	5 ft			Material:	CLAY, GRAVEL
Material Colour: GREY				Original Depth:	115 ft
+				Material:	CLAY, , HARD
Thickness:	9 ft			Original Depth:	120 ft
Material Colour: RED				Material:	SHALE
85	1 of 1	SE/142.6	242.4	<i>lot 6 con 7 ON</i>	WWIS
Well ID:	2801099			Lot:	006
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Eastng Nad83:	590872.5			Northing Nad83:	4827068
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:				Construction Date:	08-SEP-60
Sec. Water Use:				Well Depth:	140 ft
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Abandoned-Supply
Construction Method:	Cable Tool			Flowing (y/n):	
Elevation (m):	247.09			Elevation	
Depth to Bedrock:	79			Reliability:	
Water Type:				Overburden/Bedrock k:	Bedrock
--- Details ---				Casing Material:	
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:				Material:	TOPSOIL
+					
Thickness:	39 ft			Original Depth:	40 ft
Material Colour:	BROWN			Material:	CLAY
+					
Thickness:	10 ft			Original Depth:	50 ft
Material Colour:				Material:	FINE SAND, STONES
+					
Thickness:	28 ft			Original Depth:	78 ft
Material Colour:	BROWN			Material:	CLAY, MEDIUM SAND
+					
Thickness:	1 ft			Original Depth:	79 ft
Material Colour:				Material:	GRAVEL
+					
Thickness:	61 ft			Original Depth:	140 ft
Material Colour:	RED			Material:	SHALE

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
86	1 of 1	SE/59.8	242.7	lot 6 con 7 ON	WWIS
Well ID:	2805393			Lot:	006
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	590934.5			Northing Nad83:	4827123
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	27-AUG-79
Sec. Water Use:				Well Depth:	100 ft
Pump Rate:	10 GPM			Static Water Level:	75 ft
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	
Construction Method:	Cable Tool			Flowing (y/n):	Water Supply
Elevation (m):	245.83				N
Depth to Bedrock:	79			Elevation Reliability:	
Water Type:	FRESH			Overburden/Bedrock k:	Bedrock
--- Details ---				Casing Material:	FRESH
Thickness:	36 ft			Original Depth:	36 ft
Material Colour:				Material:	PREVIOUSLY DUG
+ Thickness:	8 ft			Original Depth:	44 ft
Material Colour:	BROWN			Material:	CLAY, BOULDERS
+ Thickness:	5 ft			Original Depth:	49 ft
Material Colour:	RED			Material:	CLAY, BOULDERS
+ Thickness:	26 ft			Original Depth:	75 ft
Material Colour:	BROWN			Material:	CLAY, GRAVEL
+ Thickness:	4 ft			Original Depth:	79 ft
Material Colour:	RED			Material:	CLAY
+ Thickness:	21 ft			Original Depth:	100 ft
Material Colour:	RED			Material:	SHALE
87	1 of 1	SE/47.4	242.6	GEORGETOWN ON	WWIS
Well ID:	7180863			Lot:	
Concession:				Concession Name:	
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	590950			Northing Nad83:	4827125
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	10-MAR-12
Sec. Water Use:				Well Depth:	36.58 m

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Pump Rate:				Static Water Level:	22.58 m
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	
Elevation (m):				Elevation	
Depth to Bedrock:				Reliability:	
Water Type:	FRESH			Overburden/Bedrock k:	
--- Details ---				Casing Material:	FRESH, MINERIAL
Thickness:	.3 m			Original Depth:	.3 m
Material Colour:	BLACK			Material:	TOPSOIL
+					
Thickness:	1.53 m			Original Depth:	1.83 m
Material Colour:	BROWN			Material:	CLAY, , DARK-COLOURED
+					
Thickness:	6.07 m			Original Depth:	7.9 m
Material Colour:	BROWN			Material:	SAND, GRAVEL, LIGHT-COLOURED
+					
Thickness:	1.55 m			Original Depth:	9.45 m
Material Colour:	BROWN			Material:	SANDSTONE, MEDIUM-GRAINED, LIGHT-COLOURED
+					
Thickness:	2.74 m			Original Depth:	12.19 m
Material Colour:	BROWN			Material:	CLAY, SAND, GRAVEL
+					
Thickness:	9.15 m			Original Depth:	21.34 m
Material Colour:	BROWN			Material:	CLAY, SAND
+					
Thickness:	5.48 m			Original Depth:	26.82 m
Material Colour:	RED			Material:	SHALE, SOFT
+					
Thickness:	9.76 m			Original Depth:	36.58 m
Material Colour:	RED			Material:	SHALE, , HARD

<u>88</u>	1 of 1	SE/142.6	242.2	lot 6 con 7 ON	WWIS
Well ID:	2801100			Lot:	006
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	590882.5			Northing Nad83:	4827058
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:				Construction Date:	26-SEP-60
Sec. Water Use:				Well Depth:	112 ft
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Abandoned-Supply
Construction	Cable Tool			Flowing (y/n):	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Method: Elevation (m):	246.86			Elevation	
Depth to Bedrock:	79			Reliability: Overburden/Bedrock k:	
Water Type:				Casing Material:	
--- Details ---					
Thickness:	79 ft			Original Depth:	79 ft
Material Colour:	BROWN			Material:	CLAY, MEDIUM SAND
+ Thickness:					
Thickness:	33 ft			Original Depth:	112 ft
Material Colour:	RED			Material:	SHALE
89	1 of 1	SE/89.5	242.4	lot 6 con 7 ON	WWIS
Well ID:	2801101			Lot:	006
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Eastng Nad83:	590922.5			Northing Nad83:	4827093
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Domestic			Construction Date:	28-SEP-60
Sec. Water Use:				Well Depth:	110 ft
Pump Rate:	3 GPM			Static Water Level:	64 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	246.29			Elevation	
Depth to Bedrock:	82			Reliability:	
Water Type:	SALTY			Overburden/Bedrock k:	
Casing Material:				Casing Material:	FRESH, MINERIAL
--- Details ---					
Thickness:	6 ft			Original Depth:	6 ft
Material Colour:	BROWN			Material:	CLAY
+ Thickness:					
Thickness:	76 ft			Original Depth:	82 ft
Material Colour:				Material:	HARDPAN, GRAVEL
+ Thickness:					
Thickness:	28 ft			Original Depth:	110 ft
Material Colour:	RED			Material:	SHALE
90	1 of 1	SE/55.9	242.4	lot 3 con 7 GEORGETOWN ON	WWIS
Well ID:	7180862			Lot:	003
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Eastng Nad83:	590953			Northing Nad83:	4827110

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	15-MAR-12
Sec. Water Use:				Well Depth:	36 m
Pump Rate:	3.79 LPM			Static Water Level:	21.75 m
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	
Elevation (m):				Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock K:	
Water Type:	FRESH			Casing Material:	FRESH, MINERIAL
--- Details ---					
Thickness:	.3 m			Original Depth:	.3 m
Material Colour:	BLACK			Material:	TOPSOIL
+ Thickness:	1.5 m			Original Depth:	1.8 m
Material Colour:	BROWN			Material:	CLAY
+ Thickness:	6.2 m			Original Depth:	8 m
Material Colour:	BROWN			Material:	SAND
+ Thickness:	2.2 m			Original Depth:	10.2 m
Material Colour:	BROWN			Material:	SANDSTONE
+ Thickness:	1.9 m			Original Depth:	12.1 m
Material Colour:	BROWN			Material:	CLAY
+ Thickness:	9.9 m			Original Depth:	22 m
Material Colour:	BROWN			Material:	CLAY
+ Thickness:	5 m			Original Depth:	27 m
Material Colour:	RED			Material:	CLAY
+ Thickness:	9 m			Original Depth:	36 m
Material Colour:	RED			Material:	SHALE

91	1 of 1	SE/180.0	240.8	lot 7 con 7 ON	WWIS
Well ID:	2805018			Lot:	007
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	590864.5			Northing Nad83:	4827023
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Domestic			Construction Date:	17-DEC-75
Sec. Water Use:				Well Depth:	41 ft
Pump Rate:	10 GPM			Static Water Level:	14 ft
Flow Rate:				Clear/Cloudy:	CLEAR

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Specific Capacity: Construction Method: Elevation (m):	Cable Tool 246.25			Final Well Status: Flowing (y/n):	Water Supply N
Depth to Bedrock:				Elevation Reliability: Overburden/Bedrock k:	Overburden
Water Type:	FRESH			Casing Material:	FRESH
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:				Material:	TOPSOIL
+ Thickness:	21 ft			Original Depth:	22 ft
Material Colour:	BROWN			Material:	CLAY
+ Thickness:	2 ft			Original Depth:	24 ft
Material Colour:				Material:	SAND
+ Thickness:	16 ft			Original Depth:	40 ft
Material Colour:	BROWN			Material:	CLAY, SAND
+ Thickness:	1 ft			Original Depth:	41 ft
Material Colour:				Material:	GRAVEL
92	1 of 1	SE/166.6	239.6	lot 6 con 8 ON	WWIS
Well ID:	2805515			Lot:	006
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	591154.5			Northing Nad83:	4827223
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Livestock			Construction Date:	06-FEB-80
Sec. Water Use:				Well Depth:	40 ft
Pump Rate:	15 GPM			Static Water Level:	37 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Rotary (Convent.)			Flowing (y/n):	N
Elevation (m):	235.4			Elevation Reliability:	
Depth to Bedrock:	21			Overburden/Bedrock k:	Overburden below Bedrock
Water Type:	FRESH			Casing Material:	FRESH
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:	BROWN			Material:	TOPSOIL
+ Thickness:	20 ft			Original Depth:	21 ft
Material Colour:	BROWN			Material:	CLAY, STONES

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
+ <i>Thickness:</i> 4 ft <i>Material Colour:</i> RED				<i>Original Depth:</i> 25 ft <i>Material:</i> SHALE	
+ <i>Thickness:</i> 15 ft <i>Material Colour:</i>				<i>Original Depth:</i> 40 ft <i>Material:</i> HARDPAN, GRAVEL	
93	1 of 1	NW/170.1	257.8	ON	WWIS
<i>Well ID:</i> 2801387 <i>Concession:</i> <i>County:</i> HALTON				<i>Lot:</i> <i>Concession Name:</i> <i>Municipality:</i> HALTON HILLS TOWN (GEORGETOWN)	
<i>Eastng Nad83:</i> 587364.4 <i>Zone:</i> 17 <i>Primary Water Use:</i> Not Used <i>Sec. Water Use:</i> <i>Pump Rate:</i> <i>Flow Rate:</i> <i>Specific Capacity:</i> <i>Construction Method:</i> <i>Elevation (m):</i> 263.53				<i>Northing Nad83:</i> 4831033 <i>Utm Reliability:</i> margin of error : 30 m - 100 m <i>Construction Date:</i> 14-APR-58 <i>Well Depth:</i> 61 ft <i>Static Water Level:</i> <i>Clear/Cloudy:</i> <i>Final Well Status:</i> Test Hole <i>Flowing (y/n):</i>	
<i>Depth to Bedrock:</i> 59				<i>Elevation</i> <i>Reliability:</i> <i>Overburden/Bedrock:</i> Bedrock <i>Casing Material:</i>	
<i>Water Type:</i>					
--- Details ---					
<i>Thickness:</i> 1 ft <i>Material Colour:</i>				<i>Original Depth:</i> 1 ft <i>Material:</i> TOPSOIL	
+ <i>Thickness:</i> 7 ft <i>Material Colour:</i>				<i>Original Depth:</i> 8 ft <i>Material:</i> CLAY, MEDIUM SAND	
+ <i>Thickness:</i> 18 ft <i>Material Colour:</i>				<i>Original Depth:</i> 26 ft <i>Material:</i> CLAY, MEDIUM SAND, GRAVEL	
+ <i>Thickness:</i> 14 ft <i>Material Colour:</i> BROWN				<i>Original Depth:</i> 40 ft <i>Material:</i> CLAY, MEDIUM SAND	
+ <i>Thickness:</i> 7 ft <i>Material Colour:</i>				<i>Original Depth:</i> 47 ft <i>Material:</i> FINE SAND	
+ <i>Thickness:</i> 12 ft <i>Material Colour:</i>				<i>Original Depth:</i> 59 ft <i>Material:</i> CLAY, GRAVEL	
+ <i>Thickness:</i> 2 ft <i>Material Colour:</i> RED				<i>Original Depth:</i> 61 ft <i>Material:</i> SHALE	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
94	1 of 1	SE/136.5	238.8	9156-9158 Trafalgar Road Halton Hills ON L7G 4S5	EHS
Order No.:	20071220009				
Report Date:	1/3/2008				
Report Type:	CAN - Custom Report				
Search Radius (km):	0.25				
Addit. Info Ordered:	Title Search				
95	1 of 1	SE/158.6	237.9	lot 6 con 7 ON	WWIS
Well ID:	2805516			Lot:	006
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	590934.5			Northing Nad83:	4826983
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Livestock			Construction Date:	15-FEB-80
Sec. Water Use:	Domestic			Well Depth:	67 ft
Pump Rate:	2 GPM			Static Water Level:	63 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	245.45			Elevation Reliability:	
Depth to Bedrock:	22			Overburden/Bedrock k:	Overburden below Bedrock
Water Type:	FRESH			Casing Material:	FRESH
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:	BROWN			Material:	TOPSOIL
+					
Thickness:	21 ft			Original Depth:	22 ft
Material Colour:	BROWN			Material:	CLAY, STONES
+					
Thickness:	41 ft			Original Depth:	63 ft
Material Colour:	RED			Material:	SHALE, STONES
+					
Thickness:	1 ft			Original Depth:	64 ft
Material Colour:				Material:	GRAVEL
+					
Thickness:	3 ft			Original Depth:	67 ft
Material Colour:	BROWN			Material:	CLAY

96	1 of 1	SE/69.9	239.4	lot 6 con 7 ON	WWIS
Well ID:	2807165			Lot:	006
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Easting Nad83: Zone: Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m):	591008.9 17 Livestock Cable Tool 246.35			Northing Nad83: Utm Reliability: Construction Date: Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n):	(ESQUESING) 4827034 margin of error : 10 - 30 m 13-DEC-88 115 ft Abandoned-Supply
Depth to Bedrock:	68			Elevation Reliability: Overburden/Bedrock K:	Bedrock
Water Type:				Casing Material:	FRESH, MINERAL
--- Details ---					
Thickness: Material Colour:	14 ft BROWN			Original Depth: Material:	14 ft SAND, GRAVEL, DRY
+ Thickness: Material Colour:	42 ft BROWN			Original Depth: Material:	56 ft GRAVEL, DRY
+ Thickness: Material Colour:	6 ft BROWN			Original Depth: Material:	62 ft SAND
+ Thickness: Material Colour:	3 ft BROWN			Original Depth: Material:	65 ft CLAY
+ Thickness: Material Colour:	3 ft BROWN			Original Depth: Material:	68 ft SAND, CLAY
+ Thickness: Material Colour:	47 ft RED			Original Depth: Material:	115 ft SHALE, ROCK, DRY
97	1 of 1	SE/93.5	239.9	lot 6 con 8 ON	WWIS
Well ID: Concession: County:	2807166 08 HALTON			Lot: Concession Name: Municipality:	006 CON HALTON HILLS TOWN (ESQUESING)
Easting Nad83: Zone: Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m):	591142.9 17 Domestic Livestock 5 GPM CLEAR Cable Tool 240.34			Northing Nad83: Utm Reliability: Construction Date: Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n):	4827131 margin of error : 10 - 30 m 13-DEC-88 50 ft 38 ft CLEAR Water Supply N
				Elevation Reliability:	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Depth to Bedrock:	48			Overburden/Bedrock:	Bedrock
Water Type:	FRESH			Casing Material:	FRESH
--- Details ---					
Thickness:	7 ft			Original Depth:	7 ft
Material Colour:				Material:	PEAT
+ Thickness:	16 ft			Original Depth:	23 ft
Material Colour:	BROWN			Material:	SAND, STONES
+ Thickness:	25 ft			Original Depth:	48 ft
Material Colour:	BROWN			Material:	SAND, GRAVEL
+ Thickness:	2 ft			Original Depth:	50 ft
Material Colour:	RED			Material:	SHALE, ROCK
98	1 of 1	SE/218.9	230.8	lot 6 con 7 ON	WWIS
Well ID:	2807710			Lot:	006
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	590969.9			Northing Nad83:	4826862
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:				Construction Date:	12-DEC-90
Sec. Water Use:				Well Depth:	65 ft
Pump Rate:				Static Water Level:	43 ft
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	
Construction Method:	Not Known			Flowing (y/n):	N
Elevation (m):	243.18			Elevation Reliability:	
Depth to Bedrock:	49			Overburden/Bedrock:	Bedrock
Water Type:				Casing Material:	MINERIAL
--- Details ---					
Thickness:	43 ft			Original Depth:	43 ft
Material Colour:				Material:	GRAVEL, CLAY
+ Thickness:	6 ft			Original Depth:	49 ft
Material Colour:	BROWN			Material:	SAND, CLAY
+ Thickness:	16 ft			Original Depth:	65 ft
Material Colour:	RED			Material:	SHALE
99	1 of 1	NW/77.8	257.8	lot 15 con 8 ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Well ID:	2801244			Lot:	015
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Eastng Nad83:	587184.4			Northing Nad83:	4831083
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Public			Construction Date:	15-MAR-64
Sec. Water Use:				Well Depth:	65 ft
Pump Rate:	50 GPM			Static Water Level:	48 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	265.74			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:	FRESH			Overburden/Bedrock k:	Overburden
--- Details ---					
Thickness:	35 ft			Original Depth:	35 ft
Material Colour:	BROWN			Material:	TOPSOIL, CLAY
+ Thickness:	13 ft			Original Depth:	48 ft
Material Colour:	BROWN			Material:	MEDIUM SAND
+ Thickness:	7 ft			Original Depth:	55 ft
Material Colour:	BROWN			Material:	COARSE SAND, CLAY
+ Thickness:	10 ft			Original Depth:	65 ft
Material Colour:	GREY			Material:	CLAY

100	1 of 1	NW/116.0	257.8	lot 15 con 8 ON	WWIS
Well ID:	2804436			Lot:	015
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Eastng Nad83:	587200.4			Northing Nad83:	4831121
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:				Construction Date:	19-JUN-73
Sec. Water Use:				Well Depth:	60 ft
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Abandoned-Supply
Construction Method:	Boring			Flowing (y/n):	
Elevation (m):	265.61			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:				Overburden/Bedrock k:	Overburden
--- Details ---					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Thickness:	2 ft			Original Depth:	2 ft
Material Colour:	BLACK			Material:	TOPSOIL
+					
Thickness:	12 ft			Original Depth:	14 ft
Material Colour:	BROWN			Material:	CLAY
+					
Thickness:	8 ft			Original Depth:	22 ft
Material Colour:	GREY			Material:	CLAY, STONES
+					
Thickness:	4 ft			Original Depth:	26 ft
Material Colour:	GREY			Material:	FINE SAND, MUCK
+					
Thickness:	5 ft			Original Depth:	31 ft
Material Colour:	RED			Material:	SAND, CLAY, STONES
+					
Thickness:	9 ft			Original Depth:	40 ft
Material Colour:	BROWN			Material:	SAND
+					
Thickness:	14 ft			Original Depth:	54 ft
Material Colour:	GREY			Material:	CLAY, STONES
+					
Thickness:	4 ft			Original Depth:	58 ft
Material Colour:	GREY			Material:	SILT, SAND
+					
Thickness:	2 ft			Original Depth:	60 ft
Material Colour:	GREY			Material:	MUCK

101	1 of 1	NW/187.3	257.8	lot 15 con 8 ON	WWIS
Well ID:	2804463			Lot:	015
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	587244.4			Northing Nad83:	4831178
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	06-SEP-73
Sec. Water Use:				Well Depth:	52 ft
Pump Rate:	20 GPM			Static Water Level:	30 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	265.36			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:	FRESH			Casing Material:	MINERIAL, SULPHUR
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Material Colour:	BROWN			Material:	TOPSOIL
+					
Thickness:	13 ft			Original Depth:	14 ft
Material Colour:	BROWN			Material:	CLAY, MUCK
+					
Thickness:	3 ft			Original Depth:	17 ft
Material Colour:	GREY			Material:	CLAY, STONES
+					
Thickness:	3 ft			Original Depth:	20 ft
Material Colour:	GREY			Material:	SAND
+					
Thickness:	11 ft			Original Depth:	31 ft
Material Colour:	BROWN			Material:	CLAY, STONES, SAND
+					
Thickness:	21 ft			Original Depth:	52 ft
Material Colour:	GREY			Material:	COARSE SAND
<hr/>					
102	1 of 1	NW/28.4	257.8	lot 15 con 7 ON	WWIS
Well ID:	2802972			Lot:	015
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	587074.4			Northing Nad83:	4831043
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Public			Construction Date:	25-MAY-68
Sec. Water Use:				Well Depth:	35 ft
Pump Rate:				Static Water Level:	28 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	267.23			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock K:	Overburden
Water Type:	FRESH			Casing Material:	SULPHUR
<hr/>					
--- Details ---					
Thickness:	15 ft			Original Depth:	15 ft
Material Colour:	BROWN			Material:	TOPSOIL
+					
Thickness:	13 ft			Original Depth:	28 ft
Material Colour:	BROWN			Material:	MEDIUM SAND
+					
Thickness:	7 ft			Original Depth:	35 ft
Material Colour:	BROWN			Material:	COARSE SAND, GRAVEL, CLAY
<hr/>					
103	1 of 1	NW/36.6	257.8	lot 15 con 8 ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Well ID: Concession: County:	2801242 08 HALTON			Lot: Concession Name: Municipality:	015 CON HALTON HILLS TOWN (ESQUESING)
Eastng Nad83: Zone: Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m):	587105.4 17 Public 5 GPM CLEAR Water Supply N 266.85			Northing Nad83: Utm Reliability: Construction Date: Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n):	4831104 unknown UTM 12-NOV-57 30 ft 22 ft CLEAR Water Supply N
Depth to Bedrock:				Elevation Reliability: Overburden/Bedrock:	Overburden
Water Type:	FRESH			Casing Material:	SULPHUR
--- Details ---					
Thickness: + Thickness:	22 ft + 8 ft			Original Depth: Material:	22 ft TOPSOIL, CLAY
Material Colour:	BROWN			Original Depth: Material:	30 ft COARSE SAND
<u>104</u>	1 of 1	NW/145.2	257.8	Halton District School Board 13068 15 Side Road RR #2 Georgetown ON L7G 1W8	GEN
Generator #: Approval Yrs: SIC Code: SIC Description:	ON4381742 05,06				
--- Details ---					
Waste Code: + Waste Code:	148 + 263			Waste Description:	INORGANIC LABORATORY CHEMICALS ORGANIC LABORATORY CHEMICALS
<u>105</u>	1 of 1	SE/44.9	230.8	lot 6 con 7 ON	WWIS
Well ID: Concession: County:	2801097 07 HALTON			Lot: Concession Name: Municipality:	006 CON HALTON HILLS TOWN (ESQUESING)
Eastng Nad83: Zone: Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate:	591214.5 17 Livestock Domestic 1 GPM			Northing Nad83: Utm Reliability: Construction Date: Well Depth: Static Water Level: Clear/Cloudy:	4826863 margin of error : 30 m - 100 m 29-NOV-56 107 ft 32 ft CLEAR

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Specific Capacity: Construction Method: Elevation (m):	Cable Tool			Final Well Status: Flowing (y/n):	Water Supply N
Depth to Bedrock:	76			Elevation Reliability: Overburden/Bedrock k:	Bedrock
Water Type:	FRESH			Casing Material:	FRESH, MINERIAL
--- Details ---					
Thickness:	27 ft			Original Depth:	27 ft
Material Colour:				Material:	CLAY
+ Thickness:	24 ft			Original Depth:	51 ft
Material Colour:				Material:	CLAY, BOULDERS
+ Thickness:	25 ft			Original Depth:	76 ft
Material Colour:				Material:	SILT, MEDIUM SAND
+ Thickness:	31 ft			Original Depth:	107 ft
Material Colour:	RED			Material:	SHALE

[106](#) 1 of 1 SE/223.0 228.3 **DOREEN EDGAR
9098 TRAFALGAR RD
HALTON HILLS ON L7G 4S5** [CFOT](#)

Registration No.:
Licence No.:
Tank Size: 2270
Instance Number: 38299927
Facility Type: FS Fuel Oil Tank
Status Name: Active
Corrosion Protection:
Fuel Type: Fuel Oil
Year Installed: 2001
Tank Material: Steel
Distributor:
Contact Name:
Contact Address:
Contact Address2:
Contact City:
Comments:

[107](#) 1 of 1 NW/0.9 257.8 **HALTON HILLS TOWN
15 SIDEROAD/TRAfalgar RD.
HALTON HILLS TOWN ON** [CA](#)

Certificate #: 3-0423-93-
Application Year: 93
Issue Date: 5/7/1993
Approval Type: Municipal sewage
Status: Approved
Application Type:

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
108	1 of 1	NW/20.2	257.8	lot 16 con 8 ON	WWIS
Well ID:	2808068			Lot:	016
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	587014.4			Northing Nad83:	4831172
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Not Used			Construction Date:	09-SEP-91
Sec. Water Use:				Well Depth:	96 ft
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Observation Wells
Construction Method:	Rotary (Convent.)			Flowing (y/n):	
Elevation (m):	267.11			Elevation	
Depth to Bedrock:	93			Reliability:	
Water Type:				Overburden/Bedrock k:	Bedrock
Casing Material:				Casing Material:	FRESH
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:				Material:	TOPSOIL
+ Thickness:	20 ft			Original Depth:	21 ft
Material Colour:	BROWN			Material:	CLAY, GRAVEL, SILTY
+ Thickness:	12 ft			Original Depth:	33 ft
Material Colour:				Material:	GRAVEL, SAND
+ Thickness:	28 ft			Original Depth:	61 ft
Material Colour:	BROWN			Material:	CLAY, GRAVEL
+ Thickness:	7 ft			Original Depth:	68 ft
Material Colour:				Material:	SAND, GRAVEL, SILT
+ Thickness:	15 ft			Original Depth:	83 ft
Material Colour:				Material:	SAND, GRAVEL, SILT
+ Thickness:	10 ft			Original Depth:	93 ft
Material Colour:				Material:	GRAVEL, CLAY, HARD
+					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Thickness:	3 ft			Original Depth:	96 ft
Material Colour:	GREY			Material:	SHALE, CLAY, HARD
109	1 of 1	SE/143.8	228.4	lot 6 con 7 ON	WWIS
Well ID:	2805179			Lot:	006
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Eastng Nad83:	591194.5			Northing Nad83:	4826743
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	17-DEC-77
Sec. Water Use:				Well Depth:	70 ft
Pump Rate:	10 GPM			Static Water Level:	56 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	242.25			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:	FRESH			Overburden/Bedrock k:	Overburden
--- Details ---				Casing Material:	FRESH
Thickness:	2 ft			Original Depth:	2 ft
Material Colour:				Material:	TOPSOIL
+					
Thickness:	66 ft			Original Depth:	68 ft
Material Colour:	BROWN			Material:	GRAVEL, STONEY
+					
Thickness:	2 ft			Original Depth:	70 ft
Material Colour:	BROWN			Material:	GRAVEL
110	1 of 1	SE/256.6	227.8	lot 6 con 7 ON	WWIS
Well ID:	2807752			Lot:	006
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Eastng Nad83:	591112.9			Northing Nad83:	4826665
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Livestock			Construction Date:	30-JAN-91
Sec. Water Use:				Well Depth:	58 ft
Pump Rate:	15 GPM			Static Water Level:	43 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	232.09			Elevation	
Depth to Bedrock:	49			Reliability:	
				Overburden/Bedrock	Bedrock

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Water Type:	FRESH			k: Casing Material:	MINERIAL, SALTY, SULPHUR
--- Details ---					
Thickness:	2 ft			Original Depth:	2 ft
Material Colour:	BROWN			Material:	TOPSOIL
+					
Thickness:	22 ft			Original Depth:	24 ft
Material Colour:	BROWN			Material:	FINE SAND, GRAVEL
+					
Thickness:	25 ft			Original Depth:	49 ft
Material Colour:	BROWN			Material:	COARSE SAND, GRAVEL, BOULDERS
+					
Thickness:	9 ft			Original Depth:	58 ft
Material Colour:	RED			Material:	SHALE, LIMESTONE, HARD
111	1 of 1	NW/289.6	257.8	lot 16 con 8 ON	WWIS
Well ID:	2803519			Lot:	016
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	587194.4			Northing Nad83:	4831373
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	10-OCT-70
Sec. Water Use:				Well Depth:	52 ft
Pump Rate:	18 GPM			Static Water Level:	38 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	266.53			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:	FRESH			Overburden/Bedroc	Overburden
--- Details ---				k:	
Thickness:	1 ft			Casing Material:	SALTY, SULPHUR
Material Colour:	BROWN				
+					
Thickness:	9 ft			Original Depth:	10 ft
Material Colour:	BROWN			Material:	CLAY
+					
Thickness:	32 ft			Original Depth:	42 ft
Material Colour:	BROWN			Material:	MEDIUM SAND
+					
Thickness:	10 ft			Original Depth:	52 ft
Material Colour:	GREY			Material:	CLAY, STONES

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<u>112</u>	<u>1 of 1</u>	<u>NW/87.9</u>	<u>257.8</u>	<u>lot 16 con 8 ON</u>	<u>WWIS</u>
Well ID:	2806046			Lot:	016
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Eastng Nad83:	587041.4			Northing Nad83:	4831241
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Commerical			Construction Date:	20-JUN-83
Sec. Water Use:				Well Depth:	50 ft
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Abandoned-Other
Construction Method:	Rotary (Convent.)			Flowing (y/n):	
Elevation (m):	266.36			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:	Not stated			k:	
Casing Material:					
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:				Material:	TOPSOIL
+ Thickness:					
Thickness:	37 ft			Original Depth:	38 ft
Material Colour:	BROWN			Material:	CLAY, SAND
+ Thickness:					
Thickness:	4 ft			Original Depth:	42 ft
Material Colour:				Material:	FINE SAND
+ Thickness:					
Thickness:	6 ft			Original Depth:	48 ft
Material Colour:	BROWN			Material:	CLAY, SAND
+ Thickness:					
Thickness:	2 ft			Original Depth:	50 ft
Material Colour:	GREY			Material:	CLAY
<u>113</u>	<u>1 of 1</u>	<u>NW/108.4</u>	<u>257.8</u>	<u>lot 16 con 8 ON</u>	<u>WWIS</u>
Well ID:	2806358			Lot:	016
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Eastng Nad83:	587051.4			Northing Nad83:	4831260
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	11-APR-83
Sec. Water Use:				Well Depth:	60 ft
Pump Rate:	4 GPM			Static Water Level:	39 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Elevation (m):	266.42				
Depth to Bedrock:					
Water Type:	FRESH				
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:	BROWN			Material:	TOPSOIL
+ Thickness:	11 ft			Original Depth:	12 ft
Material Colour:	BROWN			Material:	CLAY
+ Thickness:	11 ft			Original Depth:	23 ft
Material Colour:	GREY			Material:	CLAY, PACKED
+ Thickness:	18 ft			Original Depth:	41 ft
Material Colour:	BROWN			Material:	MEDIUM SAND
+ Thickness:	19 ft			Original Depth:	60 ft
Material Colour:	GREY			Material:	CLAY, MUCK
114	1 of 1	NW/155.2	258.9	lot 16 con 7 ON	WWIS
Well ID:	2806133			Lot:	016
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	586863.4			Northing Nad83:	4831075
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	23-JUL-75
Sec. Water Use:				Well Depth:	53 ft
Pump Rate:	5 GPM			Static Water Level:	33 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	265.47			Elevation Reliability:	
Depth to Bedrock:	21			Overburden/Bedrock k:	Overburden below Bedrock
Water Type:	FRESH			Casing Material:	SALTY, SULPHUR
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:	BROWN			Material:	TOPSOIL
+ Thickness:	12 ft			Original Depth:	13 ft
Material Colour:	BROWN			Material:	CLAY, STONES, PACKED
+ Thickness:	8 ft			Original Depth:	21 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Material Colour:	BLACK			Material:	COARSE SAND
+					
Thickness:	6 ft			Original Depth:	27 ft
Material Colour:	BROWN			Material:	SANDSTONE, CEMENTED, PACKED
+					
Thickness:	6 ft			Original Depth:	33 ft
Material Colour:	BLACK			Material:	COARSE SAND
+					
Thickness:	13 ft			Original Depth:	46 ft
Material Colour:	BLUE			Material:	CLAY
+					
Thickness:	7 ft			Original Depth:	53 ft
Material Colour:	RED			Material:	CLAY, STONES, GRAVEL
115		1 of 1	NW/166.4	257.8	lot 16 con 8 ON
WWIS					
Well ID:	2806353			Lot:	016
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	587089.4			Northing Nad83:	4831304
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	04-JUN-83
Sec. Water Use:				Well Depth:	60 ft
Pump Rate:	4 GPM			Static Water Level:	38 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	267.01			Elevation Reliability:	
Depth to Bedrock:	17			Overburden/Bedrock:	Unknown type (bedrock encountered)
Water Type:	FRESH			k:	
Casing Material:					SALTY, SULPHUR
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:	BROWN			Material:	TOPSOIL
+					
Thickness:	9 ft			Original Depth:	10 ft
Material Colour:	BROWN			Material:	CLAY
+					
Thickness:	5 ft			Original Depth:	15 ft
Material Colour:	GREY			Material:	CLAY, PACKED
+					
Thickness:	2 ft			Original Depth:	17 ft
Material Colour:	BROWN			Material:	CLAY
+					
Thickness:	6 ft			Original Depth:	23 ft
Material Colour:	BROWN			Material:	SANDSTONE, GRAVEL

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
+ <i>Thickness:</i> 1 ft <i>Material Colour:</i> BROWN				<i>Original Depth:</i> 24 ft <i>Material:</i> HARDPAN, CEMENTED, GRAVEL	
+ <i>Thickness:</i> 18 ft <i>Material Colour:</i> BROWN				<i>Original Depth:</i> 42 ft <i>Material:</i> MEDIUM SAND	
+ <i>Thickness:</i> 18 ft <i>Material Colour:</i>				<i>Original Depth:</i> 60 ft <i>Material:</i> UNKNOWN TYPE	
116	1 of 1	NW/195.4	257.8	<i>lot 16 con 8 ON</i>	WWIS
<i>Well ID:</i> 2806354 <i>Concession:</i> 08 <i>County:</i> HALTON				<i>Lot:</i> 016 <i>Concession Name:</i> CON <i>Municipality:</i> HALTON HILLS TOWN (ESQUESING)	
<i>Easting Nad83:</i> 587107.4 <i>Zone:</i> 17 <i>Primary Water Use:</i> Domestic <i>Sec. Water Use:</i> <i>Pump Rate:</i> 30 GPM <i>Flow Rate:</i> <i>Specific Capacity:</i> <i>Construction Method:</i> <i>Elevation (m):</i> 267.31				<i>Northing Nad83:</i> 4831327 <i>Utm Reliability:</i> margin of error : 30 m - 100 m <i>Construction Date:</i> 08-JUN-83 <i>Well Depth:</i> 60 ft <i>Static Water Level:</i> 38 ft <i>Clear/Cloudy:</i> CLEAR <i>Final Well Status:</i> Water Supply <i>Flowing (y/n):</i> N	
<i>Depth to Bedrock:</i>				<i>Elevation Reliability: Overburden/Bedrock k:</i>	Overburden
<i>Water Type:</i> FRESH				<i>Casing Material:</i>	SALTY
--- Details ---					
<i>Thickness:</i> 1 ft <i>Material Colour:</i> BROWN				<i>Original Depth:</i> 1 ft <i>Material:</i> TOPSOIL	
+ <i>Thickness:</i> 9 ft <i>Material Colour:</i> BROWN				<i>Original Depth:</i> 10 ft <i>Material:</i> CLAY	
+ <i>Thickness:</i> 8 ft <i>Material Colour:</i> GREY				<i>Original Depth:</i> 18 ft <i>Material:</i> CLAY, PACKED	
+ <i>Thickness:</i> 29 ft <i>Material Colour:</i> BROWN				<i>Original Depth:</i> 47 ft <i>Material:</i> MEDIUM SAND, LOOSE	
+ <i>Thickness:</i> 13 ft <i>Material Colour:</i> GREY				<i>Original Depth:</i> 60 ft <i>Material:</i> CLAY	
117	1 of 1	NW/81.5	257.8	<i>lot 16 con 8 ON</i>	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Well ID:</i>	2806076			<i>Lot:</i>	016
<i>Concession:</i>	08			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	587016.4			<i>Northing Nad83:</i>	4831257
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 30 m - 100 m
<i>Primary Water Use:</i>	Commerical			<i>Construction Date:</i>	22-JUN-83
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	70 ft
<i>Pump Rate:</i>	1 GPM			<i>Static Water Level:</i>	40 ft
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	CLEAR
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Water Supply
<i>Construction Method:</i>	Rotary (Convent.)			<i>Flowing (y/n):</i>	N
<i>Elevation (m):</i>	266.13			<i>Elevation</i>	
<i>Depth to Bedrock:</i>				<i>Reliability:</i>	
<i>Water Type:</i>	FRESH			<i>Overburden/Bedrock k:</i>	Overburden
--- Details ---					
<i>Thickness:</i>	1 ft			<i>Original Depth:</i>	1 ft
<i>Material Colour:</i>				<i>Material:</i>	TOPSOIL
+ <i>Thickness:</i>	27 ft			<i>Original Depth:</i>	28 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	CLAY, STONES
+ <i>Thickness:</i>	2 ft			<i>Original Depth:</i>	30 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	FINE SAND
+ <i>Thickness:</i>	20 ft			<i>Original Depth:</i>	50 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	CLAY, STONES
+ <i>Thickness:</i>	20 ft			<i>Original Depth:</i>	70 ft
<i>Material Colour:</i>	GREY			<i>Material:</i>	CLAY
118	1 of 1	NW/154.4	257.8	lot 16 con 8 ON	WWIS
<i>Well ID:</i>	2806460			<i>Lot:</i>	016
<i>Concession:</i>	08			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	587065.4			<i>Northing Nad83:</i>	4831311
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 30 m - 100 m
<i>Primary Water Use:</i>	Domestic			<i>Construction Date:</i>	25-FEB-86
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	67 ft
<i>Pump Rate:</i>	5 GPM			<i>Static Water Level:</i>	36 ft
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	CLEAR
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Water Supply
<i>Construction Method:</i>	Boring			<i>Flowing (y/n):</i>	N
<i>Elevation (m):</i>	266.99			<i>Elevation</i>	
<i>Depth to Bedrock:</i>				<i>Reliability:</i>	
				<i>Overburden/Bedrock</i>	Overburden

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Water Type:	FRESH			k: Casing Material:	SALTY, SULPHUR
--- Details ---					
Thickness:	8 ft			Original Depth:	8 ft
Material Colour:				Material:	TOPSOIL
+ Thickness:	9 ft			Original Depth:	17 ft
Material Colour:	BROWN			Material:	CLAY
+ Thickness:	19 ft			Original Depth:	36 ft
Material Colour:				Material:	CLAY
+ Thickness:	10 ft			Original Depth:	46 ft
Material Colour:					COARSE SAND, WATER-BEARING
+ Thickness:	21 ft			Original Depth:	67 ft
Material Colour:				Material:	SAND, WATER-BEARING
119	1 of 1	NW/317.0	257.8	lot 16 con 8 ON	WWIS
Well ID:	2801248			Lot:	016
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	587182.4			Northing Nad83:	4831424
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Domestic			Construction Date:	28-JUL-67
Sec. Water Use:				Well Depth:	50 ft
Pump Rate:	3 GPM			Static Water Level:	38 ft
Flow Rate:				Clear/Cloudy:	CLOUDY
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	267.21			Elevation Reliability:	
Depth to Bedrock:	40			Overburden/Bedrock k:	Mixed in a Layer
Water Type:	FRESH			Casing Material:	SALTY, SULPHUR
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:				Material:	TOPSOIL
+ Thickness:	11 ft			Original Depth:	12 ft
Material Colour:	BROWN			Material:	CLAY
+ Thickness:	28 ft			Original Depth:	40 ft
Material Colour:	BROWN			Material:	MEDIUM SAND
+ Thickness:	10 ft			Original Depth:	50 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Material Colour: BLUE			Material:		CLAY, LIMESTONE
<u>120</u>	1 of 1	NW/237.8	257.8	Lot 16 con 7 ON	WWIS
Well ID:	2808312			Lot:	016
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	586769.9			Northing Nad83:	4831052
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Domestic			Construction Date:	09-DEC-94
Sec. Water Use:				Well Depth:	161 ft
Pump Rate:	3 GPM			Static Water Level:	78 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Rotary (Air)			Flowing (y/n):	N
Elevation (m):	253.91			Elevation Reliability:	
Depth to Bedrock:	124			Overburden/Bedrock k:	Bedrock
Water Type:	FRESH			Casing Material:	FRESH
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:				Material:	TOPSOIL
+ Thickness:	19 ft			Original Depth:	20 ft
Material Colour:	BROWN			Material:	SAND, GRAVEL
+ Thickness:	100 ft			Original Depth:	120 ft
Material Colour:	BROWN			Material:	CLAY, SAND, GRAVEL
+ Thickness:	4 ft			Original Depth:	124 ft
Material Colour:				Material:	SAND, GRAVEL
+ Thickness:	37 ft			Original Depth:	161 ft
Material Colour:	BLUE			Material:	SHALE
<u>121</u>	1 of 1	NW/169.5	258.2	Lot 16 con 7 ON	WWIS
Well ID:	2806135			Lot:	016
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	586809.4			Northing Nad83:	4831109
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	26-SEP-75
Sec. Water Use:				Well Depth:	43 ft
Pump Rate:	5 GPM			Static Water Level:	22 ft
Flow Rate:				Clear/Cloudy:	CLEAR

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	265.12			Elevation Reliability:	
Depth to Bedrock:	36			Overburden/Bedrock k:	Mixed in a Layer
Water Type:	FRESH			Casing Material:	SALTY, SULPHUR
--- Details ---					
Thickness:	7 ft			Original Depth:	7 ft
Material Colour:	BROWN			Material:	CLAY
+ Thickness:	1 ft			Original Depth:	8 ft
Material Colour:	GREY			Material:	SAND, GRAVEL, CEMENTED
+ Thickness:	8 ft			Original Depth:	16 ft
Material Colour:	BLACK			Material:	COARSE SAND, LOOSE
+ Thickness:	2 ft			Original Depth:	18 ft
Material Colour:	BROWN			Material:	CLAY, PACKED
+ Thickness:	7 ft			Original Depth:	25 ft
Material Colour:	BROWN			Material:	MEDIUM SAND, LOOSE
+ Thickness:	10 ft			Original Depth:	35 ft
Material Colour:	BLUE-GREY			Material:	CLAY, PACKED, SOFT
+ Thickness:	1 ft			Original Depth:	36 ft
Material Colour:	BROWN			Material:	CLAY, STONES
+ Thickness:	2 ft			Original Depth:	38 ft
Material Colour:	BROWN			Material:	GRAVEL, SANDSTONE
+ Thickness:	5 ft			Original Depth:	43 ft
Material Colour:	BROWN			Material:	CLAY, STONES, HARD

122	1 of 1	NW/99.8	257.8	lot 16 con 8 ON	WWIS
Well ID:	2806461			Lot:	016
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	586997.4			Northing Nad83:	4831302
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	27-FEB-86
Sec. Water Use:				Well Depth:	61 ft
Pump Rate:	5 GPM			Static Water Level:	32 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	266.19			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:	FRESH			Casing Material:	SALTY, SULPHUR
--- Details ---					
Thickness:	8 ft			Original Depth:	8 ft
Material Colour:				Material:	TOPSOIL
+ Thickness:	4 ft			Original Depth:	12 ft
Material Colour:				Material:	CLAY
+ Thickness:	9 ft			Original Depth:	21 ft
Material Colour:				Material:	SAND
+ Thickness:	8 ft			Original Depth:	29 ft
Material Colour:				Material:	CLAY
+ Thickness:	14 ft			Original Depth:	43 ft
Material Colour:				Material:	SAND
+ Thickness:	17 ft			Original Depth:	60 ft
Material Colour:				Material:	CLAY
+ Thickness:	1 ft			Original Depth:	61 ft
Material Colour:				Material:	SAND

123	1 of 2	NW/156.2	258.3	lot 16 con 7 ON	WWIS
Well ID:	2804992			Lot:	016
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	586814.4			Northing Nad83:	4831123
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Domestic			Construction Date:	18-AUG-76
Sec. Water Use:				Well Depth:	78 ft
Pump Rate:	5 GPM			Static Water Level:	49 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	265.54			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:	FRESH			Casing Material:	SULPHUR
--- Details ---					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Thickness:</i>	1 ft			<i>Original Depth:</i>	1 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	TOPSOIL
+					
<i>Thickness:</i>	11 ft			<i>Original Depth:</i>	12 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	CLAY
+					
<i>Thickness:</i>	66 ft			<i>Original Depth:</i>	78 ft
<i>Material Colour:</i>	GREY			<i>Material:</i>	CLAY, STONES, SAND
<hr/>					
123	2 of 2	NW/156.2	258.3	<i>lot 16 con 7 ON</i>	WWIS
<i>Well ID:</i>	2805270			<i>Lot:</i>	016
<i>Concession:</i>	07			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	586814.4			<i>Northing Nad83:</i>	4831123
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 100 m - 300 m
<i>Primary Water Use:</i>	Domestic			<i>Construction Date:</i>	28-JUL-78
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	29 ft
<i>Pump Rate:</i>				<i>Static Water Level:</i>	18 ft
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Water Supply
<i>Construction Method:</i>	Boring			<i>Flowing (y/n):</i>	N
<i>Elevation (m):</i>	265.54			<i>Elevation Reliability:</i>	
<i>Depth to Bedrock:</i>				<i>Overburden/Bedrock k:</i>	Overburden
<i>Water Type:</i>	FRESH			<i>Casing Material:</i>	SALTY, SULPHUR
<hr/>					
--- Details ---					
<i>Thickness:</i>	1 ft			<i>Original Depth:</i>	1 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	TOPSOIL
+					
<i>Thickness:</i>	19 ft			<i>Original Depth:</i>	20 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	CLAY, STONES, PACKED
+					
<i>Thickness:</i>	6 ft			<i>Original Depth:</i>	26 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	COARSE SAND, LOOSE
+					
<i>Thickness:</i>	3 ft			<i>Original Depth:</i>	29 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	CLAY, STONES, PACKED
<hr/>					
124	1 of 1	NW/153.6	257.8	<i>lot 16 con 8 ON</i>	WWIS
<i>Well ID:</i>	2806462			<i>Lot:</i>	016
<i>Concession:</i>	08			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	587029.4			<i>Northing Nad83:</i>	4831346

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	04-MAR-86
Sec. Water Use:				Well Depth:	65 ft
Pump Rate:	5 GPM			Static Water Level:	40 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	267.17			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock K:	Overburden
Water Type:	SALTY			Casing Material:	SALTY, SULPHUR
--- Details ---					
Thickness:	6 ft			Original Depth:	6 ft
Material Colour:				Material:	TOPSOIL
+ Thickness:	8 ft			Original Depth:	14 ft
Material Colour:				Material:	CLAY
+ Thickness:	10 ft			Original Depth:	24 ft
Material Colour:				Material:	SAND
+ Thickness:	5 ft			Original Depth:	29 ft
Material Colour:				Material:	CLAY
+ Thickness:	18 ft			Original Depth:	47 ft
Material Colour:				Material:	SAND
+ Thickness:	13 ft			Original Depth:	60 ft
Material Colour:				Material:	CLAY
+ Thickness:	5 ft			Original Depth:	65 ft
Material Colour:				Material:	SAND
<hr/>					
125	1 of 1	SE/101.2	228.0	Lot 6 con 7 ON	WWIS
Well ID:	2805309			Lot:	006
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	591294.5			Northing Nad83:	4826703
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	06-JUL-78
Sec. Water Use:				Well Depth:	70 ft
Pump Rate:	4 GPM			Static Water Level:	45 ft
Flow Rate:				Clear/Cloudy:	CLOUDY
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	242.05			Elevation	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Depth to Bedrock:				Reliability: Overburden/Bedrock k:	
Water Type:	FRESH			Casing Material:	Overburden
--- Details ---					
Thickness:	4 ft			Original Depth:	FRESH
Material Colour:				Material:	TOPSOIL
+ Thickness:	61 ft			Original Depth:	4 ft
Material Colour:	BROWN			Material:	CLAY, STONEY
+ Thickness:	5 ft			Original Depth:	65 ft
Material Colour:	GREY			Material:	FINE GRAVEL
126	1 of 1	NW/41.6	258.6	lot 16 con 8 ON	WWIS
Well ID:	2806939			Lot:	016
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	586885.4			Northing Nad83:	4831214
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Domestic			Construction Date:	12-MAR-85
Sec. Water Use:				Well Depth:	38 ft
Pump Rate:	4 GPM			Static Water Level:	27 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	264.38			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:	FRESH			Overburden/Bedrock k:	Overburden
--- Details ---				Casing Material:	
Thickness:	35 ft			Original Depth:	SALTY
Material Colour:	BROWN			Material:	CLAY, STONES, SOFT
+ Thickness:	1 ft			Original Depth:	35 ft
Material Colour:	BROWN			Material:	SAND
+ Thickness:	2 ft			Original Depth:	36 ft
Material Colour:	GREY			Material:	CLAY, SAND
127	1 of 1	SE/11.3	228.9	lot 6 con 8 ON	WWIS
Well ID:	2801212			Lot:	006
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Easting Nad83: Zone: Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m):	591376.5 17 Domestic 3 GPM Cable Tool			Northing Nad83: Utm Reliability: Construction Date: Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n):	(ESQUESING) 4826780 margin of error : 100 m - 300 m 19-JAN-61 50 ft 7 ft CLEAR Water Supply N
Depth to Bedrock:	37			Elevation Reliability: Overburden/Bedrock k:	Bedrock
Water Type:	FRESH			Casing Material:	FRESH, MINERIAL
--- Details ---					
Thickness: Material Colour:	36 ft BROWN			Original Depth: Material:	36 ft CLAY
+ Thickness: Material Colour:	1 ft FINE SAND			Original Depth: Material:	37 ft FINE SAND
+ Thickness: Material Colour:	13 ft RED			Original Depth: Material:	50 ft SHALE

128	1 of 1	SE/454.6	227.9	lot 6 con 8 ON	WWIS
Well ID: Concession: County:	2801217 08 HALTON			Lot: Concession Name: Municipality:	006 CON HALTON HILLS TOWN (ESQUESING)
Easting Nad83: Zone: Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m):	591668.5 17 Domestic 8 GPM Cable Tool			Northing Nad83: Utm Reliability: Construction Date: Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n):	4827115 margin of error : 100 m - 300 m 27-JUL-67 68 ft 34 ft CLEAR Water Supply N
Depth to Bedrock:				Elevation Reliability: Overburden/Bedrock k:	Overburden
Water Type:	FRESH			Casing Material:	FRESH
--- Details ---					
Thickness: Material Colour:	1 ft TOPSOIL			Original Depth: Material:	1 ft TOPSOIL
+ Thickness: Material Colour:	9 ft CLAY			Original Depth: Material:	10 ft CLAY

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
+ <i>Thickness:</i> 55 ft <i>Material Colour:</i>				<i>Original Depth:</i> 65 ft <i>Material:</i> CLAY, GRAVEL	
+ <i>Thickness:</i> 3 ft <i>Material Colour:</i>				<i>Original Depth:</i> 68 ft <i>Material:</i> GRAVEL	
129	1 of 1	SE/460.2	227.9	<i>Lot 6 con 8 ON</i>	WWIS
<i>Well ID:</i> 2801213 <i>Concession:</i> 08 <i>County:</i> HALTON				<i>Lot:</i> 006 <i>Concession Name:</i> CON <i>Municipality:</i> HALTON HILLS TOWN (ESQUESING)	
<i>Eastng Nad83:</i> 591676.5 <i>Zone:</i> 17 <i>Primary Water Use:</i> <i>Sec. Water Use:</i> <i>Pump Rate:</i> <i>Flow Rate:</i> <i>Specific Capacity:</i> <i>Construction Method:</i> <i>Elevation (m):</i> 235.41				<i>Northing Nad83:</i> 4827115 <i>Utm Reliability:</i> margin of error : 100 m - 300 m <i>Construction Date:</i> 22-FEB-66 <i>Well Depth:</i> 50 ft <i>Static Water Level:</i> <i>Clear/Cloudy:</i> <i>Final Well Status:</i> Abandoned-Supply <i>Flowing (y/n):</i>	
<i>Depth to Bedrock:</i>				<i>Elevation</i> <i>Reliability:</i> <i>Overburden/Bedrock:</i> Overburden <i>k:</i> <i>Casing Material:</i>	
<i>Water Type:</i>					
--- Details ---					
<i>Thickness:</i> 2 ft <i>Material Colour:</i> BROWN				<i>Original Depth:</i> 2 ft <i>Material:</i> CLAY	
+ <i>Thickness:</i> 23 ft <i>Material Colour:</i> GREY				<i>Original Depth:</i> 25 ft <i>Material:</i> CLAY	
+ <i>Thickness:</i> 25 ft <i>Material Colour:</i>				<i>Original Depth:</i> 50 ft <i>Material:</i> MEDIUM SAND, GRAVEL, BOULDERS	
130	1 of 1	SE/421.4	228.1	<i>Lot 6 con 8 ON</i>	WWIS
<i>Well ID:</i> 2801214 <i>Concession:</i> 08 <i>County:</i> HALTON				<i>Lot:</i> 006 <i>Concession Name:</i> CON <i>Municipality:</i> HALTON HILLS TOWN (ESQUESING)	
<i>Eastng Nad83:</i> 591653.5 <i>Zone:</i> 17 <i>Primary Water Use:</i> <i>Sec. Water Use:</i> <i>Pump Rate:</i> <i>Flow Rate:</i> <i>Specific Capacity:</i>				<i>Northing Nad83:</i> 4827083 <i>Utm Reliability:</i> margin of error : 100 m - 300 m <i>Construction Date:</i> 25-FEB-66 <i>Well Depth:</i> 30 ft <i>Static Water Level:</i> <i>Clear/Cloudy:</i> <i>Final Well Status:</i> Abandoned-Supply	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Construction Method:	Cable Tool			Flowing (y/n):	
Elevation (m):	235.91			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock k:	Overburden
Water Type:				Casing Material:	
--- Details ---					
Thickness:	2 ft			Original Depth:	2 ft
Material Colour:	BROWN			Material:	CLAY
+ Thickness:	23 ft			Original Depth:	25 ft
Material Colour:	GREY			Material:	CLAY, GRAVEL
+ Thickness:	5 ft			Original Depth:	30 ft
Material Colour:				Material:	BOULDERS
131	1 of 1	NW/162.4	257.8	SOUTHFIELD HOLDINGS LTD. CHANTELAY CRESCENT HALTON HILLS TOWN ON	CA
Certificate #:	3-0693-86-				
Application Year:	86				
Issue Date:	5/29/1986				
Approval Type:	Municipal sewage				
Status:	Approved				
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
132	1 of 1	SE/424.9	228.1	lot 6 con 8 ON	WWIS
Well ID:	2801216			Lot:	006
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	591658.5			Northing Nad83:	4827083
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Domestic			Construction Date:	03-MAY-66
Sec. Water Use:				Well Depth:	49 ft
Pump Rate:	12 GPM			Static Water Level:	36 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	235.83			Elevation Reliability:	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:	FRESH			Casing Material:	FRESH
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:				Material:	TOPSOIL
+ Thickness:	8 ft			Original Depth:	9 ft
Material Colour:	RED			Material:	CLAY
+ Thickness:	33 ft			Original Depth:	42 ft
Material Colour:				Material:	CLAY, GRAVEL
+ Thickness:	7 ft			Original Depth:	49 ft
Material Colour:				Material:	GRAVEL
133	1 of 1	NW/87.8	257.8	lot 16 con 8 ON	WWIS
Well ID:	2806464			Lot:	016
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	586966.4			Northing Nad83:	4831316
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	11-MAR-86
Sec. Water Use:				Well Depth:	65 ft
Pump Rate:	5 GPM			Static Water Level:	38 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	265.53			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:	FRESH			Casing Material:	SALTY, SULPHUR
--- Details ---					
Thickness:	6 ft			Original Depth:	6 ft
Material Colour:				Material:	TOPSOIL
+ Thickness:	4 ft			Original Depth:	10 ft
Material Colour:				Material:	CLAY
+ Thickness:	16 ft			Original Depth:	26 ft
Material Colour:				Material:	SAND
+ Thickness:	7 ft			Original Depth:	33 ft
Material Colour:				Material:	CLAY
+ 					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Thickness:</i>	12 ft			<i>Original Depth:</i>	45 ft
<i>Material Colour:</i>				<i>Material:</i>	SAND
+					
<i>Thickness:</i>	14 ft			<i>Original Depth:</i>	59 ft
<i>Material Colour:</i>				<i>Material:</i>	CLAY
+					
<i>Thickness:</i>	6 ft			<i>Original Depth:</i>	65 ft
<i>Material Colour:</i>				<i>Material:</i>	SAND
<hr/>		<hr/>			
<u>134</u>	1 of 1	SE/460.2	227.9	<i>lot 6 con 8 ON</i>	WWIS
<i>Well ID:</i>	2801215			<i>Lot:</i>	006
<i>Concession:</i>	08			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	591681.5			<i>Northing Nad83:</i>	4827110
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 100 m - 300 m
<i>Primary Water Use:</i>	Domestic			<i>Construction Date:</i>	02-APR-66
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	44 ft
<i>Pump Rate:</i>	12 GPM			<i>Static Water Level:</i>	34 ft
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	CLEAR
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Water Supply
<i>Construction Method:</i>	Cable Tool			<i>Flowing (y/n):</i>	N
<i>Elevation (m):</i>	235.31			<i>Elevation</i>	
<i>Depth to Bedrock:</i>				<i>Reliability:</i>	
<i>Water Type:</i>	FRESH			<i>Overburden/Bedrock k:</i>	Overburden
<hr/>					
--- Details ---					
<i>Thickness:</i>	1 ft			<i>Original Depth:</i>	1 ft
<i>Material Colour:</i>				<i>Material:</i>	TOPSOIL
+					
<i>Thickness:</i>	11 ft			<i>Original Depth:</i>	12 ft
<i>Material Colour:</i>	RED			<i>Material:</i>	CLAY
+					
<i>Thickness:</i>	28 ft			<i>Original Depth:</i>	40 ft
<i>Material Colour:</i>				<i>Material:</i>	CLAY, GRAVEL
+					
<i>Thickness:</i>	4 ft			<i>Original Depth:</i>	44 ft
<i>Material Colour:</i>				<i>Material:</i>	GRAVEL
<hr/>					
<u>135</u>	1 of 1	NW/285.9	257.8	<i>lot 16 con 7 ON</i>	WWIS
<i>Well ID:</i>	2806838			<i>Lot:</i>	016
<i>Concession:</i>	07			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	586707.9			<i>Northing Nad83:</i>	4831046

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Domestic			Construction Date:	18-FEB-86
Sec. Water Use:				Well Depth:	137 ft
Pump Rate:	7 GPM			Static Water Level:	56 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	242.9			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:	FRESH			k:	
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:	BLACK			Material:	TOPSOIL
+ Thickness:					
Thickness:	52 ft			Original Depth:	53 ft
Material Colour:	BROWN			Material:	CLAY
+ Thickness:					
Thickness:	55 ft			Original Depth:	108 ft
Material Colour:	BROWN			Material:	SAND, SILT
+ Thickness:					
Thickness:	29 ft			Original Depth:	137 ft
Material Colour:	BROWN			Material:	SAND, GRAVEL
136	1 of 1	NW/27.6	258.0	lot 16 con 8 ON	WWIS
Well ID:	2805817			Lot:	016
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	586914.4			Northing Nad83:	4831283
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	31-DEC-79
Sec. Water Use:				Well Depth:	35 ft
Pump Rate:	14 GPM			Static Water Level:	20 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	262.03			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:	FRESH			k:	
--- Details ---	Casing Material:	FRESH, SALTY			
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:	BROWN			Material:	TOPSOIL
+ Thickness:					
Thickness:	34 ft			Original Depth:	35 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Material Colour: BROWN		Material:			CLAY, SAND, SOFT
137	1 of 1	NW/145.7	257.8	lot 16 con 8 ON	WWIS
Well ID:	2806463			Lot:	016
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Eastng Nad83:	586993.4			Northing Nad83:	4831371
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	06-MAR-86
Sec. Water Use:				Well Depth:	65 ft
Pump Rate:	5 GPM			Static Water Level:	40 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	266.29			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:	FRESH			Casing Material:	SULPHUR
--- Details ---					
Thickness:	6 ft			Original Depth:	6 ft
Material Colour:				Material:	TOPSOIL
+ Thickness:	3 ft			Original Depth:	9 ft
Material Colour:				Material:	CLAY
+ Thickness:	20 ft			Original Depth:	29 ft
Material Colour:				Material:	SAND
+ Thickness:	17 ft			Original Depth:	46 ft
Material Colour:				Material:	CLAY
+ Thickness:	13 ft			Original Depth:	59 ft
Material Colour:				Material:	SAND
+ Thickness:	6 ft			Original Depth:	65 ft
Material Colour:				Material:	CLAY
138	1 of 1	NW/132.9	257.7	lot 16 con 7 ON	WWIS
Well ID:	2806140			Lot:	016
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Eastng Nad83:	586795.4			Northing Nad83:	4831175
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	30-OCT-75

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Sec. Water Use:					
Pump Rate:	6 GPM				
Flow Rate:					
Specific Capacity:					
Construction Method:	Boring				
Elevation (m):	266.02				
Depth to Bedrock:	24				
Water Type:	FRESH				
--- Details ---					
Thickness:	9 ft			Original Depth:	9 ft
Material Colour:	BROWN			Material:	CLAY
+ Thickness:	8 ft			Original Depth:	17 ft
Material Colour:	GREY			Material:	CLAY
+ Thickness:	1 ft			Original Depth:	18 ft
Material Colour:				Material:	SAND, CEMENTED
+ Thickness:	6 ft			Original Depth:	24 ft
Material Colour:	RED			Material:	COARSE SAND
+ Thickness:	3 ft			Original Depth:	27 ft
Material Colour:	RED			Material:	SANDSTONE
+ Thickness:	8 ft			Original Depth:	35 ft
Material Colour:	BROWN			Material:	SAND
+ Thickness:	3 ft			Original Depth:	38 ft
Material Colour:	YELLOW			Material:	SAND, LAYERED
+ Thickness:	2 ft			Original Depth:	40 ft
Material Colour:	BLUE-GREY			Material:	CLAY
+ Thickness:	19 ft			Original Depth:	59 ft
Material Colour:	RED			Material:	CLAY, STONES

139	1 of 1	NW/89.8	257.8	lot 16 con 8 ON	WWIS
Well ID:	2806465			Lot:	016
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	586947.4			Northing Nad83:	4831338
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	12-MAR-86
Sec. Water Use:				Well Depth:	60 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Pump Rate:	5 GPM			Static Water Level:	36 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	264.02			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock k:	Overburden
Water Type:	FRESH, Not stated			Casing Material:	SALTY, SULPHUR
--- Details ---					
Thickness:	6 ft			Original Depth:	6 ft
Material Colour:				Material:	TOPSOIL
+ Thickness:	10 ft			Original Depth:	16 ft
Material Colour:				Material:	CLAY
+ Thickness:	4 ft			Original Depth:	20 ft
Material Colour:				Material:	SAND
+ Thickness:	6 ft			Original Depth:	26 ft
Material Colour:				Material:	CLAY
+ Thickness:	14 ft			Original Depth:	40 ft
Material Colour:				Material:	SAND
+ Thickness:	12 ft			Original Depth:	52 ft
Material Colour:				Material:	CLAY
+ Thickness:	8 ft			Original Depth:	60 ft
Material Colour:				Material:	SAND
140	1 of 1	SE/320.3	227.8	lot 6 con 7 ON	WWIS
Well ID:	2802965			Lot:	006
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	591164.5			Northing Nad83:	4826523
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	07-MAY-68
Sec. Water Use:				Well Depth:	36 ft
Pump Rate:				Static Water Level:	30 ft
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	232.89			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock k:	Overburden

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Water Type:	FRESH			Casing Material:	SULPHUR
--- Details ---					
Thickness:	30 ft			Original Depth:	30 ft
Material Colour:	BROWN			Material:	TOPSOIL, MEDIUM SAND
+ Thickness:	6 ft			Original Depth:	36 ft
Material Colour:				Material:	GRAVEL, BOULDERS
<u>141</u>	<u>1 of 1</u>	SE/5.8	228.5	1389849 Ontraio Inc. Trafalger Rd and 5 Side Rd, Georgetown Halton Hills ON	SPL
Ref NO:	2106-9LZUF7				
Contaminant Code:	13				
Contaminant Name:	DIESEL FUEL				
Contaminant Quantity:	270 L				
Incident Cause:	Collision/Accident				
Incident Dt:	2014/07/14				
Incident Reason:	Operator/Human Error				
Incident Summary:	MVA: douse water and dsl to ditch				
MOE Reported Dt:	2014/07/14				
Environmental Impact:	Confirmed				
Nature of Impact:	Soil Contamination				
Receiving Medium:					
SAC Action Class:	Highway Spills (usually highway accidents)				
Sector Source Type:	Truck - Transport/Hauling				
Site Municipality:	Halton Hills				
<u>142</u>	<u>1 of 1</u>	SE/388.5	228.2	lot 5 con 8 ON	WWIS
Well ID:	2808505			Lot:	005
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	591663.9			Northing Nad83:	4827026
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Domestic			Construction Date:	27-NOV-96
Sec. Water Use:				Well Depth:	38 ft
Pump Rate:	15 GPM			Static Water Level:	9 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Rotary (Air)			Flowing (y/n):	N
Elevation (m):	235.48			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:	FRESH			Overburden/Bedrock	Overburden
--- Details ---				k:	
Thickness:	2 ft			Casing Material:	FRESH
Material Colour:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
+ <i>Thickness:</i> 36 ft <i>Material Colour:</i> RED				<i>Original Depth:</i> 38 ft <i>Material:</i> CLAY, SAND, GRAVEL	
+ <i>Thickness:</i> 0 ft <i>Material Colour:</i>				<i>Original Depth:</i> 38 ft <i>Material:</i> GRAVEL	
<u>143</u>	1 of 1	SE/333.1	228.8	<i>Lot 5 con 8 ON</i>	WWIS
<i>Well ID:</i> 2801208 <i>Concession:</i> 08 <i>County:</i> HALTON				<i>Lot:</i> 005 <i>Concession Name:</i> CON <i>Municipality:</i> HALTON HILLS TOWN (ESQUESING)	
<i>Eastng Nad83:</i> 591629.5 <i>Zone:</i> 17 <i>Primary Water Use:</i> Domestic <i>Sec. Water Use:</i> <i>Pump Rate:</i> 8 GPM <i>Flow Rate:</i> <i>Specific Capacity:</i> <i>Construction Method:</i> Cable Tool <i>Elevation (m):</i> 236.34				<i>Northing Nad83:</i> 4826982 <i>Utm Reliability:</i> margin of error : 100 m - 300 m <i>Construction Date:</i> 01-DEC-67 <i>Well Depth:</i> 63 ft <i>Static Water Level:</i> 42 ft <i>Clear/Cloudy:</i> CLEAR <i>Final Well Status:</i> Water Supply <i>Flowing (y/n):</i> N	
<i>Depth to Bedrock:</i>				<i>Elevation</i> <i>Reliability:</i> <i>Overburden/Bedrock:</i> Overburden	
<i>Water Type:</i> FRESH				<i>Casing Material:</i> FRESH	
--- Details ---					
<i>Thickness:</i> 5 ft <i>Material Colour:</i> BLACK				<i>Original Depth:</i> 5 ft <i>Material:</i> FILL	
+ <i>Thickness:</i> 17 ft <i>Material Colour:</i> BROWN				<i>Original Depth:</i> 22 ft <i>Material:</i> CLAY, MEDIUM SAND	
+ <i>Thickness:</i> 14 ft <i>Material Colour:</i> BROWN				<i>Original Depth:</i> 36 ft <i>Material:</i> FINE SAND	
+ <i>Thickness:</i> 24 ft <i>Material Colour:</i>				<i>Original Depth:</i> 60 ft <i>Material:</i> MEDIUM SAND, GRAVEL	
+ <i>Thickness:</i> 3 ft <i>Material Colour:</i>				<i>Original Depth:</i> 63 ft <i>Material:</i> GRAVEL	
<u>144</u>	1 of 2	NW/283.5	257.8	<i>Lot 16 con 7 ON</i>	WWIS
<i>Well ID:</i> 2805205 <i>Concession:</i> 07 <i>County:</i> HALTON				<i>Lot:</i> 016 <i>Concession Name:</i> CON <i>Municipality:</i> HALTON HILLS TOWN (ESQUESING)	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Easting Nad83:	586674.4			Northing Nad83:	4831083
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	15-MAY-77
Sec. Water Use:				Well Depth:	31 ft
Pump Rate:	1 GPM			Static Water Level:	20 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	242.94			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock k:	Overburden
Water Type:	FRESH			Casing Material:	SALTY, SULPHUR
--- Details ---					
Thickness:	12 ft			Original Depth:	12 ft
Material Colour:	BROWN			Material:	CLAY, SANDY
+ Thickness:				Original Depth:	23 ft
Material Colour:	BROWN			Material:	COARSE SAND
+ Thickness:				Original Depth:	26 ft
Material Colour:	RED			Material:	CLAY, SANDY, STONEY
+ Thickness:				Original Depth:	31 ft
Material Colour:	GREY			Material:	CLAY, STONES, SANDY

144	2 of 2	NW/283.5	257.8	lot 16 con 7 ON	WWIS
Well ID:	2805206			Lot:	016
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	586674.4			Northing Nad83:	4831083
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	03-JUN-77
Sec. Water Use:				Well Depth:	38 ft
Pump Rate:	1 GPM			Static Water Level:	22 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	242.94			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock k:	Overburden
Water Type:	FRESH			Casing Material:	SALTY, SULPHUR
--- Details ---					
Thickness:	10 ft			Original Depth:	10 ft
Material Colour:	BROWN			Material:	CLAY, SANDY
+ Thickness:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Thickness: Material Colour: +	15 ft BROWN			Original Depth: Material:	25 ft COARSE SAND
Thickness: Material Colour: +	3 ft RED			Original Depth: Material:	28 ft CLAY, STONES, SANDY
Thickness: Material Colour:	10 ft GREY			Original Depth: Material:	38 ft CLAY, STONES, SANDY
145	1 of 1	SE/450.5	227.8	lot 5 con 8 ON	WWIS
Well ID: Concession: County:	2805816 08 HALTON			Lot: Concession Name: Municipality:	005 CON HALTON HILLS TOWN (ESQUESING)
Easting Nad83: Zone: Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m):	591714.5 17 Domestic 14 GPM 14 GPM 234.74			Northing Nad83: Utm Reliability: Construction Date: Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n):	4827063 margin of error : 30 m - 100 m 17-MAR-77 43 ft 37 ft CLEAR Water Supply N
Depth to Bedrock:				Elevation Reliability: Overburden/Bedrock k:	Overburden
Water Type:	FRESH			Casing Material:	SALTY, SULPHUR
--- Details ---					
Thickness: Material Colour: +	1 ft BROWN			Original Depth: Material:	1 ft TOPSOIL
Thickness: Material Colour: +	14 ft BROWN			Original Depth: Material:	15 ft CLAY
Thickness: Material Colour:	28 ft BROWN			Original Depth: Material:	43 ft SAND, STONES, GRAVEL
146	1 of 1	SE/415.1	227.8	lot 5 con 8 ON	WWIS
Well ID: Concession: County:	2804073 08 HALTON			Lot: Concession Name: Municipality:	005 CON HALTON HILLS TOWN (ESQUESING)
Easting Nad83: Zone: Primary Water Use: Sec. Water Use: Pump Rate:	591694.5 17 Domestic 15 GPM			Northing Nad83: Utm Reliability: Construction Date: Well Depth: Static Water Level:	4827033 margin of error : 300 m - 1 km 23-NOV-72 19 ft 17 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	234.84			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:	FRESH			Casing Material:	SALTY, SULPHUR
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:	BROWN			Material:	TOPSOIL
+ Thickness:	4 ft			Original Depth:	5 ft
Material Colour:	BROWN			Material:	CLAY
+ Thickness:	14 ft			Original Depth:	19 ft
Material Colour:	BROWN			Material:	GRAVEL, STONES, SAND

147	1 of 1	SE/372.2	228.1	lot 5 con 8 ON	WWIS
Well ID:	2806524			Lot:	005
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	591668.9			Northing Nad83:	4826998
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Domestic			Construction Date:	26-JUL-85
Sec. Water Use:				Well Depth:	72 ft
Pump Rate:	5 GPM			Static Water Level:	45 ft
Flow Rate:				Clear/Cloudy:	CLOUDY
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	235.2			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:	FRESH			Casing Material:	FRESH
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:				Material:	TOPSOIL
+ Thickness:	23 ft			Original Depth:	24 ft
Material Colour:				Material:	CLAY, GRAVEL, BOULDERS
+ Thickness:	46 ft			Original Depth:	70 ft
Material Colour:				Material:	GRAVEL, CLAY, SAND
+ Thickness:	2 ft			Original Depth:	72 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Material Colour:				Material:	GRAVEL
148	1 of 1	SE/344.5	228.4	lot 5 con 8 ON	WWIS
Well ID:	2803049			Lot:	005
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	591654.5			Northing Nad83:	4826973
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	03-FEB-69
Sec. Water Use:				Well Depth:	55 ft
Pump Rate:	5 GPM			Static Water Level:	37 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	235.68			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock k:	Overburden
Water Type:	FRESH			Casing Material:	FRESH
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:				Material:	CLAY
+ Thickness:	9 ft			Original Depth:	10 ft
Material Colour:				Material:	FILL, CLAY
+ Thickness:	42 ft			Original Depth:	52 ft
Material Colour:				Material:	MEDIUM SAND, GRAVEL
+ Thickness:	3 ft			Original Depth:	55 ft
Material Colour:				Material:	GRAVEL
149	1 of 1	SE/446.5	227.8	lot 5 con 8 ON	WWIS
Well ID:	2806755			Lot:	005
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	591719.9			Northing Nad83:	4827052
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Domestic			Construction Date:	29-JUL-86
Sec. Water Use:				Well Depth:	35 ft
Pump Rate:	30 GPM			Static Water Level:	12 ft
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	234.26			Elevation	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Depth to Bedrock:				Reliability: Overburden/Bedrock k:	
Water Type:	FRESH			Casing Material:	SALTY, SULPHUR
--- Details ---					
Thickness:	4 ft			Original Depth:	4 ft
Material Colour:	BROWN			Material:	CLAY
+ Thickness:	27 ft			Original Depth:	31 ft
Material Colour:	RED			Material:	COARSE SAND
+ Thickness:	4 ft			Original Depth:	35 ft
Material Colour:	GREY			Material:	GRAVEL, STONES
150	1 of 1	SE/2.0	228.1	lot 5 con 8 ON	WWIS
Well ID:	2801206			Lot:	005
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	591424.5			Northing Nad83:	4826713
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Domestic			Construction Date:	21-AUG-62
Sec. Water Use:				Well Depth:	50 ft
Pump Rate:	10 GPM			Static Water Level:	35 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	241.34			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:	FRESH			Overburden/Bedrock k:	Overburden
--- Details ---				Casing Material:	SULPHUR
Thickness:	2 ft			Original Depth:	2 ft
Material Colour:				Material:	TOPSOIL
+ Thickness:	43 ft			Original Depth:	45 ft
Material Colour:	BLUE			Material:	CLAY
+ Thickness:	5 ft			Original Depth:	50 ft
Material Colour:				Material:	GRAVEL
151	1 of 1	NW/461.7	257.8	lot 16 con 7 ON	WWIS
Well ID:	2806284			Lot:	016
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Easting Nad83:</i>	586550.4			<i>Northing Nad83:</i>	(ESQUESING)
<i>Zone:</i>	17			<i>Utm Reliability:</i>	4830955
<i>Primary Water Use:</i>	Domestic			<i>Construction Date:</i>	margin of error : 30 m - 100 m
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	20-SEP-84
<i>Pump Rate:</i>	8 GPM			<i>Static Water Level:</i>	56 ft
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	16 ft
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Water Supply
<i>Construction Method:</i>	Boring			<i>Flowing (y/n):</i>	N
<i>Elevation (m):</i>	253.71			<i>Elevation Reliability:</i>	
<i>Depth to Bedrock:</i>	53			<i>Overburden/Bedrock K:</i>	Mixed in a Layer
<i>Water Type:</i>	FRESH			<i>Casing Material:</i>	SALTY, SULPHUR
--- Details ---					
<i>Thickness:</i>	25 ft			<i>Original Depth:</i>	25 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	CLAY, STONES
+ <i>Thickness:</i>	5 ft			<i>Original Depth:</i>	30 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	SAND, MUCK
+ <i>Thickness:</i>	23 ft			<i>Original Depth:</i>	53 ft
<i>Material Colour:</i>	GREY			<i>Material:</i>	CLAY, LAYERED
+ <i>Thickness:</i>	3 ft			<i>Original Depth:</i>	56 ft
<i>Material Colour:</i>	RED			<i>Material:</i>	CLAY, SHALE
152	1 of 1	NW/150.5	257.8	lot 16 con 8 ON	WWIS
<i>Well ID:</i>	2806466			<i>Lot:</i>	016
<i>Concession:</i>	08			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	586958.4			<i>Northing Nad83:</i>	4831413
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 30 m - 100 m
<i>Primary Water Use:</i>	Domestic			<i>Construction Date:</i>	17-MAR-86
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	59 ft
<i>Pump Rate:</i>	5 GPM			<i>Static Water Level:</i>	35 ft
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	CLEAR
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Water Supply
<i>Construction Method:</i>	Boring			<i>Flowing (y/n):</i>	N
<i>Elevation (m):</i>	265			<i>Elevation Reliability:</i>	
<i>Depth to Bedrock:</i>				<i>Overburden/Bedrock K:</i>	Overburden
<i>Water Type:</i>	FRESH			<i>Casing Material:</i>	SALTY, SULPHUR
--- Details ---					
<i>Thickness:</i>	6 ft			<i>Original Depth:</i>	6 ft
<i>Material Colour:</i>				<i>Material:</i>	TOPSOIL

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
+ Thickness: 8 ft Material Colour:				Original Depth: Material:	14 ft CLAY
+ Thickness: 5 ft Material Colour:				Original Depth: Material:	19 ft SAND
+ Thickness: 5 ft Material Colour:				Original Depth: Material:	24 ft CLAY
+ Thickness: 10 ft Material Colour:				Original Depth: Material:	34 ft SAND
+ Thickness: 6 ft Material Colour:				Original Depth: Material:	40 ft CLAY
+ Thickness: 19 ft Material Colour:				Original Depth: Material:	59 ft SAND
153	1 of 1	SE/255.0	228.2	lot 5 con 8 ON	WWIS
Well ID: 2806402 Concession: 08 County: HALTON				Lot: 005 Concession Name: CON Municipality: HALTON HILLS TOWN (ESQUESING)	
Easting Nad83: 591610.9 Zone: 17 Primary Water Use: Domestic Sec. Water Use: Pump Rate: 10 GPM Flow Rate: Specific Capacity: Construction Method: Rotary (Convent.) Elevation (m): 237.67				Northing Nad83: 4826890 Utm Reliability: margin of error : 10 - 30 m Construction Date: 24-AUG-85 Well Depth: 60 ft Static Water Level: 44 ft Clear/Cloudy: CLEAR Final Well Status: Water Supply Flowing (y/n): N	
Depth to Bedrock:				Elevation Reliability: Overburden/Bedrock K:	Overburden
Water Type: FRESH				Casing Material:	FRESH
--- Details ---					
Thickness: 50 ft Material Colour: BROWN				Original Depth: Material:	50 ft CLAY, STONES
+ Thickness: 5 ft Material Colour:				Original Depth: Material:	55 ft SAND
+ Thickness: 5 ft Material Colour:				Original Depth: Material:	60 ft SAND, GRAVEL

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
154	1 of 1	NW/128.1	257.0	lot 16 con 7 ON	WWIS
Well ID:	2805742			Lot:	016
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	586754.4			Northing Nad83:	4831223
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Commerical			Construction Date:	18-JAN-80
Sec. Water Use:				Well Depth:	46 ft
Pump Rate:	5 GPM			Static Water Level:	7 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	264.5			Elevation	
Depth to Bedrock:	26			Reliability:	
Water Type:	FRESH			Overburden/Bedrock	Bedrock
--- Details ---					
Thickness:	12 ft			Original Depth:	12 ft
Material Colour:	BROWN			Material:	CLAY
+ Thickness:	14 ft			Original Depth:	26 ft
Material Colour:	GREY			Material:	CLAY, BOULDERS
+ Thickness:	20 ft			Original Depth:	46 ft
Material Colour:	RED			Material:	SHALE
155	1 of 1	NW/89.0	258.0	lot 16 con 8 ON	WWIS
Well ID:	2806471			Lot:	016
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	586904.4			Northing Nad83:	4831380
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	24-MAR-86
Sec. Water Use:				Well Depth:	55 ft
Pump Rate:	5 GPM			Static Water Level:	25 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	264.7			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:	FRESH			Overburden/Bedrock	Overburden
--- Details ---					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Thickness:</i>	6 ft			<i>Original Depth:</i>	6 ft
<i>Material Colour:</i>				<i>Material:</i>	TOPSOIL
+					
<i>Thickness:</i>	2 ft			<i>Original Depth:</i>	8 ft
<i>Material Colour:</i>				<i>Material:</i>	CLAY
+					
<i>Thickness:</i>	4 ft			<i>Original Depth:</i>	12 ft
<i>Material Colour:</i>				<i>Material:</i>	SAND
+					
<i>Thickness:</i>	7 ft			<i>Original Depth:</i>	19 ft
<i>Material Colour:</i>				<i>Material:</i>	CLAY
+					
<i>Thickness:</i>	11 ft			<i>Original Depth:</i>	30 ft
<i>Material Colour:</i>				<i>Material:</i>	SAND
+					
<i>Thickness:</i>	10 ft			<i>Original Depth:</i>	40 ft
<i>Material Colour:</i>				<i>Material:</i>	CLAY
+					
<i>Thickness:</i>	10 ft			<i>Original Depth:</i>	50 ft
<i>Material Colour:</i>				<i>Material:</i>	SAND
+					
<i>Thickness:</i>	5 ft			<i>Original Depth:</i>	55 ft
<i>Material Colour:</i>	BLUE			<i>Material:</i>	CLAY

156	1 of 1	NW/438.4	257.8	lot 16 con 7 ON	WWIS
<i>Well ID:</i>	2806283			<i>Lot:</i>	016
<i>Concession:</i>	07			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	586543.4			<i>Northing Nad83:</i>	4830995
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 30 m - 100 m
<i>Primary Water Use:</i>	Domestic			<i>Construction Date:</i>	17-SEP-84
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	57 ft
<i>Pump Rate:</i>	8 GPM			<i>Static Water Level:</i>	11 ft
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	CLEAR
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Water Supply
<i>Construction Method:</i>	Boring			<i>Flowing (y/n):</i>	N
<i>Elevation (m):</i>	255.11			<i>Elevation</i>	
<i>Depth to Bedrock:</i>	55			<i>Reliability:</i>	
<i>Water Type:</i>	FRESH			<i>Overburden/Bedrock K:</i>	Mixed in a Layer
--- Details ---				<i>Casing Material:</i>	SALTY, SULPHUR
<i>Thickness:</i>	20 ft			<i>Original Depth:</i>	20 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	CLAY, STONES
+					
<i>Thickness:</i>	5 ft			<i>Original Depth:</i>	25 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Material Colour:	BROWN			Material:	SAND, POROUS
+ Thickness:	15 ft			Original Depth:	40 ft
Material Colour:	GREY			Material:	CLAY, GRAVEL, LAYERED
+ Thickness:	15 ft			Original Depth:	55 ft
Material Colour:	BROWN			Material:	CLAY, STONES, PACKED
+ Thickness:	2 ft			Original Depth:	57 ft
Material Colour:	RED			Material:	CLAY, SHALE
157	1 of 1	NW/25.0	258.4		WWIS
				ON	
Well ID:	7200066			Lot:	
Concession:				Concession Name:	
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Eastng Nad83:	586840			Northing Nad83:	4831354
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:				Construction Date:	19-DEC-12
Sec. Water Use:				Well Depth:	
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	
Construction Method:				Flowing (y/n):	
Elevation (m):				Elevation	
Depth to Bedrock:				Reliability:	
Water Type:				Overburden/Bedrock:	
				k:	
				Casing Material:	
158	1 of 1	NW/178.0	257.8	lot 16 con 8	WWIS
				ON	
Well ID:	2806467			Lot:	016
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Eastng Nad83:	586950.4			Northing Nad83:	4831460
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	27-MAR-86
Sec. Water Use:				Well Depth:	64 ft
Pump Rate:	5 GPM			Static Water Level:	34 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	264.94			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:	FRESH			Overburden/Bedrock	Overburden
				k:	
				Casing Material:	SALTY, SULPHUR

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
--- Details ---					
Thickness:	10 ft			Original Depth:	10 ft
Material Colour:	BROWN			Material:	CLAY
+					
Thickness:	12 ft			Original Depth:	22 ft
Material Colour:	BLUE			Material:	CLAY
+					
Thickness:	20 ft			Original Depth:	42 ft
Material Colour:	BROWN			Material:	SAND
+					
Thickness:	22 ft			Original Depth:	64 ft
Material Colour:	BLUE			Material:	CLAY, SAND, LAYERED
159	1 of 1	NW/32.7	258.1	lot 16 con 8 ON	WWIS
Well ID:	2806518			Lot:	016
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	586833.9			Northing Nad83:	4831371
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Domestic			Construction Date:	24-JUN-86
Sec. Water Use:				Well Depth:	48 ft
Pump Rate:	1 GPM			Static Water Level:	12 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	261.32			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:	FRESH			Overburden/Bedrock	Overburden
k:				Casing Material:	SALTY, SULPHUR
--- Details ---					
Thickness:	15 ft			Original Depth:	15 ft
Material Colour:	BROWN			Material:	CLAY
+					
Thickness:	25 ft			Original Depth:	40 ft
Material Colour:	BLUE			Material:	CLAY
+					
Thickness:	8 ft			Original Depth:	48 ft
Material Colour:	BLUE			Material:	CLAY, SAND
160	1 of 1	NW/88.3	258.2	lot 16 con 8 ON	WWIS
Well ID:	2806469			Lot:	016
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Easting Nad83: Zone: Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m):	586870.4 17 Domestic Boring 262.24			Northing Nad83: Utm Reliability: Construction Date: Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n):	(ESQUESING) 4831413 margin of error : 30 m - 100 m 25-MAR-86 64 ft 21 ft CLEAR Water Supply N
Depth to Bedrock:				Elevation Reliability: Overburden/Bedrock K:	Overburden
Water Type:	FRESH			Casing Material:	
--- Details ---					
Thickness: Material Colour: +	6 ft			Original Depth: Material:	6 ft TOPSOIL
Thickness: Material Colour: +	3 ft			Original Depth: Material:	9 ft CLAY
Thickness: Material Colour: +	20 ft			Original Depth: Material:	29 ft SAND
Thickness: Material Colour: +	17 ft			Original Depth: Material:	46 ft CLAY
Thickness: Material Colour:	18 ft			Original Depth: Material:	64 ft CLAY, SAND, LAYERED

161	1 of 1	SE/86.7	227.8	lot 5 con 7 ON	WWIS
Well ID: Concession: County:	2802960 07 HALTON			Lot: Concession Name: Municipality:	005 CON HALTON HILLS TOWN (ESQUESING)
Easting Nad83: Zone: Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m):	591414.5 17 Boring 239.99			Northing Nad83: Utm Reliability: Construction Date: Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n):	4826603 margin of error : 30 m - 100 m 02-DEC-68 35 ft Abandoned-Supply
Depth to Bedrock:	30			Elevation Reliability: Overburden/Bedrock K:	Bedrock
Water Type:				Casing Material:	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
--- Details ---					
Thickness:	30 ft			Original Depth:	30 ft
Material Colour:	BROWN			Material:	TOPSOIL, MEDIUM SAND
+					
Thickness:	5 ft			Original Depth:	35 ft
Material Colour:	RED			Material:	SHALE, GRAVEL
<u>162</u>	<u>1 of 1</u>	NW/404.5	257.8	26 Mill Pond Drive ATKINSON PRIV. RES<UNOFFICIAL> Halton Hills ON L7G 4S6	<u>SPL</u>
Ref NO:	0121-6SRSPX				
Contaminant Code:	13				
Contaminant Name:	FURNACE OIL				
Contaminant Quantity:	50 L				
Incident Cause:	Tank (Above Ground) Leak				
Incident Dt:	8/8/2006				
Incident Reason:	Negligence (Apparent) - Caused by lack of diligence				
Incident Summary:	Mill Pond Dr: 50 L furnace oil to basement, c_lng				
MOE Reported Dt:	8/17/2006				
Environmental Impact:	Possible				
Nature of Impact:	Other Impact(s)				
Receiving Medium:	Land				
SAC Action Class:					
Sector Source Type:	Other				
Site Municipality:	Halton Hills				
<u>163</u>	<u>1 of 1</u>	NW/285.4	257.8	lot 16 con 8 ON	<u>WWIS</u>
Well ID:	2804127			Lot:	016
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	586994.4			Northing Nad83:	4831568
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	08-APR-72
Sec. Water Use:				Well Depth:	62 ft
Pump Rate:	6 GPM			Static Water Level:	44 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	268.04			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:	FRESH			Overburden/Bedrock	Overburden
---				k:	
Thickness:	26 ft			Casing Material:	FRESH, SULPHUR
Material Colour:					
+					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Thickness:	23 ft			Original Depth:	49 ft
Material Colour:	BROWN			Material:	MEDIUM SAND, COARSE SAND
+					
Thickness:	13 ft			Original Depth:	62 ft
Material Colour:	GREY			Material:	CLAY, STONES, SAND
164	1 of 1	NW/112.9	257.6	lot 16 con 8 ON	WWIS
Well ID:	2806468			Lot:	016
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	586859.4			Northing Nad83:	4831459
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	24-MAR-86
Sec. Water Use:				Well Depth:	87 ft
Pump Rate:	5 GPM			Static Water Level:	51 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	264.96			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:	FRESH			Casing Material:	SULPHUR
--- Details ---					
Thickness:	14 ft			Original Depth:	14 ft
Material Colour:	BROWN			Material:	CLAY
+					
Thickness:	11 ft			Original Depth:	25 ft
Material Colour:	RED			Material:	SAND
+					
Thickness:	10 ft			Original Depth:	35 ft
Material Colour:	BLUE			Material:	CLAY
+					
Thickness:	10 ft			Original Depth:	45 ft
Material Colour:	BROWN			Material:	SAND
+					
Thickness:	7 ft			Original Depth:	52 ft
Material Colour:	BLUE			Material:	CLAY
+					
Thickness:	13 ft			Original Depth:	65 ft
Material Colour:	BROWN			Material:	SAND
+					
Thickness:	22 ft			Original Depth:	87 ft
Material Colour:	RED			Material:	CLAY

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<u>165</u>	<u>1 of 1</u>	<u>NW/94.5</u>	<u>257.2</u>	<u>lot 16 con 8 ON</u>	<u>WWIS</u>
Well ID:	2806470			Lot:	016
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	586838.4			Northing Nad83:	4831454
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	28-APR-86
Sec. Water Use:				Well Depth:	44 ft
Pump Rate:	5 GPM			Static Water Level:	22 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	265.08			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:	FRESH			Casing Material:	SALTY, SULPHUR
--- Details ---					
Thickness:	2 ft			Original Depth:	2 ft
Material Colour:				Material:	TOPSOIL
+ Thickness:					
Thickness:	8 ft			Original Depth:	10 ft
Material Colour:	RED			Material:	CLAY
+ Thickness:					
Thickness:	12 ft			Original Depth:	22 ft
Material Colour:	BLUE			Material:	CLAY
+ Thickness:					
Thickness:	13 ft			Original Depth:	35 ft
Material Colour:	BROWN			Material:	SAND
+ Thickness:					
Thickness:	9 ft			Original Depth:	44 ft
Material Colour:	BLUE			Material:	CLAY
<u>166</u>	<u>1 of 1</u>	<u>NW/449.5</u>	<u>257.8</u>	<u>Garold Automation Inc. 47 North Ridge Cres Georgetown ON L7G 6E6</u>	<u>SCT</u>
Established:	01-JUN-87				
Plant Size (ft²):					
Employment:					
--- Details ---					
SIC/NAICS Code:	333299				
Description:	All Other Industrial Machinery Manufacturing				
+ SIC/NAICS Code:					
SIC/NAICS Code:	326198				
Description:	All Other Plastic Product Manufacturing				
+ SIC/NAICS Code:					
SIC/NAICS Code:	333220				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Description:		Rubber and Plastics Industry Machinery Manufacturing			
<u>167</u>	1 of 1	NW/23.7	254.7	lot 16 con 8 ON	WWIS
Well ID:	2808069			Lot:	016
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	586723.4			Northing Nad83:	4831402
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Not Used			Construction Date:	09-SEP-91
Sec. Water Use:				Well Depth:	80 ft
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Observation Wells
Construction Method:	Rotary (Convent.)			Flowing (y/n):	
Elevation (m):	247.09			Elevation	
Depth to Bedrock:	68			Reliability:	
Water Type:				Overburden/Bedrock k:	Mixed in a Layer
				Casing Material:	FRESH
--- Details ---					
Thickness:	2 ft			Original Depth:	2 ft
Material Colour:	BLACK			Material:	MUCK
+ Thickness:	3 ft			Original Depth:	5 ft
Material Colour:	GREY			Material:	CLAY, SILTY, STICKY
+ Thickness:	2 ft			Original Depth:	7 ft
Material Colour:				Material:	CLAY, GRAVEL
+ Thickness:	13 ft			Original Depth:	20 ft
Material Colour:	GREY			Material:	CLAY, , STICKY
+ Thickness:	6 ft			Original Depth:	26 ft
Material Colour:				Material:	GRAVEL, CLAY
+ Thickness:	18 ft			Original Depth:	44 ft
Material Colour:	GREY			Material:	CLAY, GRAVEL, STICKY
+ Thickness:	7 ft			Original Depth:	51 ft
Material Colour:				Material:	SAND, GRAVEL, SILT
+ Thickness:	17 ft			Original Depth:	68 ft
Material Colour:				Material:	GRAVEL, SAND
+ Thickness:	3 ft			Original Depth:	71 ft
Material Colour:				Material:	GRAVEL, SAND, SHALE

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
+ Thickness: 9 ft Material Colour: RED				Original Depth: 80 ft Material: SHALE, CLAY	
168	1 of 1	NW/195.5	256.1	9 and 13 Mill Pond Drive, Halton Hills ON	PINC
Incident ID: Tank Status: Attribute Category: Task Number: SR Type: Incident Number: Status Code: Summary: Spills Action Centre: Reported By: Affiliation: Method Details: Fuel Category: Fuel Occurrence Type: Date of Occurrence: Occurrence Start Date: Health Impact: Occurrence Desc: Environment Impact: Property Damage: Service Interrupt: Fuel Type: Enforce Policy: Operation Type: Damage Reason: Public Relation: Pipeline System: Pipeline Type: Depth: Pipe Material: Regualtor Location: PSIG: Regulator Type: Notes:					
169	1 of 1	NW/206.1	256.1	lot 16 con 7 ON	WWIS
Well ID: 2802948 Concession: 07 County: HALTON				Lot: 016 Concession Name: CON Municipality: HALTON HILLS TOWN (ESQUESING)	
Easting Nad83: 586584.4 Zone: 17 Primary Water Use: Domestic Sec. Water Use: Pump Rate: 3 GPM Flow Rate:				Northing Nad83: 4831283 Utm Reliability: margin of error : 30 m - 100 m Construction Date: 03-APR-68 Well Depth: 62 ft Static Water Level: 10 ft Clear/Cloudy:	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Specific Capacity: Construction Method: Elevation (m):	Cable Tool 241.55			Final Well Status: Flowing (y/n):	Water Supply N
Depth to Bedrock:	38			Elevation Reliability: Overburden/Bedrock k:	
Water Type:	FRESH			Casing Material:	FRESH, MINERIAL
--- Details ---					
Thickness: +	38 ft			Original Depth:	38 ft
Material Colour:	BROWN			Material:	CLAY, MEDIUM SAND
Thickness:	24 ft			Original Depth:	62 ft
Material Colour:	RED			Material:	SHALE
170	1 of 1	NW/15.2	254.0	lot 16 con 8 ON	WWIS
Well ID: Concession: County:	2804983 08 HALTON			Lot: Concession Name: Municipality:	016 CON HALTON HILLS TOWN (ESQUESING)
Eastng Nad83: Zone: Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method:	586714.4 17 Domestic 8 GPM Boring			Northing Nad83: Utm Reliability: Construction Date: Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n):	4831423 margin of error : 100 m - 300 m 04-MAY-76 33 ft 7 ft Water Supply N
Elevation (m):	245.77			Elevation Reliability: Overburden/Bedrock k:	
Depth to Bedrock:				Casing Material:	SALTY, SULPHUR
Water Type:	FRESH				
--- Details ---					
Thickness: +	2 ft			Original Depth:	2 ft
Material Colour:	BROWN			Material:	TOPSOIL
Thickness:	10 ft			Original Depth:	12 ft
Material Colour:	BROWN			Material:	CLAY, SAND, STONES
Thickness:	21 ft			Original Depth:	33 ft
Material Colour:	BROWN			Material:	SAND, GRAVEL, STONES
171	1 of 1	NW/184.3	255.6	lot 16 con 7 ON	WWIS
Well ID: Concession: County:	2801124 07 HALTON			Lot: Concession Name: Municipality:	016 CON HALTON HILLS TOWN

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Easting Nad83:</i>	586590.4			<i>Northing Nad83:</i>	(ESQUESING)
<i>Zone:</i>	17			<i>Utm Reliability:</i>	4831308
<i>Primary Water Use:</i>	Commerical			<i>Construction Date:</i>	margin of error : 100 m - 300 m
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	14-FEB-63
<i>Pump Rate:</i>	10 GPM			<i>Static Water Level:</i>	64 ft
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	8 ft
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	CLEAR
<i>Construction Method:</i>	Cable Tool			<i>Flowing (y/n):</i>	Water Supply
<i>Elevation (m):</i>	242.2				N
<i>Depth to Bedrock:</i>	15			<i>Elevation Reliability:</i>	
<i>Water Type:</i>	FRESH			<i>Overburden/Bedrock k:</i>	Bedrock
--- Details ---					
<i>Thickness:</i>	15 ft			<i>Original Depth:</i>	15 ft
<i>Material Colour:</i>	RED			<i>Material:</i>	CLAY
<i>+ Thickness:</i>				<i>Original Depth:</i>	64 ft
<i>Material Colour:</i>	RED			<i>Material:</i>	SHALE

[172](#) 1 of 1 NW/36.8 253.2 **SHEPHERD LAWN CARE LTD
37 STEWARTTOWN RD, RR2
GEORGETOWN ON L7G 4S5** [PES](#)

Licence No.:

Licence Type:

173	1 of 1	SE/7.9	227.8	lot 5 con 8 ON	WWIS
<i>Well ID:</i>	2801207			<i>Lot:</i>	005
<i>Concession:</i>	08			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	591578.5			<i>Northing Nad83:</i>	4826550
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 100 m - 300 m
<i>Primary Water Use:</i>	Livestock			<i>Construction Date:</i>	12-SEP-65
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	56 ft
<i>Pump Rate:</i>	10 GPM			<i>Static Water Level:</i>	28 ft
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	CLEAR
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Water Supply
<i>Construction Method:</i>	Boring			<i>Flowing (y/n):</i>	N
<i>Elevation (m):</i>	237.97			<i>Elevation Reliability:</i>	
<i>Depth to Bedrock:</i>				<i>Overburden/Bedrock k:</i>	Overburden
<i>Water Type:</i>	FRESH			<i>Casing Material:</i>	SULPHUR
--- Details ---					
<i>Thickness:</i>	40 ft			<i>Original Depth:</i>	40 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Material Colour: + Thickness: Material Colour:	BROWN 16 ft			Material: Original Depth: Material:	CLAY 56 ft GRAVEL
<u>174</u>	1 of 5	NW/148.8	254.5	GROUNDATION CHEMICALS INCORPORATED17-598 4 MILLPOND ROAD GEORGETOWN ON L7G 4S6	GEN
Generator #: Approval Yrs: SIC Code: SIC Description:	ON1497800 92,93,95,96,97,98 4219 OTHER SITE WORK				
--- Details --- Waste Code: Waste Description: + Waste Code: Waste Description:	212 ALIPHATIC SOLVENTS 252 WASTE OILS & LUBRICANTS				
<u>174</u>	2 of 5	NW/148.8	254.5	PALM EQUIPMENT (CANADA LTD.) 4 MILLPOND DRIVE GEORGETOWN ON L7G 4S6	GEN
Generator #: Approval Yrs: SIC Code: SIC Description:	ON2370800 98,99,00,01 0921 CONTRACT DRILLING				
--- Details --- Waste Code: Waste Description:	252 WASTE OILS & LUBRICANTS				
<u>174</u>	3 of 5	NW/148.8	254.5	GROUNDATION CHEMICALS INCORPORATED 4 MILLPOND ROAD GEORGETOWN ON L7G 4S6	GEN
Generator #: Approval Yrs: SIC Code: SIC Description:	ON1497800 99,00,01 4219 OTHER SITE WORK				
--- Details --- Waste Code: Waste Description: + Waste Code: Waste Description:	212 ALIPHATIC SOLVENTS 252 WASTE OILS & LUBRICANTS				
<u>174</u>	4 of 5	NW/148.8	254.5	PALM EQUIPMENT (CANADA LTD.) 4 MILLPOND DRIVE GEORGETOWN ON L7G 4S6	GEN

175

erisinfo.com | EcoLog ERIS Ltd.

Trafalgar Road EA Trafalgar Rd 7 Hwy Halton Hills ON L0P1E0

Order No: 20160225127

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Generator #: Approval Yrs: SIC Code: SIC Description:		ON2370800 02,03			
<u>174</u>	<u>5 of 5</u>	NW/148.8	254.5	PALM EQUIPMENT (CANADA LTD.) 4 MILLPOND DRIVE GEORGETOWN ON L7G 4S6	GEN
Generator #: Approval Yrs: SIC Code: SIC Description:		ON2370800 04			
<u>175</u>	<u>1 of 1</u>	NW/80.3	253.5	R.M. OF HALTON STEWARTTOWN RD/MILLPOND DR. HALTON HILLS TOWN ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		3-1059-99- 99 9/10/1999 Municipal sewage Approved			
<u>176</u>	<u>1 of 1</u>	NW/62.3	252.5	Georgetown Little Theatre 33 Stewarttown Road R.R. #2, Str. Main Halton Hills ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		7325-4PRHH9 00 10/5/00 Municipal & Private water Approved New Certificate of Approval Corporation of the Regional Municipality of Halton 1151 Bronte Road Oakville L6M 3L1 Watermain on Easement from Stewarttown Road to Trafalgar Road			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<u>177</u>	1 of 1	NW/8.0	248.7	11193 Trafagar Road Georgetown ON L7G 4S5	EHS
Order No.:	20060621011				
Report Date:	7/4/2006				
Report Type:	Complete Report				
Search Radius (km):	0.25				
Addit. Info Ordered:	Fire Insur. Maps and/or Site Plans				
<u>178</u>	1 of 2	NW/108.2	251.6	25 STEWARTTOWN RD, HALTON HILLS ON	PINC
Incident ID:					
Tank Status:	RC Established				
Attribute Category:	Excavation practices not sufficient				
Task Number:	5190905				
SR Type:	FS-Pipeline Incident				
Incident Number:	1484562				
Status Code:	Pipeline Damage Reason Est				
Summary:	25 STEWARTTOWN RD, HALTON HILLS - PIPELINE HIT - 1/2"				
Spills Action Centre:					
Reported By:	Mark Hoewing - Union Gas				
Affiliation:					
Method Details:	E-mail				
Fuel Category:	Natural Gas				
Fuel Occurrence Type:					
Date of Occurrence:					
Occurrence Start Date:	2014/09/23				
Health Impact:					
Occurrence Desc:					
Environment Impact:					
Property Damage:	Yes				
Service Interrupt:					
Fuel Type:					
Enforce Policy:	Yes				
Operation Type:					
Damage Reason:	FS-Perform P-line Inc Invest				
Public Relation:					
Pipeline System:					
Pipeline Type:					
Depth:					
Pipe Material:					
Regualtor Location:					
PSIG:					
Regulator Type:					
Notes:					
<u>178</u>	2 of 2	NW/108.2	251.6	25 Stewart Town Rd Halton Hills ON	SPL
Ref NO:	1602-9P8PPM				
Contaminant Code:	35				
Contaminant Name:	NATURAL GAS (METHANE)				
Contaminant Quantity:	0 other - see incident description				
Incident Cause:	Unknown / N/A				

177

erisinfo.com | EcoLog ERIS Ltd.

Trafalgar Road EA Trafalgar Rd 7 Hwy Halton Hills ON L0P1E0

Order No: 20160225127

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Incident Dt:</i>	2014/09/23				
<i>Incident Reason:</i>	Unknown / N/A				
<i>Incident Summary:</i>	TSSA/FSB: Plastic Damaged-Made Safe				
<i>MOE Reported Dt:</i>	2014/09/23				
<i>Environmental Impact:</i>	Not Anticipated				
<i>Nature of Impact:</i>	Air Pollution				
<i>Receiving Medium:</i>					
<i>SAC Action Class:</i>	TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill				
<i>Sector Source Type:</i>	Unknown / N/A				
<i>Site Municipality:</i>	Halton Hills				
<u>179</u>	1 of 1	NW/197.4	255.0	lot 17 con 7 ON	WWIS
<i>Well ID:</i>	2801126			<i>Lot:</i>	017
<i>Concession:</i>	07			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	586446.4			<i>Northing Nad83:</i>	4831434
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 100 m - 300 m
<i>Primary Water Use:</i>	Domestic			<i>Construction Date:</i>	28-AUG-61
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	41 ft
<i>Pump Rate:</i>	1 GPM			<i>Static Water Level:</i>	20 ft
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	CLEAR
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Water Supply
<i>Construction Method:</i>	Boring			<i>Flowing (y/n):</i>	N
<i>Elevation (m):</i>	260.86			<i>Elevation Reliability: Overburden/Bedrock k:</i>	
<i>Depth to Bedrock:</i>	38			<i>Casing Material:</i>	SULPHUR
<i>Water Type:</i>	FRESH				
--- Details ---					
<i>Thickness:</i>	12 ft			<i>Original Depth:</i>	12 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	TOPSOIL, CLAY
+ <i>Thickness:</i>	8 ft			<i>Original Depth:</i>	20 ft
<i>Material Colour:</i>	RED			<i>Material:</i>	CLAY
+ <i>Thickness:</i>	1 ft			<i>Original Depth:</i>	21 ft
<i>Material Colour:</i>				<i>Material:</i>	MEDIUM SAND
+ <i>Thickness:</i>	17 ft			<i>Original Depth:</i>	38 ft
<i>Material Colour:</i>	RED			<i>Material:</i>	CLAY
+ <i>Thickness:</i>	3 ft			<i>Original Depth:</i>	41 ft
<i>Material Colour:</i>	RED			<i>Material:</i>	SHALE
<u>180</u>	1 of 2	SE/88.0	227.8	8837 TRAFALGAR ROAD HALTON HILLS ON L7G 4S5	HINC
<i>External File Num:</i>	FS INC 0903-01609				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Date of Occurrence:</i>	3/30/2009				
<i>Fuel Occurrence Type:</i>	Liquid Petroleum Spill				
<i>Fuel Type Involved:</i>	Diesel				
<i>Status Desc:</i>	Completed - Causal Analysis(End)				
<i>Job Type Desc:</i>	Incident/Near-Miss Occurrence (FS)				
<i>Oper. Type Involved:</i>	Private Fuel Outlet (including agricultural farms)				
<i>Service Interruptions:</i>	No				
<i>Property Damage:</i>	Yes				
<i>Fuel Life Cycle Stage:</i>	Storage and Dispensing				
<i>Root Cause:</i>	Root Cause: Equipment/Material/Component:No Procedures:No Maintenance:No Design:No Training:No Management:No Human Factors:No E Report that a 2275 L AST has been crushed by grain silo that fell over.				
<i>Reported Details:</i>					
<i>Fuel Category:</i>	Liquid Fuel				
<i>Occurrence Type:</i>	Incident				
<i>Affiliation:</i>	Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)				
<i>County Name:</i>	Halton				
<i>Approx. Quant. Rel:</i>					
<i>Nearby body of water:</i>					
<i>Enter Drainage Syst.:</i>					
<i>Approx. Quant. Unit:</i>					
<i>Environmental Impact:</i>					
180	2 of 2	SE/88.0	227.8	8837 Trafalgar Rd Halton Hills ON L7G 4S5	SPL
<i>Ref NO:</i>	2850-7QMJFN				
<i>Contaminant Code:</i>					
<i>Contaminant Name:</i>					
<i>Contaminant Quantity:</i>					
<i>Incident Cause:</i>	Tank (Above Ground) Leak				
<i>Incident Dt:</i>					
<i>Incident Reason:</i>	Spill				
<i>Incident Summary:</i>	Silo fell onto AST, Georgetown				
<i>MOE Reported Dt:</i>	3/30/2009				
<i>Environmental Impact:</i>	Not Anticipated				
<i>Nature of Impact:</i>	Other Impact(s)				
<i>Receiving Medium:</i>					
<i>SAC Action Class:</i>	Land Spills				
<i>Sector Source Type:</i>	Other Storage Facility				
<i>Site Municipality:</i>	Halton Hills				
181	1 of 2	NW/188.8	256.5	Harry Bradford and Sons Painting and Decorating 16 Stewarttown Road RR16 Georgetown ON L7G 4S5	GEN
<i>Generator #:</i>	ON2983582				
<i>Approval Yrs:</i>	2009				
<i>SIC Code:</i>	339990				
<i>SIC Description:</i>	All Other Miscellaneous Manufacturing				
--- Details ---					
<i>Waste Code:</i>	145				
<i>Waste Description:</i>	PAINT/PIGMENT/COATING RESIDUES				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
181	2 of 2	NW/188.8	256.5	Harry Brandford 16 Stewarttown Road RR16 Georgetown ON	GEN
Generator #:	ON5730578				
Approval Yrs:	2012				
SIC Code:	339990				
SIC Description:	All Other Miscellaneous Manufacturing				
182	1 of 1	SE/62.8	227.8	lot 5 con 8 ON	WWIS
Well ID:	2803229			Lot:	005
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	591864.5			Northing Nad83:	4826363
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	30-AUG-69
Sec. Water Use:				Well Depth:	101 ft
Pump Rate:	3 GPM			Static Water Level:	38 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	234.42			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock K:	Overburden
Water Type:	FRESH			Casing Material:	FRESH
--- Details ---					
Thickness:	22 ft			Original Depth:	22 ft
Material Colour:				Material:	CLAY
+ Thickness:	7 ft			Original Depth:	29 ft
Material Colour:	GREY			Material:	CLAY, MEDIUM SAND
+ Thickness:	27 ft			Original Depth:	56 ft
Material Colour:	GREY			Material:	CLAY, GRAVEL, MEDIUM SAND
+ Thickness:	15 ft			Original Depth:	71 ft
Material Colour:	BROWN			Material:	MEDIUM SAND
+ Thickness:	2 ft			Original Depth:	73 ft
Material Colour:	BLUE			Material:	CLAY, GRAVEL
+ Thickness:	2 ft			Original Depth:	75 ft
Material Colour:				Material:	GRAVEL
+ Thickness:	1 ft			Original Depth:	76 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Material Colour:	RED			Material:	CLAY
+ Thickness:	10 ft			Original Depth:	86 ft
Material Colour:	GREY			Material:	CLAY, GRAVEL
+ Thickness:	11 ft			Original Depth:	97 ft
Material Colour:	RED			Material:	MEDIUM SAND, CLAY
+ Thickness:	3 ft			Original Depth:	100 ft
Material Colour:	RED			Material:	CLAY, GRAVEL
+ Thickness:	1 ft			Original Depth:	101 ft
Material Colour:	RED			Material:	CLAY
 183	1 of 1	SE/5.7	227.9	lot 4 con 8 ON	WWIS
Well ID:	2801202			Lot:	004
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	591855.5			Northing Nad83:	4826275
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Domestic			Construction Date:	06-JUN-61
Sec. Water Use:				Well Depth:	25 ft
Pump Rate:	5 GPM			Static Water Level:	16 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	235.19			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:	FRESH			Overburden/Bedrock k:	Overburden
--- Details --				Casing Material:	SULPHUR
Thickness:	16 ft			Original Depth:	16 ft
Material Colour:	BROWN			Material:	TOPSOIL, CLAY
+ Thickness:	9 ft			Original Depth:	25 ft
Material Colour:				Material:	GRAVEL
 184	1 of 1	NW/88.8	252.7	GROUNDATION CHEMICALS INCORPORATED17-598 4 MILLPOND ROAD, STEWARTTOWN C/O 202-10 MOUNTAINVIEW ROAD SOUTH GEORGETOWN ON L7G 4J9	GEN
Generator #:	ON1497800				
Approval Yrs:	94				
SIC Code:	4219				
SIC Description:	OTHER SITE WORK				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
--- Details ---					
Waste Code:	212				
Waste Description:	ALIPHATIC SOLVENTS				
185	1 of 1	NW/3.6	246.6	R.M. OF HALTON STEWARTTOWN RD/TRAFalGAR RD. HALTON HILLS TOWN ON	CA
Certificate #:	7-0728-99-				
Application Year:	99				
Issue Date:	9/10/1999				
Approval Type:	Municipal water				
Status:	Approved				
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
186	1 of 1	NW/129.3	255.9	lot 17 con 7 ON	WWIS
Well ID:	2801125			Lot:	017
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	586302.4			Northing Nad83:	4831675
Zone:	17			Utm Reliability:	unknown UTM
Primary Water Use:	Livestock			Construction Date:	27-JUN-56
Sec. Water Use:	Domestic			Well Depth:	106 ft
Pump Rate:	2 GPM			Static Water Level:	42 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	264.63			Elevation	
Depth to Bedrock:	101			Reliability:	
Water Type:	FRESH			Overburden/Bedrock	Bedrock
k:				Casing Material:	FRESH
--- Details ---					
Thickness:	64 ft			Original Depth:	64 ft
Material Colour:				Material:	PREVIOUSLY DUG
+					
Thickness:	17 ft			Original Depth:	81 ft
Material Colour:	RED			Material:	FINE SAND
+					
Thickness:	20 ft			Original Depth:	101 ft
Material Colour:				Material:	CLAY

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
+ Thickness: 5 ft Material Colour: RED				Original Depth: 106 ft Material: SHALE	
<u>187</u>	<u>1 of 11</u>	NW/446.0	243.1	NORTH HALTON GOLF & COUNTRY CLUB 28-408 363 MAPLE AVENUE WEST GEORGETOWN ON L7G 4S5	GEN
Generator #: ON0917500 Approval Yrs: 92,93,94,95,96,97,98 SIC Code: 9651 SIC Description: GOLF COURSES					
--- Details --- Waste Code: 131 Waste Description: NEUTRALIZED WASTES - HEAVY METALS + Waste Code: 252 Waste Description: WASTE OILS & LUBRICANTS					
<u>187</u>	<u>2 of 11</u>	NW/446.0	243.1	NORTH HALTON GOLF & COUNTRY CLUB 363 MAPLE AVENUE WEST GEORGETOWN ON L7G 4S5	GEN
Generator #: ON0917500 Approval Yrs: 99,00,01 SIC Code: 9651 SIC Description: GOLF COURSES					
--- Details --- Waste Code: 131 Waste Description: NEUTRALIZED WASTES - HEAVY METALS + Waste Code: 252 Waste Description: WASTE OILS & LUBRICANTS					
<u>187</u>	<u>3 of 11</u>	NW/446.0	243.1	NORTH HALTON GOLF & COUNTRY CLUB 363 MAPLE AVE WEST GEORGETOWN ON L7G 4S5	GEN
Generator #: ON0917500 Approval Yrs: 02,03,04,05,06 SIC Code: SIC Description:					
--- Details --- Waste Code: 131 Waste Description: NEUTRALIZED WASTES - HEAVY METALS + Waste Code: 269 Waste Description: NON-HALOGENATED PESTICIDES + Waste Code: 252 Waste Description: WASTE OILS & LUBRICANTS					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
187	4 of 11	NW/446.0	243.1	NORTH HALTON GOLF & COUNTRY CLUB 363 MAPLE AVE WEST GEORGETOWN ON L7G 4S5	GEN
Generator #: Approval Yrs: SIC Code: SIC Description:	ON0917500 As of May 2015				
--- Details ---					
Waste Code: Waste Description:	252 Waste crankcase oils and lubricants				
+					
Waste Code: Waste Description:	131 Neutralized solutions - containing heavy metals				
187	5 of 11	NW/446.0	243.1	NORTH HALTON GOLF & COUNTRY CLUB 363 MAPLE AVE WEST GEORGETOWN ON	GEN
Generator #: Approval Yrs: SIC Code: SIC Description:	ON0917500 2009 713910 Golf Courses and Country Clubs				
--- Details ---					
Waste Code: Waste Description:	131 NEUTRALIZED WASTES - HEAVY METALS				
+					
Waste Code: Waste Description:	252 WASTE OILS & LUBRICANTS				
+					
Waste Code: Waste Description:	269 NON-HALOGENATED PESTICIDES				
187	6 of 11	NW/446.0	243.1	NORTH HALTON GOLF & COUNTRY CLUB 363 MAPLE AVE WEST GEORGETOWN ON	GEN
Generator #: Approval Yrs: SIC Code: SIC Description:	ON0917500 2010 713910 Golf Courses and Country Clubs				
--- Details ---					
Waste Code: Waste Description:	131 NEUTRALIZED WASTES - HEAVY METALS				
+					
Waste Code: Waste Description:	269 NON-HALOGENATED PESTICIDES				
+					
Waste Code: Waste Description:	252 WASTE OILS & LUBRICANTS				
187	7 of 11	NW/446.0	243.1	NORTH HALTON GOLF & COUNTRY CLUB	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
				363 MAPLE AVE WEST GEORGETOWN ON	
Generator #:	ON0917500				
Approval Yrs:	2011				
SIC Code:	713910				
SIC Description:	Golf Courses and Country Clubs				
--- Details ---					
Waste Code:	131				
Waste Description:	NEUTRALIZED WASTES - HEAVY METALS				
+ Waste Code:	269				
Waste Description:	NON-HALOGENATED PESTICIDES				
+ Waste Code:	252				
Waste Description:	WASTE OILS & LUBRICANTS				
<u>187</u>	8 of 11	NW/446.0	243.1	NORTH HALTON GOLF & COUNTRY CLUB 363 MAPLE AVE WEST GEORGETOWN ON L7G 4S5	GEN
Generator #:	ON0917500				
Approval Yrs:	2012				
SIC Code:	713910				
SIC Description:	Golf Courses and Country Clubs				
--- Details ---					
Waste Code:	252				
Waste Description:	WASTE OILS & LUBRICANTS				
+ Waste Code:	269				
Waste Description:	NON-HALOGENATED PESTICIDES				
+ Waste Code:	131				
Waste Description:	NEUTRALIZED WASTES - HEAVY METALS				
<u>187</u>	9 of 11	NW/446.0	243.1	NORTH HALTON GOLF AND COUNTRY CLUB ATTN COURSE SUP 363 MAPLE AV W GEORGETOWN ON	PRT
Location ID:	19943				
Type:	private				
Expiry Date:					
Capacity (L):	3410.00				
Licence #:	0076358779				
<u>187</u>	10 of 11	NW/446.0	243.1	North Halton Golf and Country Club 363 Maple Avenue West Halton Hills ON	PTTW
Year:	2009				
EBR Registry No.:	010-5607				
Ministry Ref. No.:	5023-7MZSQ4				
Type:	Instrument Proposal				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Instrument Type: Proposal Date: Location: Proponent Address:		(OWRA s. 34) - Permit to take water 1/6/2009 363 Maple Avenue West; Lot 16, 17, Concession 8, Town of Halton Hills, Regional Municipality of Halton 365 Maple Avenue West Georgetown Ontario L7G 4S5			
<u>187</u>	11 of 11	NW/446.0	243.1	North Halton Golf and Country Club Limited 363 Maple Ave West Lot 16, 17, Concession 8 Halton Hills ON	PTTW
Year: EBR Registry No.: Ministry Ref. No.: Type: Instrument Type: Proposal Date: Location: Proponent Address:		2011 011-2701 6880-8DY2DD Instrument Proposal (OWRA s. 34) - Permit to take water February 23, 2011 363 Maple Avenue West Lot 16, 17, Concession 8, Township of Esquesing Town of Halton Hills, Regional Municipality of Halton 363 Maple avenue West Georgetown Ontario Canada L7G4S5			
<u>188</u>	1 of 4	NW/438.7	243.1	NORTH HALTON GOLF & COUNTRY CLUB 363 MAPLE AVE WEST GEORGETOWN ON	GEN
Generator #: Approval Yrs: SIC Code: SIC Description:		ON0917500 2013 713910 GOLF COURSES AND COUNTRY CLUBS			
--- Details ---					
Waste Code: Waste Description:		269 NON-HALOGENATED PESTICIDES			
+ Waste Code: Waste Description:		252 WASTE OILS & LUBRICANTS			
+ Waste Code: Waste Description:		131 NEUTRALIZED WASTES - HEAVY METALS			
<u>188</u>	2 of 4	NW/438.7	243.1	North Halton Golf and Country Club Lot 15, Concession 7,8 Halton Hills ON	PTTW
Year: EBR Registry No.: Ministry Ref. No.: Type: Instrument Type: Proposal Date: Location: Proponent Address:		2000 IA00E1359 89-P3005 Instrument Decision Permit to take water - OWRA s. 34 8/18/00 Lot 15, Concession 7,8, Town of Halton Hills 365 Maple Avenue West Georgetown Ontario L7G 4S5			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<u>188</u>	3 of 4	NW/438.7	243.1	North Halton Golf and Country Club Limited 363 Maple Ave W Lots 16 17 Concession 8 Halton Hills ON	PTTW
Year:	2014				
EBR Registry No.:	012-3257				
Ministry Ref. No.:	1688-9RASAB				
Type:	Instrument Proposal				
Instrument Type:	(OWRA s. 34) - Permit to take water				
Proposal Date:	December 19, 2014				
Location:	North Halton Golf and Country Club - Black Creek Irrigation Pond Address: 363 Maple Ave W Lots 16 17 Concession 8 Original Geographic Township of Esquesing, Halton Hills, Town, Regional Municipality of Halton District Office: Halton-Peel GeoReference: Map Datum: NAD83, Zone: 17, Accuracy Estimate: 1-10 metres eg. Good Quality GPS, UTM Easting: 586854, UTM Northing: 4832128, , LIO GeoReference: Zone: 17, UTM Easting: 586656.3, UTM Northing: 4832120.0, Latitude: 43.637028, Longitude: -79.92568 ESQUESING				
Proponent Address:	363 Maple avenue West, Georgetown Ontario, Canada L7G4S5				
<u>188</u>	4 of 4	NW/438.7	243.1	North Halton Golf and Country Club Limited 363 Maple Ave W Lots 16 17 Concession 8 Halton Hills ON	PTTW
Year:	2014				
EBR Registry No.:	012-3257				
Ministry Ref. No.:	1688-9RASAB				
Type:	Instrument Decision				
Instrument Type:	(OWRA s. 34) - Permit to take water				
Proposal Date:	December 19, 2014				
Location:	North Halton Golf and Country Club - Black Creek Irrigation Pond Address: 363 Maple Ave W Lots 16 17 Concession 8 Original Geographic Township of Esquesing, Halton Hills, Town, Regional Municipality of Halton District Office: Halton-Peel GeoReference: Map Datum: NAD83, Zone: 17, Accuracy Estimate: 1-10 metres eg. Good Quality GPS, UTM Easting: 586854, UTM Northing: 4832128, , LIO GeoReference: Zone: 17, UTM Easting: 586656.3, UTM Northing: 4832120.0, Latitude: 43.637028, Longitude: -79.92568 ESQUESING				
Proponent Address:	363 Maple avenue West, Georgetown Ontario, Canada L7G4S5				
<u>189</u>	1 of 1	NW/313.2	270.2	lot 17 con 7 GEORGETOWN ON	WWIS
Well ID:	7209075			Lot:	017
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Eastng Nad83:	586029			Northing Nad83:	4831689
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	12-SEP-13
Sec. Water Use:				Well Depth:	67.5 ft
Pump Rate:	10 GPM			Static Water Level:	29.5 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Elevation (m):				Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock k:	
Water Type:	Untested			Casing Material:	SULPHUR
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:	BROWN			Material:	TOPSOIL
+ Thickness:	24 ft			Original Depth:	25 ft
Material Colour:	BROWN			Material:	CLAY
+ Thickness:	20 ft			Original Depth:	45 ft
Material Colour:	GREY			Material:	CLAY, STONES
+ Thickness:	8 ft			Original Depth:	53 ft
Material Colour:	GREY			Material:	SILT, SAND
+ Thickness:	9 ft			Original Depth:	62 ft
Material Colour:	RED			Material:	CLAY, STONES
+ Thickness:	5.5 ft			Original Depth:	67.5 ft
Material Colour:	GREY			Material:	SILT, , HARD
190	1 of 1	NW/349.3	273.0	lot 17 con 7 GEORGETOWN ON	WWIS
Well ID:	7143460			Lot:	017
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	585976			Northing Nad83:	4831691
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:				Construction Date:	01-JAN-09
Sec. Water Use:				Well Depth:	60 ft
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	
Elevation (m):	276.46			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock k:	
Water Type:				Casing Material:	SALTY
--- Details ---					
Thickness:	32 ft			Original Depth:	32 ft
Material Colour:				Material:	
+ Thickness:	28 ft			Original Depth:	60 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Material Colour: GREY		Material:			CLAY, STONES, HARD
191	1 of 1	NW/298.5	270.5	Lot 17 con 7 ON	WWIS
Well ID:	2808813			Lot:	017
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	585996.9			Northing Nad83:	4831742
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Domestic			Construction Date:	03-JUN-98
Sec. Water Use:				Well Depth:	34 ft
Pump Rate:	3 GPM			Static Water Level:	8 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	275.26			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock k:	Overburden
Water Type:	FRESH			Casing Material:	SALTY, SULPHUR
--- Details ---					
Thickness:	2 ft			Original Depth:	2 ft
Material Colour:				Material:	TOPSOIL
+ Thickness:	8 ft			Original Depth:	10 ft
Material Colour:				Material:	CLAY, SAND
+ Thickness:	13 ft			Original Depth:	23 ft
Material Colour:				Material:	SAND, SILT, BOULDERS
+ Thickness:	11 ft			Original Depth:	34 ft
Material Colour:				Material:	CLAY, SAND, SILTY
192	1 of 1	NW/302.8	270.8	Lot 17 con 7 ON	WWIS
Well ID:	2807674			Lot:	017
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	585992.9			Northing Nad83:	4831740
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Domestic			Construction Date:	16-SEP-89
Sec. Water Use:				Well Depth:	140 ft
Pump Rate:	3 GPM			Static Water Level:	16 ft
Flow Rate:				Clear/Cloudy:	CLOUDY
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	275.38			Elevation	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Depth to Bedrock:	91			Reliability: Overburden/Bedrock k:	
Water Type:	FRESH			Casing Material:	FRESH, MINERIAL
--- Details ---					
Thickness:	2 ft			Original Depth:	2 ft
Material Colour:	BLACK			Material:	TOPSOIL
+ Thickness:	34 ft			Original Depth:	36 ft
Material Colour:	BROWN			Material:	CLAY
+ Thickness:	55 ft			Original Depth:	91 ft
Material Colour:	GREY			Material:	CLAY, SAND
+ Thickness:	49 ft			Original Depth:	140 ft
Material Colour:	RED			Material:	SHALE
193	1 of 1	NW/414.8	273.9	lot 17 con 7 ON	WWIS
Well ID:	2801128			Lot:	017
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	585907.4			Northing Nad83:	4831667
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Domestic			Construction Date:	15-JUN-66
Sec. Water Use:				Well Depth:	30 ft
Pump Rate:	5 GPM			Static Water Level:	15 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	277.28			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock k:	Overburden
Water Type:	FRESH			Casing Material:	SULPHUR
--- Details ---					
Thickness:	15 ft			Original Depth:	15 ft
Material Colour:				Material:	MEDIUM SAND
+ Thickness:	15 ft			Original Depth:	30 ft
Material Colour:	GREY			Material:	CLAY
194	1 of 1	NW/349.5	273.2	lot 17 con 7 ON	WWIS
Well ID:	2807866			Lot:	017
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Eastng Nad83:	585947.9			Northing Nad83:	(ESQUESING)
Zone:	17			4831719	
Primary Water Use:	Domestic			Utm Reliability:	margin of error : 10 - 30 m
Sec. Water Use:				Construction Date:	30-JUL-91
Pump Rate:				Well Depth:	175 ft
Flow Rate:				Static Water Level:	64 ft
Specific Capacity:				Clear/Cloudy:	CLEAR
Construction Method:	Rotary (Convent.)			Final Well Status:	Water Supply
Elevation (m):	276.56			Flowing (y/n):	N
Depth to Bedrock:	59			Elevation Reliability:	
Water Type:	FRESH			Overburden/Bedrock K:	Bedrock
--- Details ---				Casing Material:	FRESH, MINERIAL
Thickness:	6 ft			Original Depth:	6 ft
Material Colour:	BROWN			Material:	CLAY, SAND, SOFT
+					
Thickness:	9 ft			Original Depth:	15 ft
Material Colour:	YELLOW			Material:	CLAY, STONES
+					
Thickness:	1 ft			Original Depth:	16 ft
Material Colour:	GREY			Material:	STONES
+					
Thickness:	33 ft			Original Depth:	49 ft
Material Colour:	RED			Material:	CLAY, STONES
+					
Thickness:	1 ft			Original Depth:	50 ft
Material Colour:	GREY			Material:	STONES
+					
Thickness:	9 ft			Original Depth:	59 ft
Material Colour:	RED			Material:	CLAY
+					
Thickness:	91 ft			Original Depth:	150 ft
Material Colour:	RED			Material:	SHALE
+					
Thickness:	6 ft			Original Depth:	156 ft
Material Colour:	RED			Material:	SHALE
+					
Thickness:	5 ft			Original Depth:	161 ft
Material Colour:	GREY			Material:	SHALE
+					
Thickness:	14 ft			Original Depth:	175 ft
Material Colour:	RED			Material:	SHALE

195

1 of 4

NW/1.3

260.8

Trafalgar Rd Sideroad 17
Halton Hills ON

EHS

Order No.:

20130404011

191

erisinfo.com| EcoLog ERIS Ltd.

Trafalgar Road EA Trafalgar Rd 7 Hwy Halton Hills ON L0P1E0

Order No: 20160225127

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Report Date:	09-APR-13				
Report Type:	Custom Report				
Search Radius (km):	.25				
Addit. Info Ordered:					
195	2 of 4	NW/1.3	260.8	NORTH HALTON GOLF & COUNTRY CLUB CONC.7&8,LT.17,MAPLE AVE.W.& TRAFALGAR RD., GEORGETOWN ON L7G 4S5	GEN
Generator #:	ON0917500				
Approval Yrs:	86,87,88,89,90				
SIC Code:	9651				
SIC Description:	GOLF COURSES				
--- Details ---					
Waste Code:	131				
Waste Description:	NEUTRALIZED WASTES - HEAVY METALS				
195	3 of 4	NW/1.3	260.8	SHELL CANADA PRODUCTS LTD. MAPLE & TRAFALGAR GEORGETOWN SERVICE STATION HALTON HILLS TOWN ON	SPL
Ref NO:	41495				
Contaminant Code:					
Contaminant Name:					
Contaminant Quantity:					
Incident Cause:	PIPE/HOSE LEAK				
Incident Dt:	9/29/1990				
Incident Reason:	MATERIAL FAILURE				
Incident Summary:	SHELL - 4 LTR GASOLINE TOPVMT WHEN HOSE CAME APART				
MOE Reported Dt:	9/29/1990				
Environmental Impact:	NOT ANTICIPATED				
Nature of Impact:					
Receiving Medium:	LAND				
SAC Action Class:					
Sector Source Type:					
Site Municipality:	14401				
195	4 of 4	NW/1.3	260.8	BFI INTERSECTION OF TRAFALGAR AND MAPLE IN GEORGETOWN. MOTOR VEHICLE (OPERATING FLUID) HALTON HILLS TOWN ON	SPL
Ref NO:	138943				
Contaminant Code:					
Contaminant Name:					
Contaminant Quantity:					
Incident Cause:	PIPE/HOSE LEAK				
Incident Dt:	4/2/1997				
Incident Reason:	EQUIPMENT FAILURE				
Incident Summary:	BFI TRUCK- 10-20 L OF HYDRAULIC OIL TO ROADWAY, WORKS ONSITE CLEANING.				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>MOE Reported Dt:</i>	4/2/1997				
<i>Environmental Impact:</i>	POSSIBLE				
<i>Nature of Impact:</i>	Soil contamination				
<i>Receiving Medium:</i>	LAND				
<i>SAC Action Class:</i>					
<i>Sector Source Type:</i>					
<i>Site Municipality:</i>	14401				
196	1 of 12	NW/21.0	261.4	2142927 ONTARIO INC 11409 TRAFALGAR RD GEORGETOWN ON	EXP
<i>Instance ID:</i>	35724				
<i>TSSA Program Area:</i>					
<i>Maximum Hazard Rank:</i>					
<i>Facility Type:</i>					
<i>Expired Date:</i>					
<i>Instance Number:</i>	10758956				
<i>Instance Type:</i>	FS Piping				
<i>Status:</i>	EXPIRED				
<i>Description:</i>	FS Piping				
196	2 of 12	NW/21.0	261.4	2142927 ONTARIO INC 11409 TRAFALGAR RD GEORGETOWN ON	EXP
<i>Instance ID:</i>	36942				
<i>TSSA Program Area:</i>					
<i>Maximum Hazard Rank:</i>					
<i>Facility Type:</i>					
<i>Expired Date:</i>					
<i>Instance Number:</i>	10758993				
<i>Instance Type:</i>	FS Piping				
<i>Status:</i>	EXPIRED				
<i>Description:</i>	FS Piping				
196	3 of 12	NW/21.0	261.4	2142927 ONTARIO INC 11409 TRAFALGAR RD GEORGETOWN ON	EXP
<i>Instance ID:</i>	37289				
<i>TSSA Program Area:</i>					
<i>Maximum Hazard Rank:</i>					
<i>Facility Type:</i>					
<i>Expired Date:</i>					
<i>Instance Number:</i>	10758973				
<i>Instance Type:</i>	FS Piping				
<i>Status:</i>	EXPIRED				
<i>Description:</i>	FS Piping				
196	4 of 12	NW/21.0	261.4	1916769 ONTARIO INC 11409 TRAFALGAR RD	FST

193

erisinfo.com | EcoLog ERIS Ltd.

Trafalgar Road EA Trafalgar Rd 7 Hwy Halton Hills ON L0P1E0

Order No: 20160225127

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elevation (m)</i>	<i>Site</i>	<i>DB</i>
GEORGETOWN ON L7G 4S4					
<i>Instance Number:</i>	10758931				
<i>Cont Name:</i>					
<i>Instance Type:</i>	FS Liquid Fuel Tank				
<i>Fuel Type:</i>	Gasoline				
<i>Status:</i>	Active				
<i>Capacity:</i>	25000				
<i>Tank Material:</i>	Steel				
<i>Corrosion Protection:</i>	Sacrificial anode				
<i>Tank Type:</i>	Single Wall UST				
<i>Install Year:</i>	1990				
<i>Parent Facility Type:</i>	FS Gasoline Station - Full Serve				
<i>Facility Type:</i>	FS Liquid Fuel Tank				
196	5 of 12	NW/21.0	261.4	1916769 ONTARIO INC 11409 TRAFALGAR RD GEORGETOWN ON L7G 4S4	FST
<i>Instance Number:</i>	10758965				
<i>Cont Name:</i>					
<i>Instance Type:</i>	FS Liquid Fuel Tank				
<i>Fuel Type:</i>	Diesel				
<i>Status:</i>	Active				
<i>Capacity:</i>	22730				
<i>Tank Material:</i>	Fiberglass (FRP)				
<i>Corrosion Protection:</i>	Fiberglass				
<i>Tank Type:</i>	Single Wall UST				
<i>Install Year:</i>	1991				
<i>Parent Facility Type:</i>	FS Gasoline Station - Full Serve				
<i>Facility Type:</i>	FS Liquid Fuel Tank				
196	6 of 12	NW/21.0	261.4	1916769 ONTARIO INC 11409 TRAFALGAR RD GEORGETOWN ON L7G 4S4	FST
<i>Instance Number:</i>	10758987				
<i>Cont Name:</i>					
<i>Instance Type:</i>	FS Liquid Fuel Tank				
<i>Fuel Type:</i>	Gasoline				
<i>Status:</i>	Active				
<i>Capacity:</i>	22730				
<i>Tank Material:</i>	Fiberglass (FRP)				
<i>Corrosion Protection:</i>	Fiberglass				
<i>Tank Type:</i>	Single Wall UST				
<i>Install Year:</i>	1991				
<i>Parent Facility Type:</i>	FS Gasoline Station - Full Serve				
<i>Facility Type:</i>	FS Liquid Fuel Tank				
196	7 of 12	NW/21.0	261.4	1916769 ONTARIO INC 11409 TRAFALGAR RD GEORGETOWN ON L7G 4S4	FST

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Instance Number:	10758949				
Cont Name:					
Instance Type:	FS Liquid Fuel Tank				
Fuel Type:	Gasoline				
Status:	Active				
Capacity:	25000				
Tank Material:	Steel				
Corrosion Protection:	Sacrificial anode				
Tank Type:	Single Wall UST				
Install Year:	1990				
Parent Facility Type:	FS Gasoline Station - Full Serve				
Facility Type:	FS Liquid Fuel Tank				
196	8 of 12	NW/21.0	261.4	ALVIN ROYCE O/A 1706674 ONTARIO INC 11409 TRAFALGAR RD LOT 18 CON 8 R R 5 GEORGETOWN ON L7G 4S4	FSTH
License Issue Date:	1/30/2007				
Tank Status:	Licensed				
Tank Status As Of:	August 2007				
Operation Type:	Retail Fuel Outlet				
Facility Type:	Gasoline Station - Full Serve				
 --- Details ---					
Status:	Active				
Capacity:	25000				
Year of Installation:	1990				
Corrosion Protection:					
Tank Fuel Type:	Liquid Fuel Single Wall UST - Gasoline				
+ Status:	Active				
Capacity:	25000				
Year of Installation:	1990				
Corrosion Protection:					
Tank Fuel Type:	Liquid Fuel Single Wall UST - Gasoline				
+ Status:	Active				
Capacity:	22730				
Year of Installation:	1991				
Corrosion Protection:					
Tank Fuel Type:	Liquid Fuel Single Wall UST - Diesel				
+ Status:	Active				
Capacity:	22730				
Year of Installation:	1993				
Corrosion Protection:					
Tank Fuel Type:	Liquid Fuel Single Wall UST - Gasoline				
 196	9 of 12	NW/21.0	261.4	ALVIN ROYCE O/A 1706674 ONTARIO INC 11409 TRAFALGAR RD GEORGETOWN ON L7G 4S4	FSTH
License Issue Date:	1/30/2007 10:25:00 AM				
Tank Status:	Pending Renewal				
Tank Status As Of:	December 2008				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Operation Type: Facility Type:		Retail Fuel Outlet Gasoline Station - Full Serve			
--- Details ---					
Status:		Active			
Capacity:		25000			
Year of Installation:		1990			
Corrosion Protection:					
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
+ Status:		Active			
Capacity:		25000			
Year of Installation:		1990			
Corrosion Protection:					
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
+ Status:		Active			
Capacity:		22730			
Year of Installation:		1991			
Corrosion Protection:					
Tank Fuel Type:		Liquid Fuel Single Wall UST - Diesel			
+ Status:		Active			
Capacity:		22730			
Year of Installation:		1993			
Corrosion Protection:					
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
<u>196</u>	10 of 12	NW/21.0	261.4	PIONEER PETROLEUMS ATTN LOLA LAURIE 11409 TRAFALGAR RD LOT 18 CON 8 R R 5 GEORGETOWN ON L7G4S8	PRT
Location ID:		5141			
Type:		retail			
Expiry Date:		1994-11-30			
Capacity (L):		95400			
Licence #:		0076341122			
<u>196</u>	11 of 12	NW/21.0	261.4	OLCO GAS BAR & CONVENIENCE 11409 TRAFALGAR GEORGETOWN ON	RST
Facility:		Service Stations-Gasoline, Oil & Natural Gas			
Description:					
<u>196</u>	12 of 12	NW/21.0	261.4	ECONO GAS BAR 11409 TRAFALGAR RD GEORGETOWN ON L7G 4S4	RST
Facility:		SERVICE STATIONS-GASOLINE, OIL & NATURAL GAS			
Description:					

196

erisinfo.com | EcoLog ERIS Ltd.

Trafalgar Road EA Trafalgar Rd 7 Hwy Halton Hills ON L0P1E0

Order No: 20160225127

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
197	1 of 1	NW/353.2	273.5		WWIS
				ON	
Well ID:	7102149			Lot:	
Concession:				Concession Name:	
County:	HALTON			Municipality:	HALTON HILLS TOWN (GEORGETOWN)
Easting Nad83:	585864			Northing Nad83:	4831798
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Not Used			Construction Date:	15-JAN-08
Sec. Water Use:				Well Depth:	6.1 m
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Observation Wells
Construction Method:	Boring			Flowing (y/n):	
Elevation (m):	276.5			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:				Overburden/Bedrock	
				k:	
				Casing Material:	Not stated
--- Details ---					
Thickness:	1.62 m			Original Depth:	1.62 m
Material Colour:	BROWN			Material:	TOPSOIL, SAND, SOFT
+ Thickness:	m			Original Depth:	6.1 m
Material Colour:	GREY			Material:	CLAY, SILT, DENSE
+ Thickness:	m			Original Depth:	m
Material Colour:				Material:	SAND, DRY
+ Thickness:	m			Original Depth:	m
Material Colour:				Material:	
198	1 of 1	SE/14.5	209.8	lot 4 con 8 ON	WWIS
Well ID:	2801201			Lot:	004
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	592266.5			Northing Nad83:	4825891
Zone:	17			Utm Reliability:	unknown UTM
Primary Water Use:	Domestic			Construction Date:	05-SEP-58
Sec. Water Use:				Well Depth:	80 ft
Pump Rate:	4 GPM			Static Water Level:	35 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	214.47			Elevation	
Depth to Bedrock:	33			Reliability:	
				Overburden/Bedrock	Bedrock

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Water Type:	FRESH			K: Casing Material:	FRESH, MINERIAL
--- Details ---					
Thickness:	33 ft			Original Depth:	33 ft
Material Colour:				Material:	CLAY
+ Thickness:	47 ft			Original Depth:	80 ft
Material Colour:	RED			Material:	SHALE
199	1 of 1	NW/121.7	260.0	Hyde Pk Blvd Dump (official)	ANDR
				Georgetown ON L7G	
Legal Description:	Esquesing Con 8 Lot 18				
Location Description:	Georgetown, NW of Trafalgar Rd [Regional Rd 3], & Maple Ave [Regional Rd 11], E of CNR, adj. Black Ck [Credit R] trib.; 100 m to community centre in park				
Municipality:	Georgetown Town				
Current Municipality:	Halton Hills Town				
RM:	Halton Region				
Facility:	Dump				
Date Active:	1950s				
Date Begun:					
Date Complete:	1953				
Area (Ha):					
Landfill Type:					
Group Name:	Black Creek [Credit River]				
Operated By:					
Serial:	MOEE 7061				
NTS:	30M12				
Diameter (m):					
Waste Type:					
UTM X Nad 27:	586100				
UTM Y Nad 27:	4832000				
UTM Zone:	17				
200	1 of 1	NW/107.1	260.5	18 8 HALTON HILLS ON	WDSH
Site No.:	X7061				
Region:	CENTRAL				
County:	HALTON				
Concession:	8				
Lot:	18				
Easting:	586100				
Northing:	4832000				
Zone:	17				
Date Closed:	1953				
Status:	CLOSED				
Classification:	A5 - POTENTIAL HUMAN IMPACT-URBAN MUNICIPAL/DOMESTIC WASTE - CLOSED 10-20 YRS				
%CommercialWste:	n/a				
%DomesticWste Rec:	n/a				
%LiquidWste Rec:	n/a				
%HazardousWste Rec:	n/a				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
%Non-haz.Wste Rec:	n/a				
%Sewage/Sludge Rec:	n/a				
%Other Wste Rec:	n/a				
<u>201</u>	<u>1 of 1</u>	NW/183.0	259.2	3 Halton Hills Drive Halton Hills ON	EHS
Order No.:	20120822033				
Report Date:	31-AUG-12				
Report Type:	Custom Report				
Search Radius (km):	.25				
Addit. Info Ordered:	Fire Insur. Maps and/or Site Plans; Title Searches; Topographic Maps; Aerial Photos				
<u>202</u>	<u>1 of 1</u>	NW/372.6	273.5	The Corporation of the Town of Halton Hills 11494 Trafalgar Rd Lot 18, Concession 7, Former Township of Esquesing Halton Hills ON L7G 4S4	ECA
CofA Number:	8939-8U3R45				
Date:	7/24/2012				
Status:	Approved				
Project Type:	Municipal and Private Sewage				
<u>203</u>	<u>1 of 2</u>	NW/14.9	263.8	lot 18 con 7 ON	WWIS
Well ID:	2809574			Lot:	018
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	585919			Northing Nad83:	4832222
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:				Construction Date:	12-FEB-02
Sec. Water Use:				Well Depth:	155 ft
Pump Rate:	5 GPM			Static Water Level:	25 ft
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Observation Wells
Construction Method:	Rotary (Convent.)			Flowing (y/n):	N
Elevation (m):	269.01			Elevation Reliability:	
Depth to Bedrock:	41			Overburden/Bedrock k:	Bedrock
Water Type:	Not stated			Casing Material:	FRESH, MINERIAL
--- Details ---					
Thickness:	9 ft			Original Depth:	9 ft
Material Colour:	BROWN			Material:	CLAY, SILTY
+ Thickness:	11 ft			Original Depth:	20 ft
Material Colour:	BROWN			Material:	CLAY, STONES
+ 					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Thickness:</i>	15 ft			<i>Original Depth:</i>	35 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	SAND, CLAY
+					
<i>Thickness:</i>	6 ft			<i>Original Depth:</i>	41 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	CLAY, SAND
+					
<i>Thickness:</i>	114 ft			<i>Original Depth:</i>	155 ft
<i>Material Colour:</i>	RED			<i>Material:</i>	SHALE
<hr/>					
<u>203</u>	2 of 2	NW/14.9	263.8	lot 18 con 7 ON	WWIS
<i>Well ID:</i>	2809575			<i>Lot:</i>	018
<i>Concession:</i>	07			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	585919			<i>Northing Nad83:</i>	4832222
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 10 - 30 m
<i>Primary Water Use:</i>				<i>Construction Date:</i>	15-FEB-02
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	155 ft
<i>Pump Rate:</i>	2 GPM			<i>Static Water Level:</i>	22 ft
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	CLEAR
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Observation Wells
<i>Construction Method:</i>	Rotary (Convent.)			<i>Flowing (y/n):</i>	N
<i>Elevation (m):</i>	269.01			<i>Elevation Reliability:</i>	
<i>Depth to Bedrock:</i>	39			<i>Overburden/Bedrock k:</i>	Bedrock
<i>Water Type:</i>	Not stated			<i>Casing Material:</i>	FRESH, MINERIAL
--- Details ---					
<i>Thickness:</i>	3 ft			<i>Original Depth:</i>	3 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	CLAY, SILTY
+					
<i>Thickness:</i>	24 ft			<i>Original Depth:</i>	27 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	CLAY, STONES
+					
<i>Thickness:</i>	12 ft			<i>Original Depth:</i>	39 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	CLAY, SAND
+					
<i>Thickness:</i>	116 ft			<i>Original Depth:</i>	155 ft
<i>Material Colour:</i>	RED			<i>Material:</i>	SHALE
<hr/>					
<u>204</u>	1 of 1	NW/49.6	264.8	lot 18 con 7 GEORGETOWN ON	WWIS
<i>Well ID:</i>	7139565			<i>Lot:</i>	018
<i>Concession:</i>	07			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	585889			<i>Northing Nad83:</i>	4832203

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:				Construction Date:	24-JUN-09
Sec. Water Use:				Well Depth:	ft
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Abandoned-Other
Construction Method:				Flowing (y/n):	
Elevation (m):	269.52			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:				Overburden/Bedrock	
k:				Casing Material:	
--- Details --					
Thickness:	ft			Original Depth:	ft
Material Colour:				Material:	
205	1 of 1	NW/64.6	265.8	lot 18 con 7 GEORGETOWN ON	WWIS
Well ID:	7114649			Lot:	018
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	585849			Northing Nad83:	4832222
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Public			Construction Date:	03-NOV-08
Sec. Water Use:				Well Depth:	21.4 ft
Pump Rate:	9 GPM			Static Water Level:	1.1 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	270.6			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:	FRESH			Overburden/Bedrock	
k:				Casing Material:	FRESH, MINERIAL
--- Details --					
Thickness:	.61 ft			Original Depth:	.61 ft
Material Colour:	BLACK			Material:	TOPSOIL
+					
Thickness:	10.09 ft			Original Depth:	10.7 ft
Material Colour:	BROWN			Material:	SAND, GRAVEL, CLAY
+					
Thickness:	.8 ft			Original Depth:	11.5 ft
Material Colour:	RED			Material:	CLAY
+					
Thickness:	9.9 ft			Original Depth:	21.4 ft
Material Colour:	RED			Material:	SHALE

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
206	1 of 1	NW/38.9	263.1	lot 18 con 8 ON	WWIS
Well ID:	2805745			Lot:	018
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	585914.4			Northing Nad83:	4832303
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	14-JUL-80
Sec. Water Use:				Well Depth:	59 ft
Pump Rate:	7 GPM			Static Water Level:	
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	267.89			Elevation Reliability:	
Depth to Bedrock:	29			Overburden/Bedrock k:	Bedrock
Water Type:	FRESH			Casing Material:	FRESH, MINERIAL
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:	BLACK			Material:	TOPSOIL
+ Thickness:	28 ft			Original Depth:	29 ft
Material Colour:	BROWN			Material:	CLAY, STONES
+ Thickness:	30 ft			Original Depth:	59 ft
Material Colour:	RED			Material:	SHALE
207	1 of 1	NW/203.3	259.8	Bennett Health Care Centre No municipal address, HALTON HILLS ON	RSC
Date Submitted:	8-Aug-06				
Date Acknowledg.:					
Date Returned:					
Certification Date:	15-Jun-06				
Soil Type:					
Restoration Type:					
Registration #:	3273				
Stratified (Y/N):					
Criteria:					
Consultant:					
District Office:	HALTON HILLS				
Intended Prop Use:	Residential				
Current Property Use:	Agriculture/Other				
Certificate Prop Use #:	No CPU				
Applicable Standards:	Background Site Conditions Standard, with Potable Ground Water, Medium/Fine Textured Soil, for Residential/Parkland/Institutional property use				
Legal Description:	Parts of Lots 18 and 19, Concession 8 (Township of Esquesing), more particularly described as Parts 1 and 3 on Plan 20R - 6501 and Parts 1, 2, 3, 4, 5, 6, and 7 on Plan 20R - 6546, Town of Halton Hills, Regional Municipality of Halton.				
Prop. Identification #:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Entire legal prop. (y/n):	Yes				
UTM Coordinates:	NAD83 17-586000-4832450				
Latitude & Longitude:	43.64007230N 79.93376210W (converted from UTM)				
Accuracy Estimate:	6 to 10 meters				
Measurement Method:	Interpolation from a map				
CPU Issued Sect 1686:	No				
208	1 of 1	SE/425.7	205.4	lot 2 con 8 ON	WWIS
Well ID:	2801196			Lot:	002
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	592717.5			Northing Nad83:	4826021
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Domestic			Construction Date:	30-JUN-67
Sec. Water Use:				Well Depth:	71 ft
Pump Rate:	10 GPM			Static Water Level:	2 ft
Flow Rate:				Clear/Cloudy:	CLOUDY
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	205.13			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedroc k:	Overburden
Water Type:	FRESH			Casing Material:	FRESH
--- Details ---					
Thickness:	15 ft			Original Depth:	15 ft
Material Colour:	YELLOW			Material:	CLAY
+ Thickness:	51 ft			Original Depth:	66 ft
Material Colour:	GREY			Material:	CLAY
+ Thickness:	3 ft			Original Depth:	69 ft
Material Colour:				Material:	GRAVEL
+ Thickness:	2 ft			Original Depth:	71 ft
Material Colour:	RED			Material:	CLAY, GRAVEL
209	1 of 1	SE/219.7	205.1	lot 3 con 7 ON	WWIS
Well ID:	2801095			Lot:	003
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	592313.5			Northing Nad83:	4825512
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Domestic			Construction Date:	14-NOV-60
Sec. Water Use:				Well Depth:	42 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Pump Rate:				Static Water Level:	26 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	208.86			Elevation	
Depth to Bedrock:	41			Reliability:	
Water Type:	FRESH			Overburden/Bedrock k:	Bedrock
--- Details ---					
Thickness:	15 ft			Original Depth:	15 ft
Material Colour:	BROWN			Material:	CLAY, MEDIUM SAND, BOULDERS
+ Thickness:	26 ft			Original Depth:	41 ft
Material Colour:	BLUE			Material:	CLAY, MEDIUM SAND, BOULDERS
+ Thickness:	1 ft			Original Depth:	42 ft
Material Colour:				Material:	SHALE
210	1 of 1	SE/315.2	202.6	lot 3 con 8 ON	WWIS
Well ID:	2801198			Lot:	003
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	592723.5			Northing Nad83:	4825865
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Livestock			Construction Date:	26-OCT-59
Sec. Water Use:	Domestic			Well Depth:	44 ft
Pump Rate:	1 GPM			Static Water Level:	10 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	204.75			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:	FRESH			Overburden/Bedrock k:	Overburden
--- Details ---					
Thickness:	15 ft			Original Depth:	15 ft
Material Colour:	BROWN			Material:	CLAY
+ Thickness:	29 ft			Original Depth:	44 ft
Material Colour:	BLUE			Material:	CLAY
211	1 of 1	NW/163.2	270.7	HALTON HILLS ON	WWIS
Well ID:	2810136			Lot:	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Concession: County:	HALTON			Concession Name: Municipality:	
Easting Nad83: 585650 Zone: 17 Primary Water Use: Not Used Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m): 273.45				Northing Nad83: 4832282 Utm Reliability: unknown UTM Construction Date: 16-DEC-04 Well Depth: 5 m Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n):	HALTON HILLS TOWN (ESQUESING)
Depth to Bedrock:				Elevation Reliability: Overburden/Bedrock:	Observation Wells
Water Type: FRESH				k: Casing Material:	FRESH
--- Details ---					
Thickness: 1 m Material Colour: BROWN				Original Depth: 1 m Material:	SAND, GRAVEL, FILL
+ Thickness: 4 m Material Colour: BROWN				Original Depth: 5 m Material:	SAND, SILT, GRAVEL
212	1 of 1	SE/25.2	203.6	lot 9 con 4 MORNBY ON	WWIS
Well ID: 7137571 Concession: 04 County: HALTON Easting Nad83: 7955221 Zone: 17 Primary Water Use: Sec. Water Use: Livestock Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m):				Lot: 009 Concession Name: Municipality: Northing Nad83: 4334375 Utm Reliability: margin of error : 10 - 30 m Construction Date: 05-NOV-09 Well Depth: m Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n):	HALTON HILLS TOWN (ACTON)
Depth to Bedrock:				Elevation Reliability: Overburden/Bedrock:	
Water Type:				k: Casing Material:	FRESH
--- Details ---					
Thickness: m Material Colour:				Original Depth: m Material:	
213	1 of 1	NW/375.2	258.8	200 Halton Hills Drive (Georgetown) Halton Hills ON	SPL
Ref NO: 8753-9MBRUU Contaminant Code: 15					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Contaminant Name:	OIL (PETROLEUM BASED, NOT SPECIFIED)				
Contaminant Quantity:	15 L				
Incident Cause:	Operator/Human error				
Incident Dt:	2014/07/24				
Incident Reason:	Material Failure - Poor Design/Substandard Material				
Incident Summary:	Oil gas spill 15 L to CB, cleaned				
MOE Reported Dt:	2014/07/24				
Environmental Impact:	Not Anticipated				
Nature of Impact:	Other Impact(s)				
Receiving Medium:					
SAC Action Class:	Land Spills				
Sector Source Type:	Sewer (Private or Municipal)				
Site Municipality:	Halton Hills				

214	1 of 1	SE/425.5	202.3	lot 3 con 8 ON	WWIS
Well ID:	2805829			Lot:	003
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	592854.5			Northing Nad83:	4825943
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Livestock			Construction Date:	16-DEC-81
Sec. Water Use:	Domestic			Well Depth:	120 ft
Pump Rate:	2 GPM			Static Water Level:	9 ft
Flow Rate:				Clear/Cloudy:	CLOUDY
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Rotary (Air)			Flowing (y/n):	N
Elevation (m):	206.01			Elevation	
Depth to Bedrock:	82			Reliability:	
Water Type:	FRESH, SALTY			Overburden/Bedrock k:	Bedrock
--- Details ---				Casing Material:	FRESH
Thickness:	82 ft			Original Depth:	82 ft
Material Colour:	BROWN			Material:	CLAY, STONES, PACKED
+ 					
Thickness:	38 ft			Original Depth:	120 ft
Material Colour:	RED			Material:	SHALE, LIMESTONE, SOFT

215	1 of 1	NW/54.9	264.2	lot 18 con 8 ON	WWIS
Well ID:	2801251			Lot:	018
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	585781.4			Northing Nad83:	4832459
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Domestic			Construction Date:	07-AUG-65
Sec. Water Use:				Well Depth:	20 ft
Pump Rate:	10 GPM			Static Water Level:	5 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	CLEAR
<i>Construction Method:</i>	Boring			<i>Flowing (y/n):</i>	Water Supply
<i>Elevation (m):</i>	271.53				N
<i>Depth to Bedrock:</i>				<i>Elevation Reliability:</i>	
<i>Water Type:</i>	FRESH			<i>Overburden/Bedrock:</i>	Overburden
<i>Casing Material:</i>				<i>k:</i>	
--- Details ---				<i>Casing Material:</i>	SULPHUR
<i>Thickness:</i>	8 ft			<i>Original Depth:</i>	8 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	TOPSOIL, CLAY
+ <i>Thickness:</i>	10 ft			<i>Original Depth:</i>	18 ft
<i>Material Colour:</i>	RED			<i>Material:</i>	CLAY
+ <i>Thickness:</i>	2 ft			<i>Original Depth:</i>	20 ft
<i>Material Colour:</i>				<i>Material:</i>	COARSE SAND
216	1 of 9	NW/76.9	268.6	J.S. JONES AND SON FUNERAL HOME LTD. 11582 TRAFALGAR ROAD GEORGETOWN ON L7G 4S4	GEN
<i>Generator #:</i>	ONF040400				
<i>Approval Yrs:</i>	92,93,97,98,99,00,01,03,05,06,07,08				
<i>SIC Code:</i>	9731				
<i>SIC Description:</i>	FUNERAL HOMES				
--- Details ---					
<i>Waste Code:</i>	312				
<i>Waste Description:</i>	PATHOLOGICAL WASTES				
216	2 of 9	NW/76.9	268.6	J.S. JONES AND SON FUNERAL HOME LTD. 44-404 11582 TRAFALGAR ROAD, PO BOX 255 GEORGETOWN ON L7G 4S4	GEN
<i>Generator #:</i>	ONF040400				
<i>Approval Yrs:</i>	94,95,96				
<i>SIC Code:</i>	9731				
<i>SIC Description:</i>	FUNERAL HOMES				
--- Details ---					
<i>Waste Code:</i>	312				
<i>Waste Description:</i>	PATHOLOGICAL WASTES				
216	3 of 9	NW/76.9	268.6	J.S. JONES AND SON FUNERAL HOME LTD. 11582 TRAFALGAR ROAD GEORGETOWN ON L7G 4S4	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Generator #: Approval Yrs: SIC Code: SIC Description:		ONF040400 02,04,05,07,08			
--- Details ---					
Waste Code: Waste Description:		312 PATHOLOGICAL WASTES			
<u>216</u>	4 of 9	NW/76.9	268.6	J.S. JONES AND SON FUNERAL HOME LTD. 11582 TRAFALGAR ROAD GEORGETOWN ON L7G 4S4	GEN
Generator #: Approval Yrs: SIC Code: SIC Description:		ONF040400 As of May 2015			
--- Details ---					
Waste Code: Waste Description:		312 Pathological wastes			
<u>216</u>	5 of 9	NW/76.9	268.6	J.S. JONES AND SON FUNERAL HOME LTD. 11582 TRAFALGAR ROAD GEORGETOWN ON L7G 4S4	GEN
Generator #: Approval Yrs: SIC Code: SIC Description:		ONF040400 2009 812210 Funeral Homes			
--- Details ---					
Waste Code: Waste Description:		312 PATHOLOGICAL WASTES			
<u>216</u>	6 of 9	NW/76.9	268.6	J.S. JONES AND SON FUNERAL HOME LTD. 11582 TRAFALGAR ROAD GEORGETOWN ON L7G 4S4	GEN
Generator #: Approval Yrs: SIC Code: SIC Description:		ONF040400 2010 812210 Funeral Homes			
--- Details ---					
Waste Code: Waste Description:		312 PATHOLOGICAL WASTES			
<u>216</u>	7 of 9	NW/76.9	268.6	J.S. JONES AND SON FUNERAL HOME LTD. 11582 TRAFALGAR ROAD GEORGETOWN ON L7G 4S4	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Generator #: Approval Yrs: SIC Code: SIC Description:		ONF040400 2011 812210 Funeral Homes			
--- Details ---					
Waste Code: Waste Description:		312 PATHOLOGICAL WASTES			
<u>216</u>	8 of 9	NW/76.9	268.6	J.S. JONES AND SON FUNERAL HOME LTD. 11582 TRAFALGAR ROAD GEORGETOWN ON L7G 4S4	GEN
Generator #: Approval Yrs: SIC Code: SIC Description:		ONF040400 2012 812210 Funeral Homes			
--- Details ---					
Waste Code: Waste Description:		312 PATHOLOGICAL WASTES			
<u>216</u>	9 of 9	NW/76.9	268.6	J.S. JONES AND SON FUNERAL HOME LTD. 11582 TRAFALGAR ROAD GEORGETOWN ON	GEN
Generator #: Approval Yrs: SIC Code: SIC Description:		ONF040400 2013 812210			
--- Details ---					
Waste Code: Waste Description:		312 PATHOLOGICAL WASTES			
<u>217</u>	1 of 1	NW/18.7	266.5	J.S. JONES AND SON FUNERAL HOME LTD. LOT 18 PT. CONCESSION 7 HALTON HILLS ON L7G 4Y5	GEN
Generator #: Approval Yrs: SIC Code: SIC Description:		ONF040400 88,89,90 9731 FUNERAL HOMES			
--- Details ---					
Waste Code: Waste Description:		312 PATHOLOGICAL WASTES			
<u>218</u>	1 of 1	NW/104.1	263.2	CARRETAL GRAPHICS 11603 TRAFALGAR RD GEORGETOWN ON L7G 4S4	SCT
Established: Plant Size (ft²):		1993 0			

209

erisinfo.com| EcoLog ERIS Ltd.

Trafalgar Road EA Trafalgar Rd 7 Hwy Halton Hills ON L0P1E0

Order No: 20160225127

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Employment:	2				
--- Details ---					
SIC/NAICS Code:	2759				
Description:	COMMERCIAL PRINTING, N.E.C.				
219	1 of 1	NW/172.3	273.3	GEORGETOWN ON	WWIS
Well ID:	2810508			Lot:	
Concession:				Concession Name:	
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	585580.5			Northing Nad83:	4832339
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:				Construction Date:	10-FEB-06
Sec. Water Use:				Well Depth:	4 m
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Observation Wells
Construction Method:	Other Method			Flowing (y/n):	
Elevation (m):	275.45			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:				Overburden/Bedrock	Overburden
---	---			k:	
Thickness:	1 m			Casing Material:	Not stated
Material Colour:	BROWN			Original Depth:	1 m
+ Thickness:	3 m			Material:	GRAVEL, SAND
Material Colour:	BROWN			Original Depth:	4 m
				Material:	SILT, FINE SAND
220	1 of 15	NW/233.5	273.8	HALTON HILLS, TOWN OF 11620 TRAFALGAR ROAD HALTON HILLS ON L7G 5G2	GEN
Generator #:	ON0797600				
Approval Yrs:	92,93,97,98,99,00,01,02,03,04,05,06,07,08				
SIC Code:	8371				
SIC Description:	TRANSPORTATION ADMIN				
---	---				
Waste Code:	221				
Waste Description:	LIGHT FUELS				
+ Waste Code:	221				
Waste Description:	LIGHT FUELS				
+ Waste Code:	145				
Waste Description:	PAINT/PIGMENT/COATING RESIDUES				
+ Waste Code:	112				
Waste Description:	ACID WASTE - HEAVY METALS				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
+ Waste Code: 213	Waste Description: PETROLEUM DISTILLATES				
+ Waste Code: 243	Waste Description: PCB'S				
+ Waste Code: 251	Waste Description: OIL SKIMMINGS & SLUDGES				
+ Waste Code: 252	Waste Description: WASTE OILS & LUBRICANTS				
<u>220</u>	2 of 15	NW/233.5	273.8	HALTON HILLS, TOWN OF 11620 TRAFALGAR ROAD HALTON HILLS C/O 1 HALTON HILLS DRIVE, PO BOX 128 GEORGETOWN ON L7G 5G2	19-230 GEN
Generator #: ON0797600	Approval Yrs: 94,95,96				
SIC Code: 8371	SIC Description: TRANSPORTATION ADMIN				
--- Details ---					
+ Waste Code: 112	Waste Description: ACID WASTE - HEAVY METALS				
+ Waste Code: 213	Waste Description: PETROLEUM DISTILLATES				
+ Waste Code: 243	Waste Description: PCB'S				
+ Waste Code: 251	Waste Description: OIL SKIMMINGS & SLUDGES				
+ Waste Code: 252	Waste Description: WASTE OILS & LUBRICANTS				
<u>220</u>	3 of 15	NW/233.5	273.8	THE REGIOAL MUNICIPALITY OF HALTON 11620 TRAFALGAR ROAD HALTON HILLS PUBLIC WORKS YARD GEORGETOWN ON L7G 4S4	GEN
Generator #: ON5472876	Approval Yrs: 03,04,06				
SIC Code:	SIC Description:				
--- Details ---					
+ Waste Code: 145	Waste Description: PAINT/PIGMENT/COATING RESIDUES				
+ Waste Code: 148	Waste Description: INORGANIC LABORATORY CHEMICALS				
+ Waste Code: 213					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Waste Description:	PETROLEUM DISTILLATES				
+ Waste Code:	221				
Waste Description:	LIGHT FUELS				
+ Waste Code:	242				
Waste Description:	HALOGENATED PESTICIDES				
+ Waste Code:	252				
Waste Description:	WASTE OILS & LUBRICANTS				
+ Waste Code:	261				
Waste Description:	PHARMACEUTICALS				
+ Waste Code:	263				
Waste Description:	ORGANIC LABORATORY CHEMICALS				
+ Waste Code:	312				
Waste Description:	PATHOLOGICAL WASTES				
+ Waste Code:	331				
Waste Description:	WASTE COMPRESSED GASES				
<u>220</u>	4 of 15	NW/233.5	273.8	HALTON HILLS, TOWN OF ENGINEERING/PUBLIC WORKS 11620 TRAFALGAR ROAD HALTON HILLS ON L7G 4S4	GEN
Generator #:	ON0797600				
Approval Yrs:	As of May 2015				
SIC Code:					
SIC Description:					
--- Details ---					
Waste Code:	145				
Waste Description:	Wastes from the use of pigments, coatings and paints				
+ Waste Code:	252				
Waste Description:	Waste crankcase oils and lubricants				
+ Waste Code:	331				
Waste Description:	Waste compressed gases including cylinders				
<u>220</u>	5 of 15	NW/233.5	273.8	Regional Municipality of Halton 11620 Trafalgar Rd. Georgetown ON L7G 4S4	GEN
Generator #:	ON8341908				
Approval Yrs:	As of May 2015				
SIC Code:					
SIC Description:					
--- Details ---					
Waste Code:	145				
Waste Description:	Wastes from the use of pigments, coatings and paints				
+ Waste Code:	331				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Waste Description: +				Waste compressed gases including cylinders	
Waste Code: +				112	
Waste Description: +				Acid solutions - containing heavy metals	
Waste Code: +				261	
Waste Description: +				Pharmaceuticals	
Waste Code: +				242	
Waste Description: +				Halogenated pesticides and herbicides	
Waste Code: +				252	
Waste Description: +				Waste crankcase oils and lubricants	
Waste Code: +				147	
Waste Description: +				Chemical fertilizer wastes	
Waste Code: +				263	
Waste Description: +				Misc. waste organic chemicals	
Waste Code: +				212	
Waste Description: +				Aliphatic solvents and residues	
Waste Code: +				148	
Waste Description: +				Misc. wastes and inorganic chemicals	
Waste Code: +				312	
Waste Description:				Pathological wastes	
<u>220</u>	6 of 15	NW/233.5	273.8	HALTON HILLS, TOWN OF 11620 TRAFALGAR ROAD HALTON HILLS ON L7G 4S4	GEN
Generator #:				ON0797600	
Approval Yrs:				2009	
SIC Code:				811111	
SIC Description:				General Automotive Repair	
--- Details ---					
Waste Code: +				145	
Waste Description: +				PAINT/PIGMENT/COATING RESIDUES	
Waste Code: +				221	
Waste Description: +				LIGHT FUELS	
Waste Code: +				252	
Waste Description:				WASTE OILS & LUBRICANTS	
<u>220</u>	7 of 15	NW/233.5	273.8	Regional Municipality of Halton 11620 Trafalgar Rd. Georgetown ON L7G 4S4	GEN
Generator #:				ON8341908	
Approval Yrs:				2009	
SIC Code:				562110	
SIC Description:				Waste Collection	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
--- Details ---					
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
+					
Waste Code:		148			
Waste Description:		INORGANIC LABORATORY CHEMICALS			
+					
Waste Code:		212			
Waste Description:		ALIPHATIC SOLVENTS			
+					
Waste Code:		242			
Waste Description:		HALOGENATED PESTICIDES			
+					
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
+					
Waste Code:		261			
Waste Description:		PHARMACEUTICALS			
+					
Waste Code:		263			
Waste Description:		ORGANIC LABORATORY CHEMICALS			
+					
Waste Code:		312			
Waste Description:		PATHOLOGICAL WASTES			
+					
Waste Code:		331			
Waste Description:		WASTE COMPRESSED GASES			
220	8 of 15	NW/233.5	273.8	HALTON HILLS, TOWN OF 11620 TRAFALGAR ROAD HALTON HILLS ON L7G 4S4	GEN
Generator #:		ON0797600			
Approval Yrs:		2010			
SIC Code:		811111			
SIC Description:		General Automotive Repair			
--- Details ---					
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
+					
Waste Code:		221			
Waste Description:		LIGHT FUELS			
+					
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
220	9 of 15	NW/233.5	273.8	Regional Municipality of Halton 11620 Trafalgar Rd. Georgetown ON L7G 4S4	GEN
Generator #:		ON8341908			
Approval Yrs:		2010			
SIC Code:		562110			
SIC Description:		Waste Collection			
--- Details ---					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Waste Code:	148				
Waste Description:	INORGANIC LABORATORY CHEMICALS				
+					
Waste Code:	145				
Waste Description:	PAINT/PIGMENT/COATING RESIDUES				
+					
Waste Code:	112				
Waste Description:	ACID WASTE - HEAVY METALS				
+					
Waste Code:	242				
Waste Description:	HALOGENATED PESTICIDES				
+					
Waste Code:	312				
Waste Description:	PATHOLOGICAL WASTES				
+					
Waste Code:	331				
Waste Description:	WASTE COMPRESSED GASES				
+					
Waste Code:	261				
Waste Description:	PHARMACEUTICALS				
+					
Waste Code:	263				
Waste Description:	ORGANIC LABORATORY CHEMICALS				
+					
Waste Code:	252				
Waste Description:	WASTE OILS & LUBRICANTS				
+					
Waste Code:	212				
Waste Description:	ALIPHATIC SOLVENTS				
+					
Waste Code:	147				
Waste Description:	CHEMICAL FERTILIZER WASTES				

[220](#) **10 of 15** **NW/233.5** **273.8** **Regional Municipality of Halton
11620 Trafalgar Rd.
Georgetown ON L7G 4S4** [GEN](#)

Generator #: ON8341908
Approval Yrs: 2011
SIC Code: 562110
SIC Description: Waste Collection

--- Details ---

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS
 +
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES
 +
Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS
 +
Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES
 +
Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
+ Waste Code: Waste Description:	112 ACID WASTE - HEAVY METALS				
+ Waste Code: Waste Description:	263 ORGANIC LABORATORY CHEMICALS				
+ Waste Code: Waste Description:	331 WASTE COMPRESSED GASES				
+ Waste Code: Waste Description:	147 CHEMICAL FERTILIZER WASTES				
+ Waste Code: Waste Description:	261 PHARMACEUTICALS				
+ Waste Code: Waste Description:	242 HALOGENATED PESTICIDES				
<u>220</u>	11 of 15	NW/233.5	273.8	HALTON HILLS, TOWN OF 11620 TRAFALGAR ROAD HALTON HILLS ON L7G 4S4	GEN
Generator #: Approval Yrs: SIC Code: SIC Description:	ON0797600 2011 811111 General Automotive Repair				
--- Details ---					
+ Waste Code: Waste Description:	145 PAINT/PIGMENT/COATING RESIDUES				
+ Waste Code: Waste Description:	221 LIGHT FUELS				
+ Waste Code: Waste Description:	252 WASTE OILS & LUBRICANTS				
<u>220</u>	12 of 15	NW/233.5	273.8	Regional Municipality of Halton 11620 Trafalgar Rd. Georgetown ON L7G 4S4	GEN
Generator #: Approval Yrs: SIC Code: SIC Description:	ON8341908 2012 562110 Waste Collection				
--- Details ---					
+ Waste Code: Waste Description:	242 HALOGENATED PESTICIDES				
+ Waste Code: Waste Description:	148 INORGANIC LABORATORY CHEMICALS				
+ Waste Code: Waste Description:	252 WASTE OILS & LUBRICANTS				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Waste Code: Waste Description:	112 ACID WASTE - HEAVY METALS				
+ Waste Code: Waste Description:	145 PAINT/PIGMENT/COATING RESIDUES				
+ Waste Code: Waste Description:	212 ALIPHATIC SOLVENTS				
+ Waste Code: Waste Description:	261 PHARMACEUTICALS				
+ Waste Code: Waste Description:	312 PATHOLOGICAL WASTES				
+ Waste Code: Waste Description:	147 CHEMICAL FERTILIZER WASTES				
+ Waste Code: Waste Description:	331 WASTE COMPRESSED GASES				
+ Waste Code: Waste Description:	263 ORGANIC LABORATORY CHEMICALS				
220	13 of 15	NW/233.5	273.8	HALTON HILLS, TOWN OF 11620 TRAFALGAR ROAD HALTON HILLS ON L7G 5G2	GEN
Generator #: Approval Yrs: SIC Code: SIC Description:	ON0797600 2012 811111 General Automotive Repair				
--- Details ---					
Waste Code: Waste Description:	221 LIGHT FUELS				
+ Waste Code: Waste Description:	145 PAINT/PIGMENT/COATING RESIDUES				
+ Waste Code: Waste Description:	252 WASTE OILS & LUBRICANTS				
220	14 of 15	NW/233.5	273.8	HALTON HILLS, TOWN OF 11620 TRAFALGAR ROAD HALTON HILLS ON	GEN
Generator #: Approval Yrs: SIC Code: SIC Description:	ON0797600 2013 811111 GENERAL AUTOMOTIVE REPAIR				
--- Details ---					
Waste Code: Waste Description:	252 WASTE OILS & LUBRICANTS				
+ Waste Code:	221				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Waste Description:	LIGHT FUELS				
+ Waste Code:	331				
Waste Description:	WASTE COMPRESSED GASES				
+ Waste Code:	145				
Waste Description:	PAINT/PIGMENT/COATING RESIDUES				
 220	15 of 15	NW/233.5	273.8	Regional Municipality of Halton 11620 Trafalgar Rd. Georgetown ON	GEN
Generator #:	ON8341908				
Approval Yrs:	2013				
SIC Code:	562110, 562990				
SIC Description:	WASTE COLLECTION, ALL OTHER WASTE MANAGEMENT SERVICES				
--- Details ---					
Waste Code:	148				
Waste Description:	INORGANIC LABORATORY CHEMICALS				
+ Waste Code:	145				
Waste Description:	PAINT/PIGMENT/COATING RESIDUES				
+ Waste Code:	147				
Waste Description:	CHEMICAL FERTILIZER WASTES				
+ Waste Code:	261				
Waste Description:	PHARMACEUTICALS				
+ Waste Code:	263				
Waste Description:	ORGANIC LABORATORY CHEMICALS				
+ Waste Code:	252				
Waste Description:	WASTE OILS & LUBRICANTS				
+ Waste Code:	212				
Waste Description:	ALIPHATIC SOLVENTS				
+ Waste Code:	312				
Waste Description:	PATHOLOGICAL WASTES				
+ Waste Code:	242				
Waste Description:	HALOGENATED PESTICIDES				
+ Waste Code:	331				
Waste Description:	WASTE COMPRESSED GASES				
+ Waste Code:	112				
Waste Description:	ACID WASTE - HEAVY METALS				
 221	1 of 9	NW/69.4	271.0	TOWN OF HALTON HILLS 11618 TRAFALGAR RD GEORGETOWN ON L7G 4S4	FST
Instance Number:	10759664				
Cont Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Instance Type:</i> <i>Fuel Type:</i> <i>Status:</i> <i>Capacity:</i> <i>Tank Material:</i> <i>Corrosion Protection:</i> <i>Tank Type:</i> <i>Install Year:</i> <i>Parent Facility Type:</i> <i>Facility Type:</i>	FS Liquid Fuel Tank Diesel Active 9000 Steel Sacrificial anode Single Wall UST 1977 Fuels Safety Private Fuel Outlet - Self Serve FS Liquid Fuel Tank				
<u>221</u>	2 of 9	NW/69.4	271.0	TOWN OF HALTON HILLS 11618 TRAFALGAR RD GEORGETOWN ON L7G 4S4	FST
<i>Instance Number:</i> <i>Cont Name:</i> <i>Instance Type:</i> <i>Fuel Type:</i> <i>Status:</i> <i>Capacity:</i> <i>Tank Material:</i> <i>Corrosion Protection:</i> <i>Tank Type:</i> <i>Install Year:</i> <i>Parent Facility Type:</i> <i>Facility Type:</i>	10759682 FS Liquid Fuel Tank Gasoline Active 13600 Steel Sacrificial anode Single Wall UST 1977 Fuels Safety Private Fuel Outlet - Self Serve FS Liquid Fuel Tank				
<u>221</u>	3 of 9	NW/69.4	271.0	TOWN OF HALTON HILLS 11618 TRAFALGAR RD GEORGETOWN ON L7G 4S4	FST
<i>Instance Number:</i> <i>Cont Name:</i> <i>Instance Type:</i> <i>Fuel Type:</i> <i>Status:</i> <i>Capacity:</i> <i>Tank Material:</i> <i>Corrosion Protection:</i> <i>Tank Type:</i> <i>Install Year:</i> <i>Parent Facility Type:</i> <i>Facility Type:</i>	10759700 FS Liquid Fuel Tank Diesel Active 22700 Steel Sacrificial anode Single Wall UST 1977 Fuels Safety Private Fuel Outlet - Self Serve FS Liquid Fuel Tank				
<u>221</u>	4 of 9	NW/69.4	271.0	TOWN OF HALTON HILLS 11618 TRAFALGAR RD GEORGETOWN ON L7G 4S4	FSTH
<i>License Issue Date:</i> <i>Tank Status:</i> <i>Tank Status As Of:</i> <i>Operation Type:</i>	11/8/1990 Licensed August 2007 Private Fuel Outlet				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Facility Type:		Gasoline Station - Self Serve			
--- Details ---					
Status:		Active			
Capacity:		9000			
Year of Installation:		1977			
Corrosion Protection:					
Tank Fuel Type:		Liquid Fuel Single Wall UST - Diesel			
+					
Status:		Active			
Capacity:		13600			
Year of Installation:		1977			
Corrosion Protection:					
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
+					
Status:		Active			
Capacity:		22700			
Year of Installation:		1977			
Corrosion Protection:					
Tank Fuel Type:		Liquid Fuel Single Wall UST - Diesel			
<u>221</u>	<u>5 of 9</u>	NW/69.4	271.0	TOWN OF HALTON HILLS 11618 TRAFALGAR RD GEORGETOWN ON L7G 4S4	FSTH
License Issue Date:		11/8/1990			
Tank Status:		Licensed			
Tank Status As Of:		December 2008			
Operation Type:		Private Fuel Outlet			
Facility Type:		Gasoline Station - Self Serve			
--- Details ---					
Status:		Active			
Capacity:		9000			
Year of Installation:		1977			
Corrosion Protection:					
Tank Fuel Type:		Liquid Fuel Single Wall UST - Diesel			
+					
Status:		Active			
Capacity:		13600			
Year of Installation:		1977			
Corrosion Protection:					
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
+					
Status:		Active			
Capacity:		22700			
Year of Installation:		1977			
Corrosion Protection:					
Tank Fuel Type:		Liquid Fuel Single Wall UST - Diesel			
<u>221</u>	<u>6 of 9</u>	NW/69.4	271.0	Town of Halton Hills 11618 Trafalgar Road Halton Hills ON L7G 4S4	GEN
Generator #:		ON5969793			
Approval Yrs:		05			
SIC Code:		447190			

220

erisinfo.com EcoLog ERIS Ltd.

Trafalgar Road EA Trafalgar Rd 7 Hwy Halton Hills ON L0P1E0

Order No: 20160225127

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
SIC Description:	Other Gasoline Stations				
--- Details ---					
Waste Code:	221				
Waste Description:	LIGHT FUELS				
221	7 of 9	NW/69.4	271.0	The Town of Halton Hills 11618 Trafalgar Road Georgetown ON L7G 4S4	GEN
Generator #:	ON8810453				
Approval Yrs:	06				
SIC Code:	913910				
SIC Description:	Other Local Municipal and Regional Public Administ				
--- Details ---					
Waste Code:	145				
Waste Description:	PAINT/PIGMENT/COATING RESIDUES				
+ Waste Code:	212				
Waste Description:	ALIPHATIC SOLVENTS				
+ Waste Code:	221				
Waste Description:	LIGHT FUELS				
221	8 of 9	NW/69.4	271.0	SHELL CANADA PRODUCTS LTD. AT RESIDENCE AT 11618 TRAFALGAR RD. TANK TRUCK (CARGO) HALTON HILLS TOWN ON L7G 4S4	SPL
Ref NO:	176173				
Contaminant Code:					
Contaminant Name:					
Contaminant Quantity:					
Incident Cause:	CONTAINER OVERFLOW				
Incident Dt:	12/28/1999				
Incident Reason:	ERROR				
Incident Summary:	THERMO-SHELL - 15 L OF FURNACE OIL TO ASPHALT DURING DELIVERY.				
MOE Reported Dt:	12/28/1999				
Environmental Impact:	NOT ANTICIPATED				
Nature of Impact:	Other				
Receiving Medium:	LAND				
SAC Action Class:					
Sector Source Type:					
Site Municipality:	14401				
221	9 of 9	NW/69.4	271.0	The Regional Municipality of Halton 11618 Trafalgar Rd HALTON HILLS PUBLIC WORKS YARD<UNOFFICIAL> Halton Hills ON L7G 4S4	SPL
Ref NO:	3818-6KNL4J				
Contaminant Code:	12				
Contaminant Name:	GASOLINE				
Contaminant Quantity:	Not Specified				

221

erisinfo.com EcoLog ERIS Ltd.

Trafalgar Road EA Trafalgar Rd 7 Hwy Halton Hills ON L0P1E0

Order No: 20160225127

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Incident Cause:</i>	Tank (Underground) Leak				
<i>Incident Dt:</i>	12/28/2005				
<i>Incident Reason:</i>	Equipment Failure				
<i>Incident Summary:</i>	TSSA: Halton Hills, UST leaking to soil				
<i>MOE Reported Dt:</i>	1/2/2006				
<i>Environmental Impact:</i>	Possible				
<i>Nature of Impact:</i>	Soil Contamination				
<i>Receiving Medium:</i>	Land				
<i>SAC Action Class:</i>					
<i>Sector Source Type:</i>	Other				
<i>Site Municipality:</i>	Halton Hills				
<u>222</u>	1 of 1	SE/153.1	200.9	lot 3 con 8 ON	WWIS
<i>Well ID:</i>	2801197			<i>Lot:</i>	003
<i>Concession:</i>	08			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	592776.5			<i>Northing Nad83:</i>	4825682
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 100 m - 300 m
<i>Primary Water Use:</i>	Livestock			<i>Construction Date:</i>	25-MAY-59
<i>Sec. Water Use:</i>	Domestic			<i>Well Depth:</i>	50 ft
<i>Pump Rate:</i>	5 GPM			<i>Static Water Level:</i>	25 ft
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	CLEAR
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Water Supply
<i>Construction Method:</i>	Boring			<i>Flowing (y/n):</i>	N
<i>Elevation (m):</i>	205.34			<i>Elevation Reliability:</i>	
<i>Depth to Bedrock:</i>				<i>Overburden/Bedrock k:</i>	Overburden
<i>Water Type:</i>	FRESH			<i>Casing Material:</i>	SULPHUR
 --- Details ---					
<i>Thickness:</i>	15 ft			<i>Original Depth:</i>	15 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	TOPSOIL, CLAY
+ <i>Thickness:</i>	33 ft			<i>Original Depth:</i>	48 ft
<i>Material Colour:</i>	GREY			<i>Material:</i>	CLAY, STONES
+ <i>Thickness:</i>	2 ft			<i>Original Depth:</i>	50 ft
<i>Material Colour:</i>	GREY			<i>Material:</i>	MEDIUM SAND
<u>223</u>	1 of 1	NW/76.7	266.8	11643 Trafalgar Road Georgetown ON L7G 4S4	EHS
<i>Order No.:</i>	20110721026				
<i>Report Date:</i>	7/28/2011				
<i>Report Type:</i>	Standard Report				
<i>Search Radius (km):</i>	0.25				
<i>Addit. Info Ordered:</i>					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
224	1 of 1	NW/22.3	272.0	<i>lot 20 con 8 ON</i>	WWIS
<i>Well ID:</i>	2808987			<i>Lot:</i>	020
<i>Concession:</i>	08			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	585584.9			<i>Northing Nad83:</i>	4832547
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 10 - 30 m
<i>Primary Water Use:</i>	Domestic			<i>Construction Date:</i>	18-MAY-99
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	70 ft
<i>Pump Rate:</i>	3 GPM			<i>Static Water Level:</i>	30 ft
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	CLEAR
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Water Supply
<i>Construction Method:</i>	Cable Tool			<i>Flowing (y/n):</i>	N
<i>Elevation (m):</i>	275.36			<i>Elevation</i>	
<i>Depth to Bedrock:</i>				<i>Reliability:</i>	
<i>Water Type:</i>	FRESH			<i>Overburden/Bedrock:</i>	Overburden
--- Details ---				<i>k:</i>	
<i>Thickness:</i>	1 ft			<i>Original Depth:</i>	1 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	TOPSOIL, SOFT
+ <i>Thickness:</i>	47 ft			<i>Original Depth:</i>	48 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	SAND, GRAVEL, BOULDERS
+ <i>Thickness:</i>	12 ft			<i>Original Depth:</i>	60 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	FINE SAND
+ <i>Thickness:</i>	8 ft			<i>Original Depth:</i>	68 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	MEDIUM SAND, LOOSE
+ <i>Thickness:</i>	2 ft			<i>Original Depth:</i>	70 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	GRAVEL, LOOSE
225	1 of 1	SE/151.0	200.7	<i>lot 3 con 7 ON</i>	WWIS
<i>Well ID:</i>	2801096			<i>Lot:</i>	003
<i>Concession:</i>	07			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	592662.5			<i>Northing Nad83:</i>	4825398
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 100 m - 300 m
<i>Primary Water Use:</i>	Public			<i>Construction Date:</i>	24-SEP-64
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	53 ft
<i>Pump Rate:</i>	10 GPM			<i>Static Water Level:</i>	20 ft
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	CLEAR
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Water Supply
<i>Construction</i>	Boring			<i>Flowing (y/n):</i>	N

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Method: <i>Elevation (m):</i>	204.65			<i>Elevation</i>	
Depth to Bedrock:				<i>Reliability:</i>	
Water Type:	FRESH			Overburden/Bedroc k:	Overburden
--- Details ---				Casing Material:	SULPHUR
Thickness:	12 ft			Original Depth:	12 ft
Material Colour:	BROWN			Material:	TOPSOIL, CLAY
+ Thickness:	39 ft			Original Depth:	51 ft
Material Colour:	GREY			Material:	CLAY
+ Thickness:	2 ft			Original Depth:	53 ft
Material Colour:				Material:	GRAVEL
226	1 of 1	NW/52.9	269.9	lot 19 con 8 ON	WWIS
Well ID:	2804674			Lot:	019
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	585616.4			Northing Nad83:	4832622
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	28-OCT-74
Sec. Water Use:				Well Depth:	71 ft
Pump Rate:	10 GPM			Static Water Level:	23 ft
Flow Rate:				Clear/Cloudy:	CLOUDY
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	274.67			Elevation	
Depth to Bedrock:	19			Reliability:	
Water Type:	FRESH			Overburden/Bedroc k:	Bedrock
--- Details ---				Casing Material:	FRESH, MINERIAL
Thickness:	19 ft			Original Depth:	19 ft
Material Colour:	BROWN			Material:	CLAY, STONES
+ Thickness:	52 ft			Original Depth:	71 ft
Material Colour:	RED			Material:	SHALE
227	1 of 1	SE/113.1	200.1	lot 3 con 7 ON	WWIS
Well ID:	2805773			Lot:	003
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	592714.5			Northing Nad83:	4825423

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	16-MAY-81
Sec. Water Use:				Well Depth:	53 ft
Pump Rate:	10 GPM			Static Water Level:	10 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	206.48			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock K:	Overburden
Water Type:	FRESH			Casing Material:	SALTY, SULPHUR
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:	BROWN			Material:	TOPSOIL
+ Thickness:	14 ft			Original Depth:	15 ft
Material Colour:	BROWN			Material:	CLAY
+ Thickness:	7 ft			Original Depth:	22 ft
Material Colour:	BLUE			Material:	CLAY
+ Thickness:	13 ft			Original Depth:	35 ft
Material Colour:	BROWN			Material:	CLAY, STONES, HARD
+ Thickness:	18 ft			Original Depth:	53 ft
Material Colour:	BROWN			Material:	SAND, CLAY, LOOSE
228	1 of 1	SE/174.4	200.5	lot 3 con 7 ON	WWIS
Well ID:	2801094			Lot:	003
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	592672.5			Northing Nad83:	4825371
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Public			Construction Date:	02-DEC-60
Sec. Water Use:				Well Depth:	87 ft
Pump Rate:	4 GPM			Static Water Level:	9 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	205.02			Elevation Reliability:	
Depth to Bedrock:	62			Overburden/Bedrock K:	Bedrock
Water Type:	FRESH			Casing Material:	FRESH, MINERIAL
--- Details ---					
Thickness:	40 ft			Original Depth:	40 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Material Colour:			Material:		CLAY, GRAVEL, STONES
+					
Thickness:	20 ft			Original Depth:	60 ft
Material Colour:			Material:		GRAVEL, CLAY
+					
Thickness:	2 ft			Original Depth:	62 ft
Material Colour:			Material:		MEDIUM SAND
+					
Thickness:	25 ft			Original Depth:	87 ft
Material Colour:			Material:		SHALE
<u>229</u> 1 of 1		NW/254.2	261.0	Princess Ann Dr./Atwood, Georgetown Halton Hills ON	SPL
Ref NO: 0756-9KDPSW					
Contaminant Code: 44					
Contaminant Name: SEWAGE,RAW UNCHLORINATED					
Contaminant Quantity: 50 L					
Incident Cause: Overflow/Surcharge					
Incident Dt: 2014/05/23					
Incident Reason: Unknown / N/A					
Incident Summary: DWMD Sewage - Georgetown: blockage causing a seeping manhole					
MOE Reported Dt: 2014/05/23					
Environmental Impact: Not Anticipated					
Nature of Impact: Soil Contamination					
Receiving Medium: Land Spills					
SAC Action Class: Sewer (Private or Municipal)					
Sector Source Type: Halton Hills					
<u>230</u> 1 of 1		NW/404.6	273.8	lot 19 con 7 ON	WWIS
Well ID: 2801132					
Concession: 07					
County: HALTON					
Easting Nad83: 585265.4					
Zone: 17					
Primary Water Use: Livestock					
Sec. Water Use:					
Pump Rate: 4 GPM					
Flow Rate:					
Specific Capacity:					
Construction Method: Cable Tool					
Elevation (m): 277.96					
Depth to Bedrock: 38					
Water Type: FRESH					
Elevation Reliability:					
Overburden/Bedrock K:					
Casing Material: FRESH, MINERIAL					
--- Details ---					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Thickness: + Thickness: + Thickness:	12 ft 26 ft 74 ft			Original Depth: Material:	12 ft CLAY Original Depth: Material:
Material Colour:	BROWN				MEDIUM SAND, CLAY
Material Colour:					
Material Colour:	RED			Original Depth: Material:	112 ft SHALE
<u>231</u>	1 of 5	NW/14.2	274.1	GEORGETOWN MEDICAL ASSOCIATES 199 PRINCESS ANNE DRIVE GEORGETOWN ON L7G 0E3	GEN
Generator #: Approval Yrs: SIC Code: SIC Description:	ON5628297 As of May 2015				
--- Details ---					
Waste Code: + Waste Code:	261 312				
Waste Description: Waste Description:	Pharmaceuticals Pathological wastes				
<u>231</u>	2 of 5	NW/14.2	274.1	GEORGETOWN MEDICAL ASSOCIATES 199 PRINCESS ANNE DRIVE GEORGETOWN ON L7G 0E3	GEN
Generator #: Approval Yrs: SIC Code: SIC Description:	ON5628297 2010 621110 Offices of Physicians				
--- Details ---					
Waste Code: + Waste Code:	312 261				
Waste Description: Waste Description:	PATHOLOGICAL WASTES PHARMACEUTICALS				
<u>231</u>	3 of 5	NW/14.2	274.1	GEORGETOWN MEDICAL ASSOCIATES 199 PRINCESS ANNE DRIVE GEORGETOWN ON L7G 0E3	GEN
Generator #: Approval Yrs: SIC Code: SIC Description:	ON5628297 2011 621110 Offices of Physicians				
--- Details ---					
Waste Code: + Waste Code:	312 261				
Waste Description: Waste Description:	PATHOLOGICAL WASTES				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Waste Description:	PHARMACEUTICALS				
231	4 of 5	NW/14.2	274.1	GEORGETOWN MEDICAL ASSOCIATES 199 PRINCESS ANNE DRIVE GEORGETOWN ON L7G 0E3	GEN
Generator #:	ON5628297				
Approval Yrs:	2012				
SIC Code:	621110				
SIC Description:	Offices of Physicians				
--- Details ---					
Waste Code:	261				
Waste Description:	PHARMACEUTICALS				
+					
Waste Code:	312				
Waste Description:	PATHOLOGICAL WASTES				
231	5 of 5	NW/14.2	274.1	GEORGETOWN MEDICAL ASSOCIATES 199 PRINCESS ANNE DRIVE GEORGETOWN ON	GEN
Generator #:	ON5628297				
Approval Yrs:	2013				
SIC Code:	621110				
SIC Description:	OFFICES OF PHYSICIANS				
--- Details ---					
Waste Code:	261				
Waste Description:	PHARMACEUTICALS				
+					
Waste Code:	312				
Waste Description:	PATHOLOGICAL WASTES				
232	1 of 1	NW/3.7	273.8	LAW DEV. GROUP GEORGETOWN (NO. 2) LTD. PRINCESS ANNE DR./TRAFalGAR RD HALTON HILLS ON	CA
Certificate #:	7-0923-98-				
Application Year:	98				
Issue Date:	9/18/1998				
Approval Type:	Municipal water				
Status:	Approved				
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
233	1 of 1	SE/10.8	197.8	lot 2 con 8 ON	WWIS

228

erisinfo.com| EcoLog ERIS Ltd.

Trafalgar Road EA Trafalgar Rd 7 Hwy Halton Hills ON L0P1E0

Order No: 20160225127

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Well ID:	2801195			Lot:	002
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Eastng Nad83:	593014.5			Northing Nad83:	4825483
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Not Used			Construction Date:	17-MAY-66
Sec. Water Use:				Well Depth:	190 ft
Pump Rate:				Static Water Level:	3 ft
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Observation Wells
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	203.55			Elevation Reliability:	
Depth to Bedrock:	68			Overburden/Bedrock:	Bedrock
Water Type:	FRESH			Casing Material:	FRESH
--- Details ---					
Thickness:	10 ft			Original Depth:	10 ft
Material Colour:	BROWN			Material:	CLAY, SAND, STONES
+ Thickness:	16 ft			Original Depth:	26 ft
Material Colour:	GREY			Material:	CLAY, SAND, STONES
+ Thickness:	14 ft			Original Depth:	40 ft
Material Colour:	BROWN			Material:	MEDIUM SAND
+ Thickness:	10 ft			Original Depth:	50 ft
Material Colour:	GREY			Material:	CLAY, SAND, STONES
+ Thickness:	12 ft			Original Depth:	62 ft
Material Colour:				Material:	GRAVEL
+ Thickness:	6 ft			Original Depth:	68 ft
Material Colour:	BROWN			Material:	FINE SAND
+ Thickness:	122 ft			Original Depth:	190 ft
Material Colour:	RED			Material:	SHALE

234	1 of 1	SE/164.8	198.0	lot 2 con 8 ON	WWIS
Well ID:	2805675			Lot:	002
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Eastng Nad83:	592914.5			Northing Nad83:	4825323
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	22-SEP-80
Sec. Water Use:				Well Depth:	42 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Pump Rate:	14 GPM			Static Water Level:	8 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	204.76			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:	FRESH			Overburden/Bedroc k:	Overburden
--- Details ---					
Thickness:	28 ft			Original Depth:	28 ft
Material Colour:	BROWN			Material:	CLAY, STONES
+ Thickness:	5 ft			Original Depth:	33 ft
Material Colour:	GREY			Material:	SILT, LAYERED
+ Thickness:	3 ft			Original Depth:	36 ft
Material Colour:	RED			Material:	SILT, CLAY
+ Thickness:	4 ft			Original Depth:	40 ft
Material Colour:	BROWN			Material:	FINE SAND, SILT
+ Thickness:	2 ft			Original Depth:	42 ft
Material Colour:	BROWN			Material:	CLAY, HARD

235	1 of 1	NW/30.5	274.0	lot 19 con 8 ON	WWIS
Well ID:	2803383			Lot:	019
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	585434.4			Northing Nad83:	4832773
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	11-JUL-70
Sec. Water Use:				Well Depth:	133 ft
Pump Rate:	1 GPM			Static Water Level:	41 ft
Flow Rate:				Clear/Cloudy:	CLOUDY
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	271.94			Elevation	
Depth to Bedrock:	28			Reliability:	
Water Type:	FRESH			Overburden/Bedroc k:	Bedrock
--- Details ---					
Thickness:	10 ft			Original Depth:	10 ft
Material Colour:	BROWN			Material:	MEDIUM SAND
+ Thickness:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Thickness:	18 ft			Original Depth:	28 ft
Material Colour:	RED			Material:	CLAY
+					
Thickness:	105 ft			Original Depth:	133 ft
Material Colour:	RED			Material:	SHALE
 236	1 of 1	NW/95.6	272.9	lot 19 con 8 ON	WWIS
Well ID:	2801253			Lot:	019
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	585478.4			Northing Nad83:	4832821
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Domestic			Construction Date:	18-DEC-64
Sec. Water Use:				Well Depth:	100 ft
Pump Rate:	6 GPM			Static Water Level:	30 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	269.27			Elevation Reliability:	
Depth to Bedrock:	27			Overburden/Bedrock k:	Bedrock
Water Type:	FRESH			Casing Material:	FRESH, MINERIAL
--- Details ---					
Thickness:	20 ft			Original Depth:	20 ft
Material Colour:	BROWN			Material:	CLAY
+					
Thickness:	7 ft			Original Depth:	27 ft
Material Colour:				Material:	CLAY, MEDIUM SAND
+					
Thickness:	73 ft			Original Depth:	100 ft
Material Colour:	RED			Material:	SHALE
 237	1 of 1	SE/187.1	197.3	lot 2 con 8 ON	WWIS
Well ID:	2805678			Lot:	002
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	592954.5			Northing Nad83:	4825303
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	23-SEP-80
Sec. Water Use:				Well Depth:	46 ft
Pump Rate:	14 GPM			Static Water Level:	8 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Elevation (m):	204.31				
Depth to Bedrock:					
Water Type:	FRESH				
--- Details ---					
Thickness:	26 ft			Original Depth:	26 ft
Material Colour:	BROWN			Material:	CLAY, STONES
+ Thickness:	5 ft			Original Depth:	31 ft
Material Colour:	GREY			Material:	CLAY, PACKED, LAYERED
+ Thickness:	5 ft			Original Depth:	36 ft
Material Colour:	RED			Material:	SILT, SAND
+ Thickness:	8 ft			Original Depth:	44 ft
Material Colour:	GREY			Material:	MUCK, SAND
+ Thickness:	2 ft			Original Depth:	46 ft
Material Colour:	BLACK			Material:	SAND, LOOSE
238	1 of 1	SE/36.0	196.9	lot 2 con 8 ON	WWIS
Well ID:	2806357			Lot:	002
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	593105.9			Northing Nad83:	4825463
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Domestic			Construction Date:	
Sec. Water Use:				Well Depth:	34 ft
Pump Rate:	30 GPM			Static Water Level:	4 ft
Flow Rate:				Clear/Cloudy:	CLOUDY
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	201.84			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:	FRESH			k:	
--- Details ---				Casing Material:	SALTY, SULPHUR
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:	BROWN			Material:	TOPSOIL
+ Thickness:	10 ft			Original Depth:	11 ft
Material Colour:	BROWN			Material:	CLAY, PACKED
+ Thickness:	7 ft			Original Depth:	18 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Material Colour:	GREY			Material:	CLAY, SILT, STONES
+ Thickness:	6 ft			Original Depth:	24 ft
Material Colour:	BROWN			Material:	CLAY, SILT, LAYERED
+ Thickness:	2 ft			Original Depth:	26 ft
Material Colour:	RED			Material:	SILT, CLAY
+ Thickness:	8 ft			Original Depth:	34 ft
Material Colour:	BLACK			Material:	COARSE SAND, MEDIUM SAND, STONES
239	1 of 1	SE/104.3	196.8	lot 2 con 8 ON	WWIS
Well ID:	2804159			Lot:	002
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	593077.5			Northing Nad83:	4825393
Zone:	17			Utm Reliability:	margin of error : 300 m - 1 km
Primary Water Use:	Domestic			Construction Date:	17-JAN-73
Sec. Water Use:				Well Depth:	35 ft
Pump Rate:	30 GPM			Static Water Level:	4 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	203.42			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock k:	Overburden
Water Type:	FRESH			Casing Material:	SULPHUR
--- Details ---					
Thickness:	12 ft			Original Depth:	12 ft
Material Colour:	BROWN			Material:	SAND
+ Thickness:	21 ft			Original Depth:	33 ft
Material Colour:	GREY			Material:	CLAY
+ Thickness:	2 ft			Original Depth:	35 ft
Material Colour:				Material:	COARSE SAND
240	1 of 1	NW/40.7	273.5	lot 19 con 8 GEORGETOWN ON	WWIS
Well ID:	7189301			Lot:	019
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	585384			Northing Nad83:	4832838
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Primary Water Use:</i>				<i>Construction Date:</i>	
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	ft
<i>Pump Rate:</i>				<i>Static Water Level:</i>	
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Other Status
<i>Construction</i>				<i>Flowing (y/n):</i>	
<i>Method:</i>					
<i>Elevation (m):</i>				<i>Elevation</i>	
<i>Depth to Bedrock:</i>				<i>Reliability:</i>	
<i>Water Type:</i>				<i>Overburden/Bedroc</i>	
<i>k:</i>				<i>k:</i>	
<i>Casing Material:</i>				<i>Casing Material:</i>	
--- Details ---					
<i>Thickness:</i>	ft			<i>Original Depth:</i>	ft
<i>Material Colour:</i>				<i>Material:</i>	
241	1 of 1	SE/424.2	197.6	lot 2 con 7 ON	WWIS
<i>Well ID:</i>	2805559			<i>Lot:</i>	002
<i>Concession:</i>	07			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	592814.5			<i>Northing Nad83:</i>	4825073
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 100 m - 300 m
<i>Primary Water Use:</i>	Domestic			<i>Construction Date:</i>	12-FEB-79
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	110 ft
<i>Pump Rate:</i>	10 GPM			<i>Static Water Level:</i>	29 ft
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	CLEAR
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Water Supply
<i>Construction</i>	Cable Tool			<i>Flowing (y/n):</i>	N
<i>Method:</i>					
<i>Elevation (m):</i>	200.14			<i>Elevation</i>	
<i>Depth to Bedrock:</i>				<i>Reliability:</i>	
<i>Water Type:</i>	FRESH			<i>Overburden/Bedroc</i>	Overburden
<i>k:</i>				<i>k:</i>	
<i>Casing Material:</i>				<i>Casing Material:</i>	FRESH, MINERIAL
--- Details ---					
<i>Thickness:</i>	20 ft			<i>Original Depth:</i>	20 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	CLAY, SAND, STONES
<i>+</i>					
<i>Thickness:</i>	23 ft			<i>Original Depth:</i>	43 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	CLAY, SAND, GRAVEL
<i>+</i>					
<i>Thickness:</i>	7 ft			<i>Original Depth:</i>	50 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	STONES, DARK-COLOURED
<i>+</i>					
<i>Thickness:</i>	35 ft			<i>Original Depth:</i>	85 ft
<i>Material Colour:</i>	GREY			<i>Material:</i>	STONES
<i>+</i>					
<i>Thickness:</i>	25 ft			<i>Original Depth:</i>	110 ft
<i>Material Colour:</i>	GREY			<i>Material:</i>	STONES, LIGHT-COLOURED

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
242	1 of 1	NW/335.4	263.4	Capital Woodworking/Carpentry 23 Munro Cir Georgetown ON L7G 6A3	SCT
				Established: 8/1/1966 Plant Size (ft²): 1200 Employment:	
				--- Details --- SIC/NAICS Code: 321919 Description: Other Millwork + SIC/NAICS Code: 337110 Description: Wood Kitchen Cabinet and Counter Top Manufacturing + SIC/NAICS Code: 238130 Description: Framing Contractors + SIC/NAICS Code: 321919 Description: Other Millwork	
243	1 of 1	NW/60.7	272.6	lot 19 con 8 ON	WWIS
				Well ID: 2801252 Concession: 08 County: HALTON Easting Nad83: 585338.4 Zone: 17 Primary Water Use: Domestic Sec. Water Use: Pump Rate: 1 GPM Flow Rate: Specific Capacity: Construction Method: Cable Tool Elevation (m): 270.58 Depth to Bedrock: 42 Water Type: FRESH	Lot: 019 Concession Name: CON Municipality: HALTON HILLS TOWN (ESQUESING) Northing Nad83: 4832912 Utm Reliability: margin of error : 100 m - 300 m Construction Date: 20-JUL-63 Well Depth: 153 ft Static Water Level: 20 ft Clear/Cloudy: CLEAR Final Well Status: Water Supply Flowing (y/n): N Elevation Reliability: Overburden/Bedrock: Bedrock k: Casing Material: FRESH, MINERIAL
				--- Details --- Thickness: 42 ft Material Colour: BLUE + Thickness: 111 ft Material Colour: RED	Original Depth: 42 ft Material: CLAY, STONES Original Depth: 153 ft Material: SHALE
244	1 of 1	SE/429.9	196.8	lot 2 con 7 ON	WWIS
				Well ID: 2801090	Lot: 002

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Concession: County:	07 HALTON			Concession Name: Municipality:	CON HALTON HILLS TOWN (ESQUESING)
Eastng Nad83: Zone: Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m):	592975.5 17 Domestic 10 GPM 201.57			Northing Nad83: Utm Reliability: Construction Date: Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n):	4825061 margin of error : 100 m - 300 m 03-NOV-62 54 ft 20 ft CLEAR Water Supply N
Depth to Bedrock:				Elevation Reliability: Overburden/Bedrock:	Overburden
Water Type:	FRESH			Casing Material:	SULPHUR
--- Details ---					
Thickness: Material Colour:	12 ft BROWN			Original Depth: Material:	12 ft TOPSOIL, CLAY
+ Thickness: Material Colour:	40 ft GREY			Original Depth: Material:	52 ft CLAY, STONES
+ Thickness: Material Colour:	2 ft			Original Depth: Material:	54 ft COARSE SAND
245	1 of 1	NW/60.4	272.8	lot 19 con 8 ON	WWIS
Well ID: Concession: County:	2807238 08 HALTON			Lot: Concession Name: Municipality:	019 CON HALTON HILLS TOWN (ESQUESING)
Eastng Nad83: Zone: Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m):	585289.4 17 Domestic 3 GPM 272.16			Northing Nad83: Utm Reliability: Construction Date: Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n):	4832961 margin of error : 10 - 30 m 13-MAR-89 51 ft 38 ft CLOUDY Water Supply N
Depth to Bedrock:	44			Elevation Reliability: Overburden/Bedrock:	Bedrock
Water Type:	FRESH			Casing Material:	MINERIAL, SALTY, SULPHUR
--- Details ---					
Thickness: Material Colour:	1 ft BROWN			Original Depth: Material:	1 ft TOPSOIL, , SOFT
+ Thickness:	31 ft			Original Depth:	32 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Material Colour:	BROWN			Material:	SAND
+ Thickness:	6 ft			Original Depth:	38 ft
Material Colour:	BROWN			Material:	SAND, STONES
+ Thickness:	6 ft			Original Depth:	44 ft
Material Colour:	BROWN			Material:	SAND, SILT, SOFT
+ Thickness:	7 ft			Original Depth:	51 ft
Material Colour:	RED			Material:	SHALE, LIMESTONE, HARD
246	1 of 1	NW/66.1	272.7	lot 19 con 8 ON	WWIS
Well ID:	2807212			Lot:	019
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Eastng Nad83:	585292.4			Northing Nad83:	4832966
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Domestic			Construction Date:	27-JAN-89
Sec. Water Use:				Well Depth:	180 ft
Pump Rate:	0 GPM			Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	271.8			Elevation	
Depth to Bedrock:	45			Reliability:	
Water Type:				Overburden/Bedrock k:	Bedrock
--- Details ---				Casing Material:	
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:	BLACK			Material:	TOPSOIL, , SOFT
+ Thickness:	16 ft			Original Depth:	17 ft
Material Colour:	BROWN			Material:	CLAY, , SOFT
+ Thickness:	6 ft			Original Depth:	23 ft
Material Colour:	GREY			Material:	CLAY, , SOFT
+ Thickness:	18 ft			Original Depth:	41 ft
Material Colour:	BROWN			Material:	SAND, , SOFT
+ Thickness:	4 ft			Original Depth:	45 ft
Material Colour:	RED			Material:	CLAY
+ Thickness:	135 ft			Original Depth:	180 ft
Material Colour:	RED			Material:	SHALE, ROCK, HARD

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
247	1 of 1	SE/235.3	201.8	lot 2 con 8 ON	WWIS
Well ID:	2804500			Lot:	002
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	593670.5			Northing Nad83:	4825752
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	06-APR-74
Sec. Water Use:				Well Depth:	75 ft
Pump Rate:	0 GPM			Static Water Level:	5 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	204.67			Elevation Reliability:	
Depth to Bedrock:	38			Overburden/Bedrock k:	Bedrock
Water Type:	FRESH			Casing Material:	FRESH, MINERIAL
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:	BROWN			Material:	TOPSOIL
+ Thickness:	17 ft			Original Depth:	18 ft
Material Colour:	BROWN			Material:	CLAY, BOULDERS
+ Thickness:	20 ft			Original Depth:	38 ft
Material Colour:	GREY			Material:	CLAY
+ Thickness:	37 ft			Original Depth:	75 ft
Material Colour:	RED			Material:	SHALE, ROCK
248	1 of 1	SE/249.1	201.8	lot 2 con 8 ON	WWIS
Well ID:	2804499			Lot:	002
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	593688.5			Northing Nad83:	4825765
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	06-APR-74
Sec. Water Use:				Well Depth:	85 ft
Pump Rate:	1 GPM			Static Water Level:	5 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	204.63			Elevation Reliability:	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Depth to Bedrock:	37			Overburden/Bedrock:	Bedrock
Water Type:	FRESH			Casing Material:	FRESH, MINERIAL
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:	BROWN			Material:	TOPSOIL
+ Thickness:	17 ft			Original Depth:	18 ft
Material Colour:	BROWN			Material:	CLAY, BOULDERS
+ Thickness:	19 ft			Original Depth:	37 ft
Material Colour:	GREY			Material:	CLAY
+ Thickness:	48 ft			Original Depth:	85 ft
Material Colour:	RED			Material:	SHALE, ROCK
249	1 of 1	SE/102.1	200.4	lot 1 con 8 ON	WWIS
Well ID:	2808522			Lot:	001
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	593610			Northing Nad83:	4825622
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Not Used			Construction Date:	25-FEB-97
Sec. Water Use:				Well Depth:	80 ft
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Abandoned-Quality
Construction Method:	Other Method			Flowing (y/n):	
Elevation (m):	206.21			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock:	all layers are unknown type
Water Type:				Casing Material:	FRESH
--- Details ---					
Thickness:	80 ft			Original Depth:	80 ft
Material Colour:				Material:	UNKNOWN TYPE
250	1 of 1	SE/69.0	199.6	lot 1 con 8 ON	WWIS
Well ID:	2808521			Lot:	001
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	593588			Northing Nad83:	4825590
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Not Used			Construction Date:	25-FEB-97
Sec. Water Use:				Well Depth:	80 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Pump Rate:</i>				<i>Static Water Level:</i>	
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Abandoned-Quality
<i>Construction Method:</i>	Other Method			<i>Flowing (y/n):</i>	
<i>Elevation (m):</i>	206.93			<i>Elevation</i>	
<i>Depth to Bedrock:</i>				<i>Reliability:</i>	
<i>Water Type:</i>				<i>Overburden/Bedrock k:</i>	all layers are unknown type
--- Details ---					
<i>Thickness:</i>	80 ft			<i>Original Depth:</i>	80 ft
<i>Material Colour:</i>				<i>Material:</i>	UNKNOWN TYPE
<u>251</u>	1 of 1	SE/99.5	200.5	lot 1 con 8 ON	WWIS
<i>Well ID:</i>	2808523			<i>Lot:</i>	001
<i>Concession:</i>	08			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	593617			<i>Northing Nad83:</i>	4825619
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 10 - 30 m
<i>Primary Water Use:</i>	Not Used			<i>Construction Date:</i>	25-FEB-97
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	80 ft
<i>Pump Rate:</i>				<i>Static Water Level:</i>	
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Abandoned-Quality
<i>Construction Method:</i>	Other Method			<i>Flowing (y/n):</i>	
<i>Elevation (m):</i>	206.08			<i>Elevation</i>	
<i>Depth to Bedrock:</i>				<i>Reliability:</i>	
<i>Water Type:</i>				<i>Overburden/Bedrock k:</i>	all layers are unknown type
--- Details ---					
<i>Thickness:</i>	80 ft			<i>Original Depth:</i>	80 ft
<i>Material Colour:</i>				<i>Material:</i>	UNKNOWN TYPE
<u>252</u>	1 of 1	SE/227.5	201.8	lot 2 con 8 ON	WWIS
<i>Well ID:</i>	2804498			<i>Lot:</i>	002
<i>Concession:</i>	08			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	593710.5			<i>Northing Nad83:</i>	4825742
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 30 m - 100 m
<i>Primary Water Use:</i>	Domestic			<i>Construction Date:</i>	06-APR-74
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	80 ft
<i>Pump Rate:</i>	5 GPM			<i>Static Water Level:</i>	5 ft
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	CLEAR
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Water Supply
<i>Construction</i>	Cable Tool			<i>Flowing (y/n):</i>	N

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Method: <i>Elevation (m):</i>	205.12			<i>Elevation</i>	
Depth to Bedrock:	39			<i>Reliability:</i> <i>Overburden/Bedrock k:</i>	
Water Type:	FRESH			<i>Casing Material:</i>	FRESH, MINERIAL
--- Details ---					
Thickness:	1 ft			<i>Original Depth:</i>	1 ft
Material Colour:	BROWN			<i>Material:</i>	TOPSOIL
+					
Thickness:	17 ft			<i>Original Depth:</i>	18 ft
Material Colour:	BROWN			<i>Material:</i>	CLAY, BOULDERS
+					
Thickness:	21 ft			<i>Original Depth:</i>	39 ft
Material Colour:	GREY			<i>Material:</i>	CLAY
+					
Thickness:	41 ft			<i>Original Depth:</i>	80 ft
Material Colour:	RED			<i>Material:</i>	SHALE, ROCK
253	1 of 1	SE/494.6	196.8	lot 2 con 7 ON	WWIS
Well ID:	2805440			Lot:	002
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	593094.5			Northing Nad83:	4825003
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	21-OCT-78
Sec. Water Use:				Well Depth:	40 ft
Pump Rate:	40 GPM			Static Water Level:	10 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	202.27			<i>Elevation</i>	
Depth to Bedrock:				<i>Reliability:</i>	
Water Type:	FRESH			<i>Overburden/Bedrock k:</i>	Overburden
--- Details ---					
Thickness:	1 ft			<i>Original Depth:</i>	1 ft
Material Colour:	BROWN			<i>Material:</i>	TOPSOIL
+					
Thickness:	13 ft			<i>Original Depth:</i>	14 ft
Material Colour:	BROWN			<i>Material:</i>	CLAY
+					
Thickness:	14 ft			<i>Original Depth:</i>	28 ft
Material Colour:	GREY			<i>Material:</i>	CLAY, STONES, PACKED
+					
Thickness:	10 ft			<i>Original Depth:</i>	38 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Material Colour:	BROWN			Material:	SAND, CLAY, LAYERED
+ Thickness:	2 ft			Original Depth:	40 ft
Material Colour:	BROWN			Material:	FINE SAND, MEDIUM SAND, SILT
254	1 of 1	SE/64.2	199.9	lot 1 con 8 ON	WWIS
Well ID:	2806830			Lot:	001
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	593610			Northing Nad83:	4825584
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Industrial			Construction Date:	04-JAN-88
Sec. Water Use:				Well Depth:	45 ft
Pump Rate:	1 GPM			Static Water Level:	-1 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	Y
Elevation (m):	206.3			Elevation	
Depth to Bedrock:	38			Reliability:	
Water Type:	FRESH			Overburden/Bedrock k:	Bedrock
--- Details ---				Casing Material:	FRESH
Thickness:	4 ft			Original Depth:	4 ft
Material Colour:	BROWN			Material:	CLAY
+ Thickness:	14 ft			Original Depth:	18 ft
Material Colour:	BROWN			Material:	CLAY, SANDY, GRAVEL
+ Thickness:	8 ft			Original Depth:	26 ft
Material Colour:	GREY			Material:	CLAY, SANDY, GRAVEL
+ Thickness:	12 ft			Original Depth:	38 ft
Material Colour:	RED			Material:	CLAY, GRAVEL, STONES
+ Thickness:	7 ft			Original Depth:	45 ft
Material Colour:	RED			Material:	SHALE
255	1 of 1	SE/32.7	200.4	HORNBY ON	WWIS
Well ID:	7138700			Lot:	
Concession:				Concession Name:	
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	593674			Northing Nad83:	4825549
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	01-JAN-09

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m):		Boring		Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n):	36 ft Water Supply
Depth to Bedrock:				Elevation Reliability: Overburden/Bedrock k:	
Water Type:	Untested			Casing Material:	SULPHUR
--- Details ---					
Thickness: Material Colour:	1 ft BROWN			Original Depth: Material:	1 ft TOPSOIL
+ Thickness: Material Colour:	11 ft BROWN			Original Depth: Material:	12 ft CLAY
+ Thickness: Material Colour:	13 ft GREY			Original Depth: Material:	25 ft SILT
+ Thickness: Material Colour:	7 ft GREY			Original Depth: Material:	32 ft SAND, SILT
+ Thickness: Material Colour:	4 ft RED			Original Depth: Material:	36 ft SHALE
256	1 of 1	SE/129.1	198.3	lot 1 con 8 ON	WWIS
Well ID: Concession: County:	2807648 08 HALTON			Lot: Concession Name: Municipality:	001 CON HALTON HILLS TOWN (ESQUESING)
Easting Nad83: Zone: Primary Water Use:	593564 17 Livestock			Northing Nad83: Utm Reliability: Construction Date:	4825393 margin of error : 10 - 30 m 18-AUG-90
Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m):	8 GPM			Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n):	48 ft 15 ft CLOUDY Water Supply N
Depth to Bedrock:	31			Elevation Reliability: Overburden/Bedrock k:	Bedrock
Water Type:	FRESH			Casing Material:	MINERIAL, SALTY, SULPHUR
--- Details ---					
Thickness: Material Colour:	1 ft BROWN			Original Depth: Material:	1 ft TOPSOIL, FINE SAND

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
+ Thickness: 13 ft Material Colour: BROWN				Original Depth: 14 ft Material: CLAY, STONES, FINE SAND	
+ Thickness: 17 ft Material Colour: GREY				Original Depth: 31 ft Material: CLAY, STONES, FINE SAND	
+ Thickness: 17 ft Material Colour: RED				Original Depth: 48 ft Material: SHALE, LIMESTONE, HARD	
257	1 of 1	NW/67.1	273.8	lot 20 con 8 ON	WWIS
Well ID: 2808067 Concession: 08 County: HALTON				Lot: 020 Concession Name: CON Municipality: HALTON HILLS TOWN (ESQUESING)	
Easting Nad83: 585135.4 Zone: 17 Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m): 269.58				Northing Nad83: 4833125 Utm Reliability: margin of error : 10 - 30 m Construction Date: 17-SEP-91 Well Depth: 65 ft Static Water Level: Clear/Cloudy: Final Well Status: Test Hole Flowing (y/n):	
Depth to Bedrock: 60				Elevation Reliability: Overburden/Bedrock k: Bedrock	
Water Type:				Casing Material: FRESH	
-- Details --					
Thickness: 7 ft Material Colour: BROWN				Original Depth: 7 ft Material: CLAY, , STICKY	
+ Thickness: 3 ft Material Colour: BROWN				Original Depth: 10 ft Material: CLAY, , SOFT	
+ Thickness: 1 ft Material Colour:				Original Depth: 11 ft Material: SAND, GRAVEL	
+ Thickness: 15 ft Material Colour:				Original Depth: 26 ft Material: SAND, SILTY, CLAY	
+ Thickness: 4 ft Material Colour:				Original Depth: 30 ft Material: CLAY, SILTY, SAND	
+ Thickness: 16 ft Material Colour: BROWN				Original Depth: 46 ft Material: CLAY, , SOFT	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Thickness:</i>	9 ft			<i>Original Depth:</i>	55 ft
<i>Material Colour:</i>				<i>Material:</i>	CLAY, GRAVEL, SOFT
+					
<i>Thickness:</i>	5 ft			<i>Original Depth:</i>	60 ft
<i>Material Colour:</i>				<i>Material:</i>	SAND, SILT, GRAVEL
+					
<i>Thickness:</i>	5 ft			<i>Original Depth:</i>	65 ft
<i>Material Colour:</i>	BLUE			<i>Material:</i>	SHALE
<hr/>					
258	1 of 1	NW/355.1	273.8	<i>The Regional Municipality of Halton 168 & 172 Mowat Cres. (Trafalger Road & Burton Road), Georgetown Halton Hills ON</i>	SPL
<i>Ref NO:</i>	6272-5W6PX4				
<i>Contaminant Code:</i>	44				
<i>Contaminant Name:</i>	SEWAGE,RAW UNCHLORINATED				
<i>Contaminant Quantity:</i>					
<i>Incident Cause:</i>	Discharge Or Bypass To A Watercourse				
<i>Incident Dt:</i>	2/14/2004				
<i>Incident Reason:</i>	Spill				
<i>Incident Summary:</i>	Spill of Sani Wastewater from plugged Main to Crk.				
<i>MOE Reported Dt:</i>	2/14/2004				
<i>Environmental Impact:</i>	Possible				
<i>Nature of Impact:</i>	Human Health/Safety; Surface Water Pollution				
<i>Receiving Medium:</i>	Water				
<i>SAC Action Class:</i>	Spill to Inland Watercourses				
<i>Sector Source Type:</i>	Other Plant - Sewage Municipal				
<i>Site Municipality:</i>	Halton Hills				
<hr/>					
259	1 of 1	NW/9.3	273.8	<i>lot 20 con 8 GEORGETOWN ON</i>	WWIS
<i>Well ID:</i>	2810105			<i>Lot:</i>	020
<i>Concession:</i>	08			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	585002			<i>Northing Nad83:</i>	4833177
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 10 - 30 m
<i>Primary Water Use:</i>				<i>Construction Date:</i>	08-SEP-04
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	100 ft
<i>Pump Rate:</i>				<i>Static Water Level:</i>	
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Observation Wells
<i>Construction Method:</i>	Other Method			<i>Flowing (y/n):</i>	
<i>Elevation (m):</i>	275.24			<i>Elevation</i>	
<i>Depth to Bedrock:</i>	95			<i>Reliability:</i>	
<i>Water Type:</i>				<i>Overburden/Bedroc k:</i>	Bedrock
<i>---</i> Details <i>--</i>				<i>Casing Material:</i>	Not stated
<i>Thickness:</i>	95 ft			<i>Original Depth:</i>	95 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Material Colour:	BROWN			Material:	SAND
+ Thickness:	5 ft			Original Depth:	100 ft
Material Colour:	RED			Material:	SHALE
260	1 of 1	NW/73.1	273.8	lot 20 con 7 ON	WWIS
Well ID:	2803838			Lot:	020
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	584939.4			Northing Nad83:	4833123
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	25-APR-72
Sec. Water Use:				Well Depth:	44 ft
Pump Rate:	9 GPM			Static Water Level:	16 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	274.53			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:	FRESH			Overburden/Bedrock k:	Overburden
--- Details ---				Casing Material:	FRESH
Thickness:	40 ft			Original Depth:	40 ft
Material Colour:	RED			Material:	CLAY, SAND
+ Thickness:	2 ft			Original Depth:	42 ft
Material Colour:	GREY			Material:	SAND
+ Thickness:	2 ft			Original Depth:	44 ft
Material Colour:	BROWN			Material:	GRAVEL
261	1 of 1	SE/103.7	198.2	lot 1 con 8 ON	WWIS
Well ID:	2809204			Lot:	001
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	593790.5			Northing Nad83:	4825361
Zone:	17			Utm Reliability:	unknown UTM
Primary Water Use:	Domestic			Construction Date:	13-DEC-99
Sec. Water Use:				Well Depth:	87 ft
Pump Rate:	7 GPM			Static Water Level:	6 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	204.88			Elevation	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Depth to Bedrock:	77			Reliability: Overburden/Bedrock k:	
Water Type:	FRESH			Casing Material:	FRESH, MINERIAL
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:	BLACK			Material:	TOPSOIL
+ Thickness:	14 ft			Original Depth:	15 ft
Material Colour:	GREY			Material:	CLAY
+ Thickness:	10 ft			Original Depth:	25 ft
Material Colour:	BROWN			Material:	SAND
+ Thickness:	5 ft			Original Depth:	30 ft
Material Colour:	BROWN			Material:	SAND, CLAY
+ Thickness:	6 ft			Original Depth:	36 ft
Material Colour:	RED			Material:	SAND, CLAY
+ Thickness:	12 ft			Original Depth:	48 ft
Material Colour:	GREY			Material:	SAND, CLAY
+ Thickness:	25 ft			Original Depth:	73 ft
Material Colour:	RED			Material:	SAND
+ Thickness:	4 ft			Original Depth:	77 ft
Material Colour:				Material:	GRAVEL
+ Thickness:	10 ft			Original Depth:	87 ft
Material Colour:	RED			Material:	SHALE
262	1 of 1	NW/43.6	273.8	lot 20 con 7 ON	WWIS
Well ID:	2801140			Lot:	020
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	584919.4			Northing Nad83:	4833185
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Domestic			Construction Date:	02-OCT-63
Sec. Water Use:				Well Depth:	42 ft
Pump Rate:	6 GPM			Static Water Level:	16 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	273.85			Elevation Reliability:	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Depth to Bedrock:				Overburden/Bedrock k:	Overburden
Water Type:	FRESH			Casing Material:	FRESH
--- Details ---					
Thickness:	20 ft			Original Depth:	20 ft
Material Colour:	BROWN			Material:	CLAY
+					
Thickness:	13 ft			Original Depth:	33 ft
Material Colour:	BROWN			Material:	MEDIUM SAND
+					
Thickness:	9 ft			Original Depth:	42 ft
Material Colour:				Material:	GRAVEL
263	1 of 1	NW/0.1	273.8	1100898 ONTARIO INC. 20 SIDEROAD/TRAFalGAR RD. HALTON HILLS TOWN ON	CA
Certificate #:	7-1147-96-				
Application Year:	96				
Issue Date:	1/2/1997				
Approval Type:	Municipal water				
Status:					
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
264	1 of 1	NW/309.5	273.8	lot 20 con 7 ON	WWIS
Well ID:	2801134			Lot:	020
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	584708.4			Northing Nad83:	4833020
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Livestock			Construction Date:	05-JAN-59
Sec. Water Use:	Domestic			Well Depth:	59 ft
Pump Rate:	15 GPM			Static Water Level:	38 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	276.4			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock k:	Overburden
Water Type:	FRESH			Casing Material:	FRESH

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
--- Details ---					
Thickness:	30 ft			Original Depth:	30 ft
Material Colour:				Material:	PREVIOUSLY DUG
+ Thickness:	8 ft			Original Depth:	38 ft
Material Colour:	GREY			Material:	MEDIUM SAND
+ Thickness:	21 ft			Original Depth:	59 ft
Material Colour:				Material:	GRAVEL
265	1 of 1	SE/56.7	199.0	lot 1 con 8 ON	WWIS
Well ID:	2807598			Lot:	001
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	593984			Northing Nad83:	4825434
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Industrial			Construction Date:	12-JUN-90
Sec. Water Use:				Well Depth:	48 ft
Pump Rate:	4 GPM			Static Water Level:	5 ft
Flow Rate:				Clear/Cloudy:	CLOUDY
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	205.58			Elevation	
Depth to Bedrock:	19			Reliability:	
Water Type:	FRESH			Overburden/Bedrock k:	Mixed in a Layer
				Casing Material:	MINERIAL, SALTY, SULPHUR
--- Details ---					
Thickness:	2 ft			Original Depth:	2 ft
Material Colour:	BROWN			Material:	TOPSOIL, LOOSE
+ Thickness:	2 ft			Original Depth:	4 ft
Material Colour:	BROWN			Material:	CLAY, STONES, FINE SAND
+ Thickness:	8 ft			Original Depth:	12 ft
Material Colour:	RED			Material:	CLAY, STONES, FINE SAND
+ Thickness:	7 ft			Original Depth:	19 ft
Material Colour:	GREY			Material:	CLAY, BOULDERS, HARD
+ Thickness:	2 ft			Original Depth:	21 ft
Material Colour:	RED			Material:	CLAY, SHALE, HARD
+ Thickness:	27 ft			Original Depth:	48 ft
Material Colour:	RED			Material:	SHALE, LIMESTONE, HARD

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<u>266</u>	1 of 1	NW/59.5	273.8	lot 20 con 8 ON	WWIS
Well ID:	2801255			Lot:	020
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	584925.4			Northing Nad83:	4833325
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Domestic			Construction Date:	06-JUN-60
Sec. Water Use:				Well Depth:	50 ft
Pump Rate:	7 GPM			Static Water Level:	13 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	275.18			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock k:	Overburden
Water Type:	FRESH			Casing Material:	FRESH
--- Details ---					
Thickness:	20 ft			Original Depth:	20 ft
Material Colour:	BROWN			Material:	MEDIUM SAND
+ Thickness:	30 ft			Original Depth:	50 ft
Material Colour:				Material:	GRAVEL
<u>267</u>	1 of 4	SE/355.6	196.8	Bahr Saddlery Ltd. 13329 Steeles Ave. W., Hornby Halton ON L0P 1E0	CFOT
Registration No.:	200204-3257				
Licence No.:					
Tank Size:	500 gal				
Instance Number:					
Facility Type:					
Status Name:					
Corrosion Protection:					
Fuel Type:					
Year Installed:					
Tank Material:	Steel				
Distributor:	Petro Canada - John Ebos Fuels				
Contact Name:	c/o Carla Bahr				
Contact Address:	13329 Steeles Ave. W., Hornby				
Contact Address2:					
Contact City:	Halton				
Comments:					
<u>267</u>	2 of 4	SE/355.6	196.8	BAHR SADDLERY LTD. 13329 STEELES AVENUE WEST, HORNY HALTON ON L0P 1E0	CFOT
Registration No.:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Licence No.:					
<i>Tank Size:</i>			1892.7		
<i>Instance Number:</i>			60988994		
<i>Facility Type:</i>			FS Fuel Oil Tank		
<i>Status Name:</i>			Active		
<i>Corrosion Protection:</i>					
<i>Fuel Type:</i>			Fuel Oil		
<i>Year Installed:</i>					
<i>Tank Material:</i>			Steel		
<i>Distributor:</i>					
<i>Contact Name:</i>					
<i>Contact Address:</i>					
<i>Contact Address2:</i>					
<i>Contact City:</i>					
<i>Comments:</i>					
 267	3 of 4	SE/355.6	196.8	BAHR SADDLERY LIMITED 13329 STEELES AVENUE WEST HORNBY ON L0P 1E0	PES
Licence No.:					
<i>Licence Type:</i>			23-01-11075-0		
 267	4 of 4	SE/355.6	196.8	BAHR SADDLERY LIMITED 13329 STEELES AVENUE WEST HORNBY ON L0P1E0	PES
Licence No.:					
<i>Licence Type:</i>			Vendor		
 268	1 of 2	SE/81.0	197.6	Region of Halton 13571 Steeles Avenue Hornby ON L0P 1E0	GEN
Generator #:					
<i>Approval Yrs:</i>			ON7614254		
<i>SIC Code:</i>			2011		
<i>SIC Description:</i>			111999		
 268	2 of 2	SE/81.0	197.6	Region of Halton 13571 Steeles Avenue Hornby ON L0P 1E0	GEN
Generator #:					
<i>Approval Yrs:</i>			ON7614254		
<i>SIC Code:</i>			2012		
<i>SIC Description:</i>			111999		
All Other Miscellaneous Crop Farming					
 269	1 of 1	NW/198.7	273.8	lot 20 con 8 ON	WWIS

251

erisinfo.com| EcoLog ERIS Ltd.

Trafalgar Road EA Trafalgar Rd 7 Hwy Halton Hills ON L0P1E0

Order No: 20160225127

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Well ID:	2803529			Lot:	020
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	585014.4			Northing Nad83:	4833433
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Public			Construction Date:	18-NOV-70
Sec. Water Use:				Well Depth:	44 ft
Pump Rate:	14 GPM			Static Water Level:	31 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	274.09			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:	FRESH			k:	
Casing Material:				Casing Material:	SALTY, SULPHUR
--- Details ---					
Thickness:	31 ft			Original Depth:	31 ft
Material Colour:				Material:	PREVIOUSLY DUG
+ Thickness:				Original Depth:	44 ft
Material Colour:	BLACK			Material:	GRAVEL, COARSE SAND
270	1 of 1	NW/70.1	273.8	lot 19 con 8 ON	WWIS
Well ID:	2801254			Lot:	019
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	584920.4			Northing Nad83:	4833345
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Public			Construction Date:	21-JUL-66
Sec. Water Use:				Well Depth:	94 ft
Pump Rate:	1 GPM			Static Water Level:	11 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	275.13			Elevation Reliability:	
Depth to Bedrock:	42			Overburden/Bedrock:	Bedrock
Water Type:	FRESH			k:	
Casing Material:				Casing Material:	FRESH, MINERAL
--- Details ---					
Thickness:	2 ft			Original Depth:	2 ft
Material Colour:				Material:	TOPSOIL
+ Thickness:				Original Depth:	27 ft
Material Colour:	GREY			Material:	CLAY, STONES

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
+ <i>Thickness:</i> 15 ft <i>Material Colour:</i> GREY				<i>Original Depth:</i> 42 ft <i>Material:</i> CLAY	
+ <i>Thickness:</i> 52 ft <i>Material Colour:</i> RED				<i>Original Depth:</i> 94 ft <i>Material:</i> SHALE	
<u>271</u>	1 of 1	NW/168.3	273.8	<i>lot 20 con 8 ON</i>	WWIS
<i>Well ID:</i> 2801256 <i>Concession:</i> 08 <i>County:</i> HALTON				<i>Lot:</i> 020 <i>Concession Name:</i> CON <i>Municipality:</i> HALTON HILLS TOWN (ESQUESING)	
<i>Easting Nad83:</i> 584980.4 <i>Zone:</i> 17 <i>Primary Water Use:</i> Domestic <i>Sec. Water Use:</i> <i>Pump Rate:</i> 8 GPM <i>Flow Rate:</i> <i>Specific Capacity:</i> <i>Construction Method:</i> Cable Tool <i>Elevation (m):</i> 274.48				<i>Northing Nad83:</i> 4833424 <i>Utm Reliability:</i> margin of error : 100 m - 300 m <i>Construction Date:</i> 18-JAN-63 <i>Well Depth:</i> 76 ft <i>Static Water Level:</i> 28 ft <i>Clear/Cloudy:</i> CLEAR <i>Final Well Status:</i> Water Supply <i>Flowing (y/n):</i> N	
<i>Depth to Bedrock:</i>				<i>Elevation</i> <i>Reliability:</i> <i>Overburden/Bedrock:</i> Overburden <i>k:</i>	
<i>Water Type:</i> FRESH				<i>Casing Material:</i> FRESH	
--- Details ---					
<i>Thickness:</i> 20 ft <i>Material Colour:</i> BROWN				<i>Original Depth:</i> 20 ft <i>Material:</i> MEDIUM SAND	
+ <i>Thickness:</i> 30 ft <i>Material Colour:</i>				<i>Original Depth:</i> 50 ft <i>Material:</i> HARDPAN	
+ <i>Thickness:</i> 26 ft <i>Material Colour:</i>				<i>Original Depth:</i> 76 ft <i>Material:</i> GRAVEL	
<u>272</u>	1 of 1	NW/95.8	273.8	<i>lot 20 con 8 GEORGETOWN ON</i>	WWIS
<i>Well ID:</i> 2810477 <i>Concession:</i> 08 <i>County:</i> HALTON				<i>Lot:</i> 020 <i>Concession Name:</i> CON <i>Municipality:</i> HALTON HILLS TOWN (ESQUESING)	
<i>Easting Nad83:</i> 584923 <i>Zone:</i> 17 <i>Primary Water Use:</i> Domestic <i>Sec. Water Use:</i> <i>Pump Rate:</i> 12 LPM <i>Flow Rate:</i> <i>Specific Capacity:</i> <i>Construction</i> Rotary (Air)				<i>Northing Nad83:</i> 4833379 <i>Utm Reliability:</i> margin of error : 10 - 30 m <i>Construction Date:</i> 29-NOV-05 <i>Well Depth:</i> 16.76 m <i>Static Water Level:</i> 34 ft <i>Clear/Cloudy:</i> CLEAR <i>Final Well Status:</i> Water Supply <i>Flowing (y/n):</i>	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Method: Elevation (m):	275.02			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:	FRESH			Overburden/Bedroc k:	Overburden
--- Details ---				Casing Material:	
Thickness:	.91 m			Original Depth:	.91 m
Material Colour:	BLACK			Material:	TOPSOIL
+ Thickness:	5.49 m			Original Depth:	6.4 m
Material Colour:	BROWN			Material:	CLAY, SAND
+ Thickness:	10.36 m			Original Depth:	16.76 m
Material Colour:				Material:	GRAVEL
273	1 of 1	NW/275.0	273.8	lot 20 con 8 ON	WWIS
Well ID:	2801257			Lot:	020
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	585051.4			Northing Nad83:	4833504
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Domestic			Construction Date:	20-JUN-66
Sec. Water Use:				Well Depth:	84 ft
Pump Rate:	9 GPM			Static Water Level:	20 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	270.72			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:	FRESH			Overburden/Bedroc k:	Overburden
--- Details ---				Casing Material:	FRESH
Thickness:	40 ft			Original Depth:	40 ft
Material Colour:				Material:	CLAY, MEDIUM SAND
+ Thickness:	38 ft			Original Depth:	78 ft
Material Colour:				Material:	GRAVEL, MEDIUM SAND
+ Thickness:	6 ft			Original Depth:	84 ft
Material Colour:				Material:	GRAVEL
274	1 of 1	NW/197.6	273.8	GEORGETOWN ON	WWIS
Well ID:	7163664			Lot:	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Concession: County:	HALTON			Concession Name: Municipality:	
Easting Nad83: 584994 Zone: 17				Northing Nad83: 4833452 Utm Reliability: margin of error : 10 - 30 m	
Primary Water Use: Sec. Water Use: Monitoring Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m):				Construction Date: Well Depth: 34.7 m Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n):	
Depth to Bedrock:				Elevation Reliability: Overburden/Bedrock:	
Water Type:				Casing Material: Not stated	
--- Details ---					
Thickness: 2.9 m Material Colour: BROWN				Original Depth: 2.9 m Material: SAND, GRAVEL, SILT	
+ Thickness: 2.2 m Material Colour: BROWN				Original Depth: 5.1 m Material: SILT, , WATER-BEARING	
+ Thickness: 14.1 m Material Colour: RED				Original Depth: 19.2 m Material: SAND, SILT, GRAVEL	
+ Thickness: 2.1 m Material Colour: RED				Original Depth: 21.3 m Material: SAND, SILT, WATER-BEARING	
+ Thickness: 8.9 m Material Colour: RED				Original Depth: 30.2 m Material: SAND, GRAVEL	
+ Thickness: 1.4 m Material Colour: RED				Original Depth: 31.6 m Material: SAND, CLAY, GRAVEL	
+ Thickness: 3.1 m Material Colour: RED				Original Depth: 34.7 m Material: SHALE	
275	1 of 1	NW/62.6	273.8	Lot 20 con 8 GEORGETOWN ON	WWIS
Well ID: 2810473 Concession: 08 County: HALTON				Lot: 020 Concession Name: CON Municipality: HALTON HILLS TOWN (ESQUESING)	
Easting Nad83: 584896 Zone: 17 Primary Water Use: Sec. Water Use: Domestic Pump Rate: Flow Rate:				Northing Nad83: 4833359 Utm Reliability: margin of error : 10 - 30 m Construction Date: 01-DEC-05 Well Depth: Static Water Level: Clear/Cloudy:	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Specific Capacity: Construction Method: Elevation (m):	275.02			Final Well Status: Flowing (y/n):	Abandoned-Supply
Depth to Bedrock:				Elevation Reliability: Overburden/Bedroc k:	No formation data
Water Type:				Casing Material:	
276	1 of 1	SE/99.5	199.0	lot 1 con 8 ON	WWIS
Well ID: Concession: County:	2807176 08 HALTON			Lot: Concession Name: Municipality:	001 CON HALTON HILLS TOWN (ESQUESING)
Easting Nad83: Zone: Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m):	594062 17 Commerical Sec. Water Use: 5 GPM Flow Rate: Cable Tool 206.4			Northing Nad83: Utm Reliability: Construction Date: Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n):	4825438 margin of error : 10 - 30 m 02-DEC-88 60 ft 2 ft CLOUDY Water Supply N
Depth to Bedrock:	51			Elevation Reliability: Overburden/Bedroc k:	Bedrock
Water Type:	FRESH			Casing Material:	Not stated
--- Details ---					
Thickness: + Thickness: + Thickness: + Thickness: + Thickness: + Thickness: + Material Colour:	17 ft 3 ft 6 ft 25 ft 9 ft RED			Original Depth: Material: Original Depth: Material: Original Depth: Material: Original Depth: Material: Original Depth: Material:	17 ft CLAY, STONES, MEDIUM-GRAINED 20 ft SAND, MEDIUM GRAVEL 26 ft COARSE GRAVEL, HARD 51 ft CLAY, GRAVEL, HARD 60 ft SHALE, ROCK, HARD
Well ID: Concession: County:	2810476 08 HALTON			Lot: Concession Name: Municipality:	020 CON HALTON HILLS TOWN

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Easting Nad83: Zone: Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m):	584910 17 Domestic Rotary (Air) 275.02			Northing Nad83: Utm Reliability: Construction Date: Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n):	(ESQUESING) 4833380 margin of error : 10 - 30 m 30-NOV-05 16.76 m 33 ft CLEAR Water Supply
Depth to Bedrock:				Elevation Reliability: Overburden/Bedrock:	Overburden
Water Type:	FRESH			Casing Material:	FRESH
--- Details ---					
Thickness: Material Colour:	.6 m BLACK			Original Depth: Material:	.6 m TOPSOIL
+ Thickness: Material Colour:	6.41 m BROWN			Original Depth: Material:	7.01 m CLAY
+ Thickness: Material Colour:	9.75 m			Original Depth: Material:	16.76 m GRAVEL
278	1 of 1	NW/282.1	273.8	lot 20 con 8 ON	WWIS
Well ID: Concession: County:	2801258 08 HALTON			Lot: Concession Name: Municipality:	020 CON HALTON HILLS TOWN (ESQUESING)
Easting Nad83: Zone: Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m):	585051.4 17 Domestic Cable Tool 270.41			Northing Nad83: Utm Reliability: Construction Date: Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n):	4833514 margin of error : 100 m - 300 m 26-OCT-66 87 ft 40 ft CLEAR Water Supply N
Depth to Bedrock:				Elevation Reliability: Overburden/Bedrock:	Overburden
Water Type:	FRESH			Casing Material:	FRESH
--- Details ---					
Thickness: Material Colour:	83 ft BROWN			Original Depth: Material:	83 ft CLAY, GRAVEL
+ Thickness: Material Colour:	4 ft			Original Depth: Material:	87 ft GRAVEL

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<u>279</u>	<u>1 of 1</u>	<u>SE/50.9</u>	<u>198.5</u>	<u>ITORNBY ON</u>	<u>WWIS</u>
Well ID:	7168501			Lot:	
Concession:				Concession Name:	
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	594041			Northing Nad83:	4825394
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Test Hole			Construction Date:	05-JUL-11
Sec. Water Use:				Well Depth:	20 ft
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Test Hole
Construction Method:	Rotary (Convent.)			Flowing (y/n):	
Elevation (m):				Elevation	
Depth to Bedrock:				Reliability:	
Water Type:				Overburden/Bedrock k:	
--- Details ---				Casing Material:	Not stated
Thickness:	2 ft			Original Depth:	2 ft
Material Colour:	BROWN			Material:	FILL, , LOOSE
+					
Thickness:	8 ft			Original Depth:	10 ft
Material Colour:	BROWN			Material:	SILT, CLAY, SOFT
+					
Thickness:	10 ft			Original Depth:	20 ft
Material Colour:	GREY			Material:	SILT, , HARD
<u>280</u>	<u>1 of 1</u>	<u>SE/160.5</u>	<u>196.8</u>	<u>lot 1 con 8 ON</u>	<u>WWIS</u>
Well ID:	2803075			Lot:	001
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	593914.5			Northing Nad83:	4825223
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	23-APR-69
Sec. Water Use:				Well Depth:	32 ft
Pump Rate:				Static Water Level:	3 ft
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	205.4			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:	FRESH			Overburden/Bedrock k:	Overburden
				Casing Material:	SULPHUR

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
--- Details ---					
<i>Thickness:</i>	2 ft			<i>Original Depth:</i>	2 ft
<i>Material Colour:</i>				<i>Material:</i>	TOPSOIL
+ <i>Thickness:</i>	17 ft			<i>Original Depth:</i>	19 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	CLAY
+ <i>Thickness:</i>	13 ft			<i>Original Depth:</i>	32 ft
<i>Material Colour:</i>	GREY			<i>Material:</i>	CLAY
281	1 of 1	SE/408.9	196.8	lot 1 con 8 ON	WWIS
<i>Well ID:</i>	2804939			<i>Lot:</i>	001
<i>Concession:</i>	08			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	593764.5			<i>Northing Nad83:</i>	4825023
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 100 m - 300 m
<i>Primary Water Use:</i>				<i>Construction Date:</i>	04-OCT-76
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	73 ft
<i>Pump Rate:</i>				<i>Static Water Level:</i>	
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Abandoned-Supply
<i>Construction Method:</i>	Cable Tool			<i>Flowing (y/n):</i>	
<i>Elevation (m):</i>	200.76			<i>Elevation</i>	
<i>Depth to Bedrock:</i>	73			<i>Reliability:</i>	
<i>Water Type:</i>	FRESH			<i>Overburden/Bedrock k:</i>	Bedrock
				<i>Casing Material:</i>	
--- Details ---					
<i>Thickness:</i>	32 ft			<i>Original Depth:</i>	32 ft
<i>Material Colour:</i>				<i>Material:</i>	PREV. DRILLED
+ <i>Thickness:</i>	6 ft			<i>Original Depth:</i>	38 ft
<i>Material Colour:</i>	GREY			<i>Material:</i>	CLAY
+ <i>Thickness:</i>	13 ft			<i>Original Depth:</i>	51 ft
<i>Material Colour:</i>	GREY			<i>Material:</i>	CLAY, HARDPAN
+ <i>Thickness:</i>	10 ft			<i>Original Depth:</i>	61 ft
<i>Material Colour:</i>	GREY			<i>Material:</i>	QUICKSAND
+ <i>Thickness:</i>	9 ft			<i>Original Depth:</i>	70 ft
<i>Material Colour:</i>	BLUE			<i>Material:</i>	CLAY
+ <i>Thickness:</i>	1 ft			<i>Original Depth:</i>	71 ft
<i>Material Colour:</i>	BLUE			<i>Material:</i>	CLAY, GRAVEL
+ 					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Thickness: + Thickness:	0 ft 2 ft			Original Depth: Material:	73 ft SHALE
Material Colour: RED					
Material Colour: RED				Original Depth: Material:	73 ft CLAY, GRAVEL
282	1 of 2	NW/3.7	273.8	REGIONAL MUN. OF HALTON - LOT 21, CONC.8 LINDSAY CT. WATER PUMP STATION HALTON HILLS TOWN ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:	8-3047-92- 92 8/12/1992 Industrial air Approved 100KW DIESEL GEN. SET (X# 7-1473-91) Nitrogen Oxides, Sulphur Dioxide No Controls				
282	2 of 2	NW/3.7	273.8	R.M. OF HALTON - LOT 20, CONC. 8 LINDSAY CT./TRAFalgar RD. HALTON HILLS TOWN ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:	7-0777-92- 92 8/10/1992 Municipal water Approved 100KW DIESEL GEN. SET (X# 7-1473-91) Nitrogen Oxides, Sulphur Dioxide No Controls				
283	1 of 1	NW/40.7	273.8	ON	WWIS
Well ID: Concession: County: Easting Nad83: Zone: Primary Water Use:	7182433 HALTON 584858 17 Monitoring			Lot: Concession Name: Municipality: Northing Nad83: Utm Reliability: Construction Date:	HALTON HILLS TOWN (ESQUESING) 4833366 margin of error : 30 m - 100 m 18-MAY-12

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m):				Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n):	20 ft Observation Wells
Depth to Bedrock:				Elevation Reliability: Overburden/Bedrock K:	
Water Type:	Other			Casing Material:	Not stated
--- Details ---					
Thickness:	2 ft			Original Depth:	2 ft
Material Colour:	BROWN			Material:	SAND, STONES
+ Thickness:	8 ft			Original Depth:	10 ft
Material Colour:	BROWN			Material:	SILT, SAND, STONES
+ Thickness:	10 ft			Original Depth:	20 ft
Material Colour:	GREY			Material:	SILT, CLAY, SAND
284	1 of 1	NW/226.9	273.8	lot 20 con 8 ON	WWIS
Well ID:	2807057			Lot:	020
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	584989.4			Northing Nad83:	4833498
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Domestic			Construction Date:	21-OCT-88
Sec. Water Use:				Well Depth:	60 ft
Pump Rate:	10 GPM			Static Water Level:	41 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Rotary (Air)			Flowing (y/n):	N
Elevation (m):	272.12			Elevation Reliability: Overburden/Bedrock K:	
Depth to Bedrock:				Casing Material:	Overburden
Water Type:	FRESH				
--- Details ---					
Thickness:	15 ft			Original Depth:	15 ft
Material Colour:	BROWN			Material:	CLAY, GRAVEL
+ Thickness:	40 ft			Original Depth:	55 ft
Material Colour:	BROWN			Material:	SAND, GRAVEL
+ Thickness:	5 ft			Original Depth:	60 ft
Material Colour:	GREY			Material:	COARSE GRAVEL

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
285	1 of 1	NW/31.9	274.0	lot 20 ON	WWIS
Well ID:	2807100			Lot:	020
Concession:				Concession Name:	
County:	HALTON			Municipality:	HALTON HILLS TOWN (GEORGETOWN)
Easting Nad83:	584802.4			Northing Nad83:	4833319
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Not Used			Construction Date:	29-JUL-87
Sec. Water Use:				Well Depth:	94 ft
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Observation Wells
Construction Method:	Rotary (Convent.)			Flowing (y/n):	
Elevation (m):	279.44			Elevation	
Depth to Bedrock:	18			Reliability:	
Water Type:				Overburden/Bedrock	Overburden below Bedrock
Thickness:	10 ft			k:	
Material Colour:	BROWN			Casing Material:	FRESH
+ Thickness:	6 ft			Original Depth:	10 ft
Material Colour:				Material:	CLAY
+ Thickness:	2 ft			Original Depth:	16 ft
Material Colour:	BROWN			Material:	SAND, GRAVEL
+ Thickness:	2 ft			Original Depth:	18 ft
Material Colour:				Material:	CLAY, SAND, GRAVEL
+ Thickness:	4 ft			Original Depth:	20 ft
Material Colour:				Material:	ROCK, SHALE, HARD
+ Thickness:	12 ft			Original Depth:	24 ft
Material Colour:				Material:	GRAVEL, SAND, BOULDERS
+ Thickness:	5 ft			Original Depth:	36 ft
Material Colour:				Material:	GRAVEL, SAND, BOULDERS
+ Thickness:	10 ft			Original Depth:	41 ft
Material Colour:				Material:	GRAVEL, SAND
+ Thickness:	6 ft			Original Depth:	51 ft
Material Colour:				Material:	GRAVEL, SAND, LOOSE
+ Thickness:	2 ft			Original Depth:	57 ft
Material Colour:				Material:	GRAVEL, SAND, LOOSE
				Original Depth:	59 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Material Colour:				Material:	GRAVEL, SAND, CLAY
+ Thickness:	7 ft			Original Depth:	66 ft
Material Colour:	RED			Material:	CLAY, SAND, GRAVEL
+ Thickness:	1 ft			Original Depth:	67 ft
Material Colour:				Material:	SAND, GRAVEL, CLAY
+ Thickness:	12 ft			Original Depth:	79 ft
Material Colour:				Material:	SAND, GRAVEL, CLAY
+ Thickness:	4 ft			Original Depth:	83 ft
Material Colour:				Material:	SAND, GRAVEL, CLAY
+ Thickness:	5 ft			Original Depth:	88 ft
Material Colour:				Material:	GRAVEL, SAND, CLAY
+ Thickness:	6 ft			Original Depth:	94 ft
Material Colour:				Material:	CLAY, GRAVEL, ROCK

286	1 of 1	NW/27.7	273.9	lot 21 con 8 ON	WWIS
Well ID:	2807758			Lot:	021
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	584804.4			Northing Nad83:	4833323
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Municipal			Construction Date:	21-JAN-91
Sec. Water Use:				Well Depth:	103 ft
Pump Rate:	1000 GPM			Static Water Level:	
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	279.29			Elevation	
Depth to Bedrock:	15			Reliability:	
Water Type:				Overburden/Bedrock	Overburden below Bedrock
k:				Casing Material:	FRESH
--- Details ---					
Thickness:	15 ft			Original Depth:	15 ft
Material Colour:	RED			Material:	CLAY, SAND, STONES
+ Thickness:	2 ft			Original Depth:	17 ft
Material Colour:	BROWN			Material:	SANDSTONE, BOULDERS, SOFT
+ Thickness:	18 ft			Original Depth:	35 ft
Material Colour:	BROWN			Material:	GRAVEL, SAND, BOULDERS

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
+ Thickness: 31 ft Material Colour: BROWN				Original Depth: 66 ft Material: GRAVEL, SAND, BOULDERS	
+ Thickness: 8 ft Material Colour: BROWN				Original Depth: 74 ft Material: GRAVEL, SAND, LOOSE	
+ Thickness: 29 ft Material Colour: BROWN				Original Depth: 103 ft Material: GRAVEL, SAND, CLAY	
287	1 of 1	SE/76.1	198.5	lot 1 con 8 HORNBY ON	WWIS
Well ID: 2810036 Concession: 08 County: HALTON				Lot: 001 Concession Name: CON Municipality: HALTON HILLS TOWN (ESQUESING)	
Easting Nad83: 594086 Zone: 17 Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m): 206.98				Northing Nad83: 4825397 Utm Reliability: margin of error : 10 - 30 m Construction Date: 16-JUL-04 Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Abandoned-Other Flowing (y/n):	
Depth to Bedrock:				Elevation Reliability: Overburden/Bedrock k: No formation data	
Water Type:				Casing Material:	
288	1 of 4	SE/57.9	198.4	2042066 ONTARIO INC 8013 TRAFALGAR RD HALTON HILLS ON L0P 1E0	FST
Instance Number: 34068459 Cont Name: Instance Type: FS Liquid Fuel Tank Fuel Type: Diesel Status: Active Capacity: 75000 Tank Material: Fiberglass (FRP) Corrosion Protection: Fiberglass Tank Type: Double Wall UST Install Year: 2005 Parent Facility Type: FS Gasoline Station - Card/Keylock Facility Type: FS Liquid Fuel Tank					
288	2 of 4	SE/57.9	198.4	2042066 ONTARIO INC 8013 TRAFALGAR RD HALTON HILLS ON L0P 1E0	FST

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Instance Number:</i>	34068458				
<i>Cont Name:</i>					
<i>Instance Type:</i>	FS Liquid Fuel Tank				
<i>Fuel Type:</i>	Diesel				
<i>Status:</i>	Active				
<i>Capacity:</i>	75000				
<i>Tank Material:</i>	Fiberglass (FRP)				
<i>Corrosion Protection:</i>	Fiberglass				
<i>Tank Type:</i>	Double Wall UST				
<i>Install Year:</i>	2005				
<i>Parent Facility Type:</i>	FS Gasoline Station - Card/Keylock				
<i>Facility Type:</i>	FS Liquid Fuel Tank				
288	3 of 4	SE/57.9	198.4	2042066 ONTARIO INC 8013 TRAFALGAR RD HALTON HILLS ON	FSTH
<i>License Issue Date:</i>	7/25/2005				
<i>Tank Status:</i>	Licensed				
<i>Tank Status As Of:</i>	August 2007				
<i>Operation Type:</i>	Retail Fuel Outlet				
<i>Facility Type:</i>	Gasoline Station - Card/Keylock				
 --- Details ---					
<i>Status:</i>	Active				
<i>Capacity:</i>	75000				
<i>Year of Installation:</i>	2005				
<i>Corrosion Protection:</i>					
<i>Tank Fuel Type:</i>	Liquid Fuel Double Wall UST - Diesel				
 +					
<i>Status:</i>	Active				
<i>Capacity:</i>	75000				
<i>Year of Installation:</i>	2005				
<i>Corrosion Protection:</i>					
<i>Tank Fuel Type:</i>	Liquid Fuel Double Wall UST - Diesel				
288	4 of 4	SE/57.9	198.4	2042066 ONTARIO INC (AKA BVD HOLDINGS) 8013 TRAFALGAR RD HALTON HILLS ON	FSTH
<i>License Issue Date:</i>	7/25/2005 3:04:00 PM				
<i>Tank Status:</i>	Licensed				
<i>Tank Status As Of:</i>	December 2008				
<i>Operation Type:</i>	Retail Fuel Outlet				
<i>Facility Type:</i>	Gasoline Station - Card/Keylock				
 --- Details ---					
<i>Status:</i>	Active				
<i>Capacity:</i>	75000				
<i>Year of Installation:</i>	2005				
<i>Corrosion Protection:</i>					
<i>Tank Fuel Type:</i>	Liquid Fuel Double Wall UST - Diesel				
 +					
<i>Status:</i>	Active				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Capacity:	75000				
Year of Installation:	2005				
Corrosion Protection:					
Tank Fuel Type:	Liquid Fuel Double Wall UST - Diesel				
289	1 of 1	NW/36.1	274.2	lot 20 con 8 ON	WWIS
Well ID:	2807099			Lot:	020
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (GEORGETOWN)
Eastng Nad83:	584789.4			Northing Nad83:	4833326
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Not Used			Construction Date:	19-JAN-88
Sec. Water Use:				Well Depth:	115 ft
Pump Rate:	255 GPM			Static Water Level:	37 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Test Hole
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	279.21			Elevation	
Depth to Bedrock:	107			Reliability:	
Water Type:	FRESH			Overburden/Bedrock k:	Bedrock
--- Details ---				Casing Material:	FRESH
Thickness:	2 ft			Original Depth:	2 ft
Material Colour:				Material:	TOPSOIL
+ Thickness:	16 ft			Original Depth:	18 ft
Material Colour:				Material:	SAND, GRAVEL
+ Thickness:	17 ft			Original Depth:	35 ft
Material Colour:				Material:	SAND, GRAVEL, BOULDERS
+ Thickness:	25 ft			Original Depth:	60 ft
Material Colour:				Material:	GRAVEL, SAND
+ Thickness:	10 ft			Original Depth:	70 ft
Material Colour:				Material:	SAND, GRAVEL, CLAY
+ Thickness:	5 ft			Original Depth:	75 ft
Material Colour:				Material:	GRAVEL, SAND
+ Thickness:	5 ft			Original Depth:	80 ft
Material Colour:				Material:	SAND, GRAVEL
+ Thickness:	6 ft			Original Depth:	86 ft
Material Colour:				Material:	GRAVEL, SAND, CLAY
+ 					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Thickness:</i>	5 ft			<i>Original Depth:</i>	91 ft
<i>Material Colour:</i>				<i>Material:</i>	GRAVEL, CLAY
+					
<i>Thickness:</i>	2 ft			<i>Original Depth:</i>	93 ft
<i>Material Colour:</i>				<i>Material:</i>	CLAY, GRAVEL
+					
<i>Thickness:</i>	9 ft			<i>Original Depth:</i>	102 ft
<i>Material Colour:</i>				<i>Material:</i>	GRAVEL, SAND
+					
<i>Thickness:</i>	5 ft			<i>Original Depth:</i>	107 ft
<i>Material Colour:</i>				<i>Material:</i>	SAND, GRAVEL, CLAYEY
+					
<i>Thickness:</i>	8 ft			<i>Original Depth:</i>	115 ft
<i>Material Colour:</i>				<i>Material:</i>	SHALE

[290](#) **1 of 22** **SE/32.2** **197.5** **1249888 Ontario Inc.
13605 Steeles Ave Hornby
Halton Hills ON** [**CA**](#)

Certificate #: 7644-7RULXJ
Application Year: 2009
Issue Date: 5/11/2009
Approval Type: Industrial Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

[290](#) **2 of 22** **SE/32.2** **197.5** **1249888 ONTARIO INC
13605 STEELES AV
HORNBY ON** [**EXP**](#)

Instance ID: 37062
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:
Instance Number: 10774315
Instance Type: FS Liquid Fuel Tank
Status: EXPIRED
Description: FS Liquid Fuel Tank

[290](#) **3 of 22** **SE/32.2** **197.5** **1249888 ONTARIO INC
13605 STEELES AV
HORNBY ON** [**EXP**](#)

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Instance ID:</i>	38224				
<i>TSSA Program Area:</i>					
<i>Maximum Hazard Rank:</i>					
<i>Facility Type:</i>					
<i>Expired Date:</i>					
<i>Instance Number:</i>	10774297				
<i>Instance Type:</i>	FS Liquid Fuel Tank				
<i>Status:</i>	EXPIRED				
<i>Description:</i>	FS Liquid Fuel Tank				
 <u>290</u>	4 of 22	SE/32.2	197.5	1249888 ONTARIO INC 13605 STEELES AV HORNBY ON	EXP
<i>Instance ID:</i>	38535				
<i>TSSA Program Area:</i>					
<i>Maximum Hazard Rank:</i>					
<i>Facility Type:</i>					
<i>Expired Date:</i>					
<i>Instance Number:</i>	10774288				
<i>Instance Type:</i>	FS Liquid Fuel Tank				
<i>Status:</i>	EXPIRED				
<i>Description:</i>	FS Liquid Fuel Tank				
 <u>290</u>	5 of 22	SE/32.2	197.5	1249888 ONTARIO INC 13605 STEELES AV HORNBY ON	EXP
<i>Instance ID:</i>	38752				
<i>TSSA Program Area:</i>					
<i>Maximum Hazard Rank:</i>					
<i>Facility Type:</i>					
<i>Expired Date:</i>					
<i>Instance Number:</i>	10774278				
<i>Instance Type:</i>	FS Liquid Fuel Tank				
<i>Status:</i>	EXPIRED				
<i>Description:</i>	FS Liquid Fuel Tank				
 <u>290</u>	6 of 22	SE/32.2	197.5	1249888 ONTARIO INC 13605 STEELES AV HORNBY ON	EXP
<i>Instance ID:</i>	39660				
<i>TSSA Program Area:</i>					
<i>Maximum Hazard Rank:</i>					
<i>Facility Type:</i>					
<i>Expired Date:</i>					
<i>Instance Number:</i>	10774306				
<i>Instance Type:</i>	FS Liquid Fuel Tank				
<i>Status:</i>	EXPIRED				
<i>Description:</i>	FS Liquid Fuel Tank				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
290	7 of 22	SE/32.2	197.5	1249888 ONTARIO INC 13605 STEELES AV HORNBY ON	EXP
<i>Instance ID:</i>	91109				
<i>TSSA Program Area:</i>					
<i>Maximum Hazard Rank:</i>					
<i>Facility Type:</i>					
<i>Expired Date:</i>					
<i>Instance Number:</i>	11576976				
<i>Instance Type:</i>	FS Liquid Fuel Tank				
<i>Status:</i>	EXPIRED				
<i>Description:</i>	FS Liquid Fuel Tank				
290	8 of 22	SE/32.2	197.5	1249888 ONTARIO INC 13605 STEELES AV HORNBY ON	EXP
<i>Instance ID:</i>	352916				
<i>TSSA Program Area:</i>					
<i>Maximum Hazard Rank:</i>					
<i>Facility Type:</i>					
<i>Expired Date:</i>					
<i>Instance Number:</i>	64077150				
<i>Instance Type:</i>	FS Piping				
<i>Status:</i>	EXPIRED				
<i>Description:</i>	FS Piping				
290	9 of 22	SE/32.2	197.5	1249888 ONTARIO INC 13605 STEELES AV HORNBY ON	EXP
<i>Instance ID:</i>	37674				
<i>TSSA Program Area:</i>					
<i>Maximum Hazard Rank:</i>					
<i>Facility Type:</i>					
<i>Expired Date:</i>					
<i>Instance Number:</i>	10774300				
<i>Instance Type:</i>	FS Piping				
<i>Status:</i>	EXPIRED				
<i>Description:</i>	FS Piping				
290	10 of 22	SE/32.2	197.5	1249888 ONTARIO INC 13605 STEELES AV HORNBY ON	EXP
<i>Instance ID:</i>	37840				
<i>TSSA Program Area:</i>					
<i>Maximum Hazard Rank:</i>					
<i>Facility Type:</i>					
<i>Expired Date:</i>					
<i>Instance Number:</i>	10774309				
<i>Instance Type:</i>	FS Piping				
<i>Status:</i>	EXPIRED				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Description:		FS Piping			
<u>290</u>	11 of 22	SE/32.2	197.5	1249888 ONTARIO INC 13605 STEELES AV HORNBY ON	EXP
<i>Instance ID:</i>		38708			
<i>TSSA Program Area:</i>					
<i>Maximum Hazard Rank:</i>					
<i>Facility Type:</i>					
<i>Expired Date:</i>					
<i>Instance Number:</i>		10774291			
<i>Instance Type:</i>		FS Piping			
<i>Status:</i>		EXPIRED			
<i>Description:</i>		FS Piping			
<u>290</u>	12 of 22	SE/32.2	197.5	1249888 ONTARIO INC 13605 STEELES AV HORNBY ON	EXP
<i>Instance ID:</i>		38831			
<i>TSSA Program Area:</i>					
<i>Maximum Hazard Rank:</i>					
<i>Facility Type:</i>					
<i>Expired Date:</i>					
<i>Instance Number:</i>		10774318			
<i>Instance Type:</i>		FS Piping			
<i>Status:</i>		EXPIRED			
<i>Description:</i>		FS Piping			
<u>290</u>	13 of 22	SE/32.2	197.5	1249888 ONTARIO INC 13605 STEELES AV HORNBY ON	EXP
<i>Instance ID:</i>		39012			
<i>TSSA Program Area:</i>					
<i>Maximum Hazard Rank:</i>					
<i>Facility Type:</i>					
<i>Expired Date:</i>					
<i>Instance Number:</i>		10774282			
<i>Instance Type:</i>		FS Piping			
<i>Status:</i>		EXPIRED			
<i>Description:</i>		FS Piping			
<u>290</u>	14 of 22	SE/32.2	197.5	1249888 ONTARIO INC 13605 STEELES AV HORNBY ON L0P 1E0	EXP
<i>Instance ID:</i>		91109			
<i>TSSA Program Area:</i>					
<i>Maximum Hazard Rank:</i>					
<i>Facility Type:</i>		FS Liquid Fuel Tank			

270

erisinfo.com| EcoLog ERIS Ltd.

Trafalgar Road EA Trafalgar Rd 7 Hwy Halton Hills ON L0P1E0

Order No: 20160225127

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Expired Date:</i> <i>Instance Number:</i> <i>Instance Type:</i> <i>Status:</i> <i>Description:</i>	10/7/2009 8:53 11576976 FS Liquid Fuel Tank EXPIRED FS Gasoline Station - Self Serve				
<u>290</u>	15 of 22	SE/32.2	197.5	1249888 ONTARIO INC 13605 STEELES AV HORNBY ON L0P 1E0	EXP
<i>Instance ID:</i> <i>TSSA Program Area:</i> <i>Maximum Hazard Rank:</i> <i>Facility Type:</i> <i>Expired Date:</i> <i>Instance Number:</i> <i>Instance Type:</i> <i>Status:</i> <i>Description:</i>	37062 FS Liquid Fuel Tank 10/7/2009 8:52 10774315 FS Liquid Fuel Tank EXPIRED FS Gasoline Station - Self Serve				
<u>290</u>	16 of 22	SE/32.2	197.5	1249888 ONTARIO INC 13605 STEELES AV HORNBY ON L0P 1E0	EXP
<i>Instance ID:</i> <i>TSSA Program Area:</i> <i>Maximum Hazard Rank:</i> <i>Facility Type:</i> <i>Expired Date:</i> <i>Instance Number:</i> <i>Instance Type:</i> <i>Status:</i> <i>Description:</i>	38224 FS Liquid Fuel Tank 10/7/2009 8:49 10774297 FS Liquid Fuel Tank EXPIRED FS Gasoline Station - Self Serve				
<u>290</u>	17 of 22	SE/32.2	197.5	1249888 ONTARIO INC 13605 STEELES AV HORNBY ON L0P 1E0	EXP
<i>Instance ID:</i> <i>TSSA Program Area:</i> <i>Maximum Hazard Rank:</i> <i>Facility Type:</i> <i>Expired Date:</i> <i>Instance Number:</i> <i>Instance Type:</i> <i>Status:</i> <i>Description:</i>	38535 FS Liquid Fuel Tank 10/7/2009 8:47 10774288 FS Liquid Fuel Tank EXPIRED FS Gasoline Station - Self Serve				
<u>290</u>	18 of 22	SE/32.2	197.5	1249888 ONTARIO INC 13605 STEELES AV HORNBY ON L0P 1E0	EXP

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Instance ID:</i>	38752				
<i>TSSA Program Area:</i>					
<i>Maximum Hazard Rank:</i>					
<i>Facility Type:</i>	FS Liquid Fuel Tank				
<i>Expired Date:</i>	10/7/2009 8:43				
<i>Instance Number:</i>	10774278				
<i>Instance Type:</i>	FS Liquid Fuel Tank				
<i>Status:</i>	EXPIRED				
<i>Description:</i>	FS Gasoline Station - Self Serve				
290	19 of 22	SE/32.2	197.5	1249888 ONTARIO INC 13605 STEELES AV HORNBY ON L0P 1E0	EXP
<i>Instance ID:</i>	39660				
<i>TSSA Program Area:</i>					
<i>Maximum Hazard Rank:</i>					
<i>Facility Type:</i>	FS Liquid Fuel Tank				
<i>Expired Date:</i>	10/7/2009 8:50				
<i>Instance Number:</i>	10774306				
<i>Instance Type:</i>	FS Liquid Fuel Tank				
<i>Status:</i>	EXPIRED				
<i>Description:</i>	FS Gasoline Station - Self Serve				
290	20 of 22	SE/32.2	197.5	1249888 ONTARIO INC 13605 STEELES AV RR 1 HORNBY ON L0P 1E0	FSTH
<i>License Issue Date:</i>	1/11/2002				
<i>Tank Status:</i>	Pending Renewal				
<i>Tank Status As Of:</i>	December 2008				
<i>Operation Type:</i>	Retail Fuel Outlet				
<i>Facility Type:</i>	Gasoline Station - Self Serve				
--- Details ---					
<i>Status:</i>	Active				
<i>Capacity:</i>	25000				
<i>Year of Installation:</i>	1990				
<i>Corrosion Protection:</i>					
<i>Tank Fuel Type:</i>	Liquid Fuel Single Wall UST - Gasoline				
+					
<i>Status:</i>	Active				
<i>Capacity:</i>	25000				
<i>Year of Installation:</i>	1990				
<i>Corrosion Protection:</i>					
<i>Tank Fuel Type:</i>	Liquid Fuel Single Wall UST - Diesel				
+					
<i>Status:</i>	Active				
<i>Capacity:</i>	25000				
<i>Year of Installation:</i>	1990				
<i>Corrosion Protection:</i>					
<i>Tank Fuel Type:</i>	Liquid Fuel Single Wall UST - Gasoline				
+					
<i>Status:</i>	Active				
<i>Capacity:</i>	25000				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Year of Installation:</i> <i>Corrosion Protection:</i> <i>Tank Fuel Type:</i> +	1990				
<i>Status:</i> <i>Capacity:</i> <i>Year of Installation:</i> <i>Corrosion Protection:</i> <i>Tank Fuel Type:</i>	Active 45400 1999	Liquid Fuel Single Wall UST - Diesel Liquid Fuel Double Wall UST - Diesel			
<u>290</u>	21 of 22	SE/32.2	197.5	1249888 Ontario Inc. 13605 Steeles Avenue Hornby ON L0P 1E0	GEN
<i>Generator #:</i> <i>Approval Yrs:</i> <i>SIC Code:</i> <i>SIC Description:</i>	ON4301162 2009 531310 Real Estate Property Managers				
--- Details ---					
<i>Waste Code:</i> <i>Waste Description:</i>	221 LIGHT FUELS				
<u>290</u>	22 of 22	SE/32.2	197.5	13605 Steeles Ave Halton Hills ON	SPL
<i>Ref NO:</i> <i>Contaminant Code:</i> <i>Contaminant Name:</i> <i>Contaminant Quantity:</i> <i>Incident Cause:</i> <i>Incident Dt:</i> <i>Incident Reason:</i> <i>Incident Summary:</i> <i>MOE Reported Dt:</i> <i>Environmental Impact:</i> <i>Nature of Impact:</i> <i>Receiving Medium:</i> <i>SAC Action Class:</i> <i>Sector Source Type:</i> <i>Site Municipality:</i>	4530-9QRKJG 13 DIESEL FUEL 20 L Leak/Break 2014/11/11 Operator/Human Error Petro Canada Gas: 20 L spill to rd. 2014/11/11 Not Anticipated Other Impact(s) Land Spills Pipeline/Components Halton Hills				
<u>291</u>	1 of 1	NW/9.4	273.8	ON	WWIS
<i>Well ID:</i> <i>Concession:</i> <i>County:</i> <i>Easting Nad83:</i> <i>Zone:</i> <i>Primary Water Use:</i> <i>Sec. Water Use:</i> <i>Pump Rate:</i> <i>Flow Rate:</i>	7199646 HALTON 584819 17 Trafalgar Road EA			<i>Lot:</i> <i>Concession Name:</i> <i>Municipality:</i> <i>Northing Nad83:</i> <i>Utm Reliability:</i> <i>Construction Date:</i> <i>Well Depth:</i> <i>Static Water Level:</i> <i>Clear/Cloudy:</i>	HALTON HILLS TOWN (ESQUESING) 4833361 margin of error : 30 m - 100 m 11-JAN-12

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Specific Capacity: Construction Method: Elevation (m):				Final Well Status: Flowing (y/n):	
Depth to Bedrock:				Elevation Reliability: Overburden/Bedroc k:	
Water Type:				Casing Material:	
292	1 of 1	SE/38.3	198.1	lot 15 con 8 HORNBY ON	WWIS
Well ID: 2810077 Concession: 08 County: HALTON				Lot: 015 Concession Name: NS Municipality: HALTON HILLS TOWN (TRAFalgar)	
Easting Nad83: 594088 Zone: 17 Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m): 207.63				Northing Nad83: 4825352 Utm Reliability: margin of error : 10 - 30 m Construction Date: 22-APR-04 Well Depth: 4.5 m Static Water Level: Clear/Cloudy: Final Well Status: Observation Wells Flowing (y/n):	
Depth to Bedrock:				Elevation Reliability: Overburden/Bedroc k:	Overburden
Water Type:				Casing Material:	
--- Details ---					
Thickness: .9 m Material Colour: BROWN				Original Depth: .9 m Material: SAND, SILT	
+ Thickness: 3.6 m Material Colour: BROWN				Original Depth: 4.5 m Material: SILT, SAND, GRAVEL	
293	1 of 1	SE/42.2	197.3	lot 1 con 8 ON	WWIS
Well ID: 2807799 Concession: 08 County: HALTON				Lot: 001 Concession Name: CON Municipality: HALTON HILLS TOWN (ESQUESING)	
Easting Nad83: 594045 Zone: 17 Primary Water Use: Commerical Sec. Water Use: Pump Rate: 5 GPM Flow Rate: Specific Capacity: Construction Method: Elevation (m): 207.55				Northing Nad83: 4825284 Utm Reliability: margin of error : 10 - 30 m Construction Date: 07-JUN-90 Well Depth: 71 ft Static Water Level: 18 ft Clear/Cloudy: CLOUDY Final Well Status: Water Supply Flowing (y/n): N Elevation	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Depth to Bedrock:				Reliability: Overburden/Bedrock k:	
Water Type:	FRESH			Casing Material:	FRESH
--- Details ---					
Thickness:	14 ft			Original Depth:	14 ft
Material Colour:	BROWN			Material:	CLAY, STONES
+ Thickness:	8 ft			Original Depth:	22 ft
Material Colour:	GREY			Material:	SAND
+ Thickness:	14 ft			Original Depth:	36 ft
Material Colour:	GREY			Material:	SAND, CLAY
+ Thickness:	11 ft			Original Depth:	47 ft
Material Colour:	GREY			Material:	SILT
+ Thickness:	21 ft			Original Depth:	68 ft
Material Colour:	GREY			Material:	CLAY
+ Thickness:	3 ft			Original Depth:	71 ft
Material Colour:	GREY			Material:	SAND, GRAVEL
294	1 of 2	SE/95.1	198.5	Region of Halton 13693 Steeles Avenue Hornby ON L0P 1E0	GEN
Generator #:	ON4238104				
Approval Yrs:	2011				
SIC Code:	811111				
SIC Description:					
294	2 of 2	SE/95.1	198.5	Region of Halton 13693 Steeles Avenue Hornby ON L0P 1E0	GEN
Generator #:	ON4238104				
Approval Yrs:	2012				
SIC Code:	811111				
SIC Description:	General Automotive Repair				
295	1 of 1	SE/35.4	197.3	PETRO-CANADA 13605 STEELES MILTON ON	RST
Facility:	SERVICE STATIONS GASOLINE OIL & NATURAL				
Description:					
275	erisinfo.com EcoLog ERIS Ltd. Trafalgar Road EA Trafalgar Rd 7 Hwy Halton Hills ON L0P1E0			Order No: 20160225127	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
296	1 of 1	SE/164.9	196.8	lot 1 con 8 ON	WWIS
Well ID:	2805536			Lot:	001
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	593974.5			Northing Nad83:	4825183
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	10-JAN-80
Sec. Water Use:				Well Depth:	47 ft
Pump Rate:	14 GPM			Static Water Level:	7 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	205.88			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:	FRESH			Casing Material:	SULPHUR
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:	BROWN			Material:	TOPSOIL
+ Thickness:	46 ft			Original Depth:	47 ft
Material Colour:	BROWN			Material:	CLAY, STONES, BOULDERS
+ Thickness:	0 ft			Original Depth:	47 ft
Material Colour:	GREY			Material:	CLAY, SAND, STONES
297	1 of 2	NW/453.4	273.8	LAW DEV. GROUP GEORGETOWN (NO.2) LTD. BANTING RD./HWY. #7, PT.LOT 20 HALTON HILLS TOWN ON	CA
Certificate #:	3-0686-92-				
Application Year:	92				
Issue Date:	6/17/1992				
Approval Type:	Municipal sewage				
Status:	Approved				
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
297	2 of 2	NW/453.4	273.8	LAW DEV. GROUP GEORGETOWN (NO.2) LTD. BANTING RD./HWY. #7, PT.LOT 20	CA

276

erisinfo.com EcoLog ERIS Ltd.

Trafalgar Road EA Trafalgar Rd 7 Hwy Halton Hills ON L0P1E0

Order No: 20160225127

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
HALTON HILLS TOWN ON					
Certificate #:	7-0561-92-				
Application Year:	92				
Issue Date:	6/17/1992				
Approval Type:	Municipal water				
Status:	Approved				
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
298	1 of 1	SE/22.2	197.8	Concession 8, Part Lot 1 Town of Halton Hills ON	EHS
Order No.:	20030715036				
Report Date:	7/24/03				
Report Type:	Basic Report				
Search Radius (km):	0.25				
Addit. Info Ordered:					
299	1 of 1	SE/84.4	198.3	ON	WWIS
Well ID:	7170235			Lot:	
Concession:				Concession Name:	
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	594140			Northing Nad83:	4825375
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:				Construction Date:	29-JUL-11
Sec. Water Use:				Well Depth:	
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	
Construction				Flowing (y/n):	
Method:				Elevation	
Elevation (m):				Reliability:	
Depth to Bedrock:				Overburden/Bedrock	
Water Type:				k:	
				Casing Material:	
300	1 of 1	SE/56.2	198.1	lot 1 con 8 ON	WWIS
Well ID:	2801184			Lot:	001
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Easting Nad83:</i>	594123.6			<i>Northing Nad83:</i>	(ESQUESING)
<i>Zone:</i>	17			<i>Utm Reliability:</i>	4825352
<i>Primary Water Use:</i>	Domestic			<i>Construction Date:</i>	unknown UTM
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	17-DEC-52
<i>Pump Rate:</i>	20 GPM			<i>Static Water Level:</i>	69 ft
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	12 ft
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	CLEAR
<i>Construction Method:</i>	Cable Tool			<i>Flowing (y/n):</i>	Water Supply
<i>Elevation (m):</i>	207.89				N
<i>Depth to Bedrock:</i>				<i>Elevation Reliability:</i>	
<i>Water Type:</i>	FRESH			<i>Overburden/Bedrock K:</i>	Overburden
<i>--- Details ---</i>				<i>Casing Material:</i>	
<i>Thickness:</i>	69 ft			<i>Original Depth:</i>	FRESH
<i>Material Colour:</i>				<i>Material:</i>	69 ft
					CLAY, MEDIUM SAND
301	1 of 1	SE/86.3	198.3		WWIS
				Halton Hills ON	
<i>Well ID:</i>	7187632			<i>Lot:</i>	
<i>Concession:</i>				<i>Concession Name:</i>	
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN
<i>Easting Nad83:</i>	594144				(ESQUESING)
<i>Zone:</i>	17			<i>Northing Nad83:</i>	4825375
<i>Primary Water Use:</i>	Domestic			<i>Utm Reliability:</i>	margin of error : 30 m - 100 m
<i>Sec. Water Use:</i>				<i>Construction Date:</i>	11-SEP-12
<i>Pump Rate:</i>				<i>Well Depth:</i>	m
<i>Flow Rate:</i>				<i>Static Water Level:</i>	
<i>Specific Capacity:</i>				<i>Clear/Cloudy:</i>	
<i>Construction Method:</i>	Digging			<i>Final Well Status:</i>	Abandoned-Other
<i>Elevation (m):</i>				<i>Flowing (y/n):</i>	
<i>Depth to Bedrock:</i>				<i>Elevation Reliability:</i>	
<i>Water Type:</i>				<i>Overburden/Bedrock K:</i>	
<i>--- Details ---</i>				<i>Casing Material:</i>	
<i>Thickness:</i>	m			<i>Original Depth:</i>	m
<i>Material Colour:</i>				<i>Material:</i>	
302	1 of 11	SE/3.1	197.4	Steeles Ave & Trafalgar Rd Halton Hills ON	EHS
<i>Order No.:</i>	20110520023				
<i>Report Date:</i>	6/7/2011				
<i>Report Type:</i>	Custom Report				
<i>Search Radius (km):</i>	0.25				
<i>Addit. Info Ordered:</i>	Fire Insur. Maps and/or Site Plans				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
302	2 of 11	SE/3.1	197.4	COUNTRY FARE MARKET LTD LOT 1 CON 8 ESQUESING TWP HORNBY ON M5T 1R5	EXP
Instance ID:					
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date: 10/20/2009 8:32					
Instance Number: 9526418					
Instance Type: FS Facility					
Status: EXPIRED					
Description:					
302	3 of 11	SE/3.1	197.4	SHELL CANADA PRODUCTS LTD. RR #2, STEELES & TRAFALGAR, HORNBY C/O 1500 DON MILLS RD. NORTH YORK ON L0P 1E0	GEN
Generator #: ON0005173					
Approval Yrs: 90					
SIC Code: 6331					
SIC Description: GASOLINE SERV. ST.					
--- Details ---					
Waste Code: 146					
Waste Description: OTHER SPECIFIED INORGANICS					
302	4 of 11	SE/3.1	197.4	SHELL CANADA PRODUCTS LTD. 531 RR #2, STEELES & TRAFALGAR, HORNBY C/O 1500 DON MILLS RD. NORTH YORK ON L0P 1E0	35- GEN
Generator #: ON0005173					
Approval Yrs: 92,93,94,95,96,97					
SIC Code: 6331					
SIC Description: GASOLINE SERV. ST.					
--- Details ---					
Waste Code: 146					
Waste Description: OTHER SPECIFIED INORGANICS					
302	5 of 11	SE/3.1	197.4	SHELL CANADA PRODUCTS LIMITED STEELES AND TRAFALGAR HORNBY ON L0P 1E0	GEN
Generator #: ON0005173					
Approval Yrs: 98					
SIC Code: 6331					
SIC Description: GASOLINE SERV. ST.					
--- Details ---					
Waste Code: 146					
Waste Description: OTHER SPECIFIED INORGANICS					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
302	6 of 11	SE/3.1	197.4	COUNTRY FARE MARKET LTD LOT 1 CON 8 ESQUESING TWP HORNBY ON	PRT
		Location ID: Type: Expiry Date: Capacity (L): Licence #:	4615 retail 1991-05-31 0 0019316001		
302	7 of 11	SE/3.1	197.4	COUNTRY FARE MARKET LTD LOT 8 CON 1 TRAFALGAR & STEELE HORNBY ON	PRT
		Location ID: Type: Expiry Date: Capacity (L): Licence #:	5781 retail 1991-08-31 3000 0034314001		
302	8 of 11	SE/3.1	197.4	COUNTRY FARE MARKET LTD UNKNOWN - RR 2 HORNBY ON L0P1E0	PRT
		Location ID: Type: Expiry Date: Capacity (L): Licence #:	19485 retail 1993-01-31 2000 0076345966		
302	9 of 11	SE/3.1	197.4	SHELL CANADA PRODUCTS LTD. TRAFALGAR ROAD AND STEELES KEY- LOCK STATION HALTON HILLS TOWN ON	SPL
		Ref NO: Contaminant Code: Contaminant Name: Contaminant Quantity: Incident Cause: Incident Dt: Incident Reason: Incident Summary: MOE Reported Dt: Environmental Impact: Nature of Impact: Receiving Medium: SAC Action Class: Sector Source Type: Site Municipality:	90754 CONTAINER OVERFLOW 9/1/1993 ERROR SHELL-KEY LOCK STATION 75 L DIESEL TO PAVEMENT, CONTAINED, CLEANED. 9/2/1993 POSSIBLE Multi Media Pollution LAND 14401		

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
302	10 of 11	SE/3.1	197.4	SHELL CANADA PRODUCTS LTD. RR2 HORNBY, CORNER OF STEELES AND TRAFALGAR SERVICE STATION HALTON HILLS TOWN ON	SPL
Ref NO:	150877				
Contaminant Code:					
Contaminant Name:					
Contaminant Quantity:					
Incident Cause:	UNDERGROUND TANK LEAK				
Incident Dt:	12/18/1990				
Incident Reason:	EQUIPMENT FAILURE				
Incident Summary:	SHELL: UNK QUA GASOLINE LEAKING TO GROUND FROM UST OR LINE.				
MOE Reported Dt:	12/19/1990				
Environmental Impact:	POSSIBLE				
Nature of Impact:	Soil contamination				
Receiving Medium:	LAND				
SAC Action Class:					
Sector Source Type:					
Site Municipality:	14401				
302	11 of 11	SE/3.1	197.4	Bulk Transport Systems Steeles and Trafalgar - MVA<UNOFFICIAL> Halton Hills ON	SPL
Ref NO:	5630-6D8H8P				
Contaminant Code:					
Contaminant Name:	OIL (PETROLEUM BASED, NOT SPECIFIED)				
Contaminant Quantity:					
Incident Cause:	Overturn - Truck Or Trailer				
Incident Dt:	6/10/2005				
Incident Reason:	Unknown - Reason not determined				
Incident Summary:	MVA: 40 L oil to ditch and gravel, cleaning				
MOE Reported Dt:	6/10/2005				
Environmental Impact:	Possible				
Nature of Impact:	Human Health/Safety; Soil Contamination				
Receiving Medium:	Land				
SAC Action Class:	Spills to Land				
Sector Source Type:	Transport Truck				
Site Municipality:	Halton Hills				
303	1 of 1	SE/8.1	197.4	TRUCK TOWN TERMINAL INC 1693 STEELES AV E & TRAFALGAR RD HORNBY ON	EXP
Instance ID:	12352				
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:					
Instance Number:	10123776				
Instance Type:	FS Facility				
Status:	EXPIRED				
Description:	FS Gasoline Station - Card/Keylock				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<u>304</u>	<u>1 of 1</u>	SE/65.3	196.9	ON	WWIS
Well ID:	7188928			Lot:	
Concession:				Concession Name:	
County:	HALTON			Municipality:	HALTON HILLS TOWN (TRAFalgar)
Easting Nad83:	594086			Northing Nad83:	4825235
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:				Construction Date:	31-MAY-12
Sec. Water Use:				Well Depth:	
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	
Construction				Flowing (y/n):	
Method:					
Elevation (m):				Elevation	
Depth to Bedrock:				Reliability:	
Water Type:				Overburden/Bedroc k:	
				Casing Material:	
<u>305</u>	<u>1 of 1</u>	SE/63.0	196.9	ON	WWIS
Well ID:	7199559			Lot:	
Concession:				Concession Name:	
County:	HALTON			Municipality:	HALTON HILLS TOWN (TRAFalgar)
Easting Nad83:	594091			Northing Nad83:	4825236
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:				Construction Date:	31-OCT-12
Sec. Water Use:				Well Depth:	
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	
Construction				Flowing (y/n):	
Method:					
Elevation (m):				Elevation	
Depth to Bedrock:				Reliability:	
Water Type:				Overburden/Bedroc k:	
				Casing Material:	
<u>306</u>	<u>1 of 1</u>	SE/35.0	197.5	lot 15 con 8 ON	WWIS
Well ID:	2808334			Lot:	015
Concession:	08			Concession Name:	NS
County:	HALTON			Municipality:	HALTON HILLS TOWN (TRAFalgar)
Easting Nad83:	594141			Northing Nad83:	4825302
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Primary Water Use:	Commercial			Construction Date:	27-OCT-94
Sec. Water Use:	Not Used			Well Depth:	110 ft
Pump Rate:				Static Water Level:	16 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Abandoned-Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	208.4			Elevation Reliability:	
Depth to Bedrock:	85			Overburden/Bedrock k:	Bedrock
Water Type:	FRESH			Casing Material:	FRESH, MINERIAL
--- Details ---					
Thickness:	2 ft			Original Depth:	2 ft
Material Colour:	BLACK			Material:	TOPSOIL
+ Thickness:	40 ft			Original Depth:	42 ft
Material Colour:	BROWN			Material:	CLAY
+ Thickness:	14 ft			Original Depth:	56 ft
Material Colour:	BROWN			Material:	SAND, GRAVEL
+ Thickness:	4 ft			Original Depth:	60 ft
Material Colour:	BLUE			Material:	CLAY, STONES
+ Thickness:	25 ft			Original Depth:	85 ft
Material Colour:				Material:	SAND, COARSE GRAVEL
+ Thickness:	7 ft			Original Depth:	92 ft
Material Colour:	RED			Material:	SHALE, SOFT
+ Thickness:	18 ft			Original Depth:	110 ft
Material Colour:	RED			Material:	SHALE, HARD
307	1 of 1	SE/95.7	196.8	Lot 15 con 7 Milton ON	WWIS
Well ID:	7136538			Lot:	015
Concession:	07			Concession Name:	NS
County:	HALTON			Municipality:	HALTON HILLS TOWN (TRAFalgar)
Easting Nad83:	594074			Northing Nad83:	4825207
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:				Construction Date:	16-SEP-09
Sec. Water Use:				Well Depth:	ft
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Abandoned-Other
Construction Method:				Flowing (y/n):	
Elevation (m):	207.33			Elevation Reliability:	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Depth to Bedrock:			Overburden/Bedrock k:		
Water Type:			Casing Material:		
--- Details ---					
Thickness:	ft		Original Depth:	ft	
Material Colour:			Material:		
308	1 of 1	SE/58.4	196.9	ON	WWIS
Well ID:	7186054		Lot:		
Concession:			Concession Name:		
County:	HALTON		Municipality:	HALTON HILLS TOWN (TRAFalgar)	
Easting Nad83:	594100		Northing Nad83:	4825239	
Zone:	17		Utm Reliability:	margin of error : 30 m - 100 m	
Primary Water Use:	Test Hole		Construction Date:	30-JUL-12	
Sec. Water Use:			Well Depth:	15 ft	
Pump Rate:			Static Water Level:		
Flow Rate:			Clear/Cloudy:		
Specific Capacity:			Final Well Status:	Test Hole	
Construction Method:	Rotary (Convent.)		Flowing (y/n):		
Elevation (m):			Elevation		
Depth to Bedrock:			Reliability:		
Water Type:			Overburden/Bedrock k:		
--- Details ---			Casing Material:	Not stated	
Thickness:	13 ft		Original Depth:	13 ft	
Material Colour:	BROWN		Material:	FILL	
+					
Thickness:	1 ft		Original Depth:	14 ft	
Material Colour:	GREY		Material:	OTHER	
+					
Thickness:	1 ft		Original Depth:	15 ft	
Material Colour:	BROWN		Material:	SAND	
309	1 of 1	SE/37.3	197.4	lot 15 con 8 ON	WWIS
Well ID:	2802664		Lot:	015	
Concession:	08		Concession Name:	NS	
County:	HALTON		Municipality:	HALTON HILLS TOWN (TRAFalgar)	
Easting Nad83:	594143.6		Northing Nad83:	4825294	
Zone:	17		Utm Reliability:	margin of error : 100 m - 300 m	
Primary Water Use:	Domestic		Construction Date:	11-MAR-67	
Sec. Water Use:			Well Depth:	61 ft	
Pump Rate:	2 GPM		Static Water Level:	30 ft	
Flow Rate:			Clear/Cloudy:	CLEAR	
Specific Capacity:			Final Well Status:	Water Supply	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	208.41			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:	FRESH			Casing Material:	SULPHUR
--- Details ---					
Thickness:	18 ft			Original Depth:	18 ft
Material Colour:	BROWN			Material:	TOPSOIL, CLAY
+ Thickness:	42 ft			Original Depth:	60 ft
Material Colour:	GREY			Material:	CLAY
+ Thickness:	1 ft			Original Depth:	61 ft
Material Colour:	RED			Material:	MEDIUM SAND, GRAVEL
310	1 of 1	SE/59.1	197.6	lot 15 con 8 ON	WWIS
Well ID:	2808335			Lot:	015
Concession:	08			Concession Name:	NS
County:	HALTON			Municipality:	HALTON HILLS TOWN (TRAFalgar)
Easting Nad83:	594163			Northing Nad83:	4825314
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Domestic			Construction Date:	25-NOV-94
Sec. Water Use:	Commercial			Well Depth:	103 ft
Pump Rate:	2 GPM			Static Water Level:	16 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	208.28			Elevation Reliability:	
Depth to Bedrock:	92			Overburden/Bedrock:	Bedrock
Water Type:	FRESH			Casing Material:	FRESH, MINERIAL
--- Details ---					
Thickness:	2 ft			Original Depth:	2 ft
Material Colour:	BLACK			Material:	TOPSOIL
+ Thickness:	23 ft			Original Depth:	25 ft
Material Colour:	BROWN			Material:	CLAY, STONES
+ Thickness:	20 ft			Original Depth:	45 ft
Material Colour:	BROWN			Material:	SAND
+ Thickness:	23 ft			Original Depth:	68 ft
Material Colour:	GREY			Material:	CLAY, STONES
+ 					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Thickness:</i>	24 ft			<i>Original Depth:</i>	92 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	SAND
<i>+</i>					
<i>Thickness:</i>	11 ft			<i>Original Depth:</i>	103 ft
<i>Material Colour:</i>	RED			<i>Material:</i>	SHALE, HARD
311	1 of 1	NW/33.9	275.4	lot 20 con 8 GEORGETOWN ON	WWIS
<i>Well ID:</i>	2810475			<i>Lot:</i>	020
<i>Concession:</i>	08			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	584716			<i>Northing Nad83:</i>	4833403
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 10 - 30 m
<i>Primary Water Use:</i>	Domestic			<i>Construction Date:</i>	01-DEC-05
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	
<i>Pump Rate:</i>				<i>Static Water Level:</i>	
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Abandoned-Supply
<i>Construction Method:</i>				<i>Flowing (y/n):</i>	
<i>Elevation (m):</i>	277.09			<i>Elevation</i>	
<i>Depth to Bedrock:</i>				<i>Reliability:</i>	
<i>Water Type:</i>				<i>Overburden/Bedrock k:</i>	No formation data
312	1 of 1	SE/111.5	198.2	HALTON HILLS ON	WWIS
<i>Well ID:</i>	7185908			<i>Lot:</i>	
<i>Concession:</i>				<i>Concession Name:</i>	
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (TRAFalGAR)
<i>Easting Nad83:</i>	594199			<i>Northing Nad83:</i>	4825359
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 30 m - 100 m
<i>Primary Water Use:</i>	Domestic			<i>Construction Date:</i>	26-MAY-12
<i>Sec. Water Use:</i>	Not Used			<i>Well Depth:</i>	m
<i>Pump Rate:</i>				<i>Static Water Level:</i>	
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Alteration
<i>Construction Method:</i>	Boring			<i>Flowing (y/n):</i>	
<i>Elevation (m):</i>				<i>Elevation</i>	
<i>Depth to Bedrock:</i>				<i>Reliability:</i>	
<i>Water Type:</i>				<i>Overburden/Bedrock k:</i>	
--- Details ---				<i>Casing Material:</i>	SULPHUR
<i>Thickness:</i>	m			<i>Original Depth:</i>	m
<i>Material Colour:</i>				<i>Material:</i>	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
313	1 of 1	SE/53.1	197.5	<i>lot 15 con 8 ON</i>	WWIS
Well ID:	2807363			Lot:	015
Concession:	08			Concession Name:	NS
County:	HALTON			Municipality:	HALTON HILLS TOWN (TRAFalgar)
Easting Nad83:	594159			Northing Nad83:	4825304
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Commerical			Construction Date:	21-JUL-89
Sec. Water Use:				Well Depth:	35 ft
Pump Rate:	3 GPM			Static Water Level:	10 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	208.34			Elevation Reliability: Overburden/Bedrock k:	
Depth to Bedrock:					Overburden
Water Type:	FRESH			Casing Material:	SALTY, SULPHUR
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:	BROWN			Material:	TOPSOIL, LOOSE
+ Thickness:	5 ft			Original Depth:	6 ft
Material Colour:	BROWN			Material:	CLAY, FINE SAND
+ Thickness:	23 ft			Original Depth:	29 ft
Material Colour:	BROWN			Material:	CLAY, STONES, FINE SAND
+ Thickness:	1 ft			Original Depth:	30 ft
Material Colour:				Material:	STONES, HARD
+ Thickness:	3 ft			Original Depth:	33 ft
Material Colour:	BROWN			Material:	SAND, SILTY, LOOSE
+ Thickness:	2 ft			Original Depth:	35 ft
Material Colour:	GREY			Material:	MEDIUM SAND, FINE SAND, LOOSE
314	1 of 3	SE/51.8	196.9	<i>Imperial Oil 7974 Trafalgar Road Hornby ON</i>	GEN
Generator #:	ON3521603				
Approval Yrs:	2012				
SIC Code:	447190				
SIC Description:	Other Gasoline Stations				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
314	2 of 3	SE/51.8	196.9	Imperial Oil 7974 Trafalgar Road Hornby ON	GEN
Generator #:	ON3521603				
Approval Yrs:	2013				
SIC Code:	447190				
SIC Description:					
--- Details ---					
Waste Code:	251				
Waste Description:	OIL SKIMMINGS & SLUDGES				
+ Waste Code:					
Waste Description:	252				
+ Waste Code:					
Waste Description:	WASTE OILS & LUBRICANTS				
+ Waste Code:					
Waste Description:	221				
Waste Description:	LIGHT FUELS				
314	3 of 3	SE/51.8	196.9	HORNBY ON	WWIS
Well ID:	7196501			Lot:	
Concession:				Concession Name:	
County:				Municipality:	
Easting Nad83:				Northing Nad83:	
Zone:				Utm Reliability:	unknown UTM
Primary Water Use:				Construction Date:	26-SEP-12
Sec. Water Use:				Well Depth:	ft
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Abandoned-Other
Construction				Flowing (y/n):	
Method:				Elevation	
Elevation (m):				Reliability:	
Depth to Bedrock:				Overburden/Bedrock	
Water Type:				k:	
Casing Material:					
--- Details ---					
Thickness:	ft			Original Depth:	ft
Material Colour:				Material:	
315	1 of 1	SE/115.5	198.2	ON	WWIS
Well ID:	7179272			Lot:	
Concession:				Concession Name:	
County:	HALTON			Municipality:	HALTON HILLS TOWN (TRAFalgar)
Easting Nad83:	594205			Northing Nad83:	4825357
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:				Construction Date:	24-OCT-11
Sec. Water Use:				Well Depth:	
Pump Rate:				Static Water Level:	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	
<i>Construction Method:</i>				<i>Flowing (y/n):</i>	
<i>Elevation (m):</i>				<i>Elevation</i>	
<i>Depth to Bedrock:</i>				<i>Reliability:</i>	
<i>Water Type:</i>				<i>Overburden/Bedrock k:</i>	
				<i>Casing Material:</i>	
316	1 of 1	SE/159.8	196.8	RECREATION & PARKS DEPARTMENT 13526 STEELES AVE. WEST. HORNBY COMMUNITY HALL STORAGE TANK HALTON HILLS TOWN ON	SPL
<i>Ref NO:</i>	93359				
<i>Contaminant Code:</i>					
<i>Contaminant Name:</i>					
<i>Contaminant Quantity:</i>					
<i>Incident Cause:</i>	OTHER CONTAINER LEAK				
<i>Incident Dt:</i>	11/12/1993				
<i>Incident Reason:</i>	MATERIAL FAILURE				
<i>Incident Summary:</i>	HORNBY COMMUNITY HALL: FURNACE OIL LEAK TO BASEMENT; 5L SUMPED OUTSIDE				
<i>MOE Reported Dt:</i>	11/12/1993				
<i>Environmental Impact:</i>	POSSIBLE				
<i>Nature of Impact:</i>	Soil contamination				
<i>Receiving Medium:</i>	LAND				
<i>SAC Action Class:</i>					
<i>Sector Source Type:</i>					
<i>Site Municipality:</i>	14401				
317	1 of 1	NW/334.1	273.8	lot 21 con 8 ON	WWIS
<i>Well ID:</i>	2806554			<i>Lot:</i>	021
<i>Concession:</i>	08			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	584974.4			<i>Northing Nad83:</i>	4833665
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 10 - 30 m
<i>Primary Water Use:</i>	Domestic			<i>Construction Date:</i>	29-OCT-85
<i>Sec. Water Use:</i>	Livestock			<i>Well Depth:</i>	45 ft
<i>Pump Rate:</i>	50 GPM			<i>Static Water Level:</i>	23 ft
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	CLEAR
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Water Supply
<i>Construction Method:</i>	Rotary (Convent.)			<i>Flowing (y/n):</i>	N
<i>Elevation (m):</i>	270.83			<i>Elevation</i>	
<i>Depth to Bedrock:</i>				<i>Reliability:</i>	
<i>Water Type:</i>	FRESH			<i>Overburden/Bedrock k:</i>	Overburden
--- Details ---				<i>Casing Material:</i>	FRESH
<i>Thickness:</i>	1 ft			<i>Original Depth:</i>	1 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Material Colour:	BROWN			Material:	TOPSOIL
+					
Thickness:	13 ft			Original Depth:	14 ft
Material Colour:	RED			Material:	CLAY
+					
Thickness:	22 ft			Original Depth:	36 ft
Material Colour:	GREY			Material:	GRAVEL
+					
Thickness:	9 ft			Original Depth:	45 ft
Material Colour:	RED			Material:	CLAY
<hr/>					
318	1 of 1	ESE/475.1	199.4	EQUITY WASTE MANAGEMENT OF CANADA CORP. PT.LOT 15/CON.8,14000 STEELES HALTON HILLS TOWN ON	CA
Certificate #:	3-1517-94-				
Application Year:	94				
Issue Date:	12/9/1994				
Approval Type:	Municipal sewage				
Status:	Cancelled				
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
<hr/>					
319	1 of 1	SE/98.2	196.8	lot 15 con 7 ON	WWIS
Well ID:	2807006			Lot:	015
Concession:	07			Concession Name:	NS
County:	HALTON			Municipality:	HALTON HILLS TOWN (TRAFALGAR)
Easting Nad83:	594100			Northing Nad83:	4825199
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Commerical			Construction Date:	22-JUL-88
Sec. Water Use:				Well Depth:	187 ft
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	207.69			Elevation	
Depth to Bedrock:	96			Reliability:	
Water Type:	Not stated			Overburden/Bedroc	Bedrock
K:				K:	
Casing Material:				Casing Material:	FRESH, MINERIAL
--- Details ---					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Thickness:	18 ft			Original Depth:	18 ft
Material Colour:	BROWN			Material:	CLAY, GRAVELLY
+					
Thickness:	78 ft			Original Depth:	96 ft
Material Colour:	GREY			Material:	CLAY, SANDY
+					
Thickness:	91 ft			Original Depth:	187 ft
Material Colour:	RED			Material:	SHALE

320	1 of 1	SE/209.0	197.9		WWIS
				ON	
Well ID:	7164664			Lot:	
Concession:				Concession Name:	
County:	HALTON			Municipality:	HALTON HILLS TOWN (TRAFalgar)
Easting Nad83:	594270			Northing Nad83:	4825427
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:				Construction Date:	14-APR-11
Sec. Water Use:				Well Depth:	
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	
Construction Method:				Flowing (y/n):	
Elevation (m):				Elevation	
Depth to Bedrock:				Reliability:	
Water Type:				Overburden/Bedrock	
				k:	
				Casing Material:	

321	1 of 1	SE/94.1	196.8	lot 15 con 7	WWIS
				ON	
Well ID:	2807406			Lot:	015
Concession:	07			Concession Name:	NS
County:	HALTON			Municipality:	HALTON HILLS TOWN (TRAFalgar)
Easting Nad83:	594111			Northing Nad83:	4825203
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Commerical			Construction Date:	29-DEC-86
Sec. Water Use:				Well Depth:	52 ft
Pump Rate:	3 GPM			Static Water Level:	13 ft
Flow Rate:				Clear/Cloudy:	CLOUDY
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	207.83			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:	FRESH			Overburden/Bedrock	Overburden
				k:	
				Casing Material:	SULPHUR

--- Details ---

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Thickness:</i>	1 ft			<i>Original Depth:</i>	1 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	TOPSOIL
+					
<i>Thickness:</i>	4 ft			<i>Original Depth:</i>	5 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	CLAY
+					
<i>Thickness:</i>	13 ft			<i>Original Depth:</i>	18 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	SAND, CLAY, PACKED
+					
<i>Thickness:</i>	4 ft			<i>Original Depth:</i>	22 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	MEDIUM SAND, FINE SAND, COARSE SAND
+					
<i>Thickness:</i>	21 ft			<i>Original Depth:</i>	43 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	CLAY, SILT, LAYERED
+					
<i>Thickness:</i>	9 ft			<i>Original Depth:</i>	52 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	MEDIUM SAND, STONES, CLAY

322	1 of 1	SE/70.6	196.8		WWIS
				ON	
<i>Well ID:</i>	7200756			<i>Lot:</i>	
<i>Concession:</i>				<i>Concession Name:</i>	
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (TRAFalgar)
<i>Easting Nad83:</i>	594134			<i>Northing Nad83:</i>	4825232
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 30 m - 100 m
<i>Primary Water Use:</i>				<i>Construction Date:</i>	18-MAR-13
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	
<i>Pump Rate:</i>				<i>Static Water Level:</i>	
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	
<i>Construction Method:</i>				<i>Flowing (y/n):</i>	
<i>Elevation (m):</i>				<i>Elevation</i>	
<i>Depth to Bedrock:</i>				<i>Reliability:</i>	
<i>Water Type:</i>				<i>Overburden/Bedrock</i>	
				<i>K:</i>	
				<i>Casing Material:</i>	

323	1 of 1	SE/130.7	198.0	lot 15 con 8	WWIS
				ON	
<i>Well ID:</i>	2806792			<i>Lot:</i>	015
<i>Concession:</i>	08			<i>Concession Name:</i>	NS
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (TRAFalgar)
<i>Easting Nad83:</i>	594225			<i>Northing Nad83:</i>	4825352
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 10 - 30 m
<i>Primary Water Use:</i>	Domestic			<i>Construction Date:</i>	
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	44 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Pump Rate:	10 GPM			Static Water Level:	10 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	207.81			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock k:	Overburden
Water Type:	FRESH			Casing Material:	SALTY, SULPHUR
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:	BLACK			Material:	TOPSOIL
+ Thickness:	3 ft			Original Depth:	4 ft
Material Colour:	BROWN			Material:	CLAY, STONES
+ Thickness:	10 ft			Original Depth:	14 ft
Material Colour:	RED			Material:	CLAY, SAND, STONES
+ Thickness:	3 ft			Original Depth:	17 ft
Material Colour:	BROWN			Material:	CLAY, PACKED
+ Thickness:	23 ft			Original Depth:	40 ft
Material Colour:	GREY			Material:	SAND, CLAY, STONES
+ Thickness:	4 ft			Original Depth:	44 ft
Material Colour:	GREY			Material:	MEDIUM SAND

324	1 of 1	SE/68.8	196.9	lot 15 con 7 ON	WWIS
Well ID:	7178235			Lot:	015
Concession:	07			Concession Name:	NS
County:	HALTON			Municipality:	HALTON HILLS TOWN (TRAFALGAR)
Easting Nad83:	594145			Northing Nad83:	4825240
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Not Used			Construction Date:	27-JAN-12
Sec. Water Use:				Well Depth:	13 ft
Pump Rate:				Static Water Level:	3 ft
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Abandoned-Other
Construction Method:	Other Method			Flowing (y/n):	N
Elevation (m):				Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock k:	
Water Type:	Untested			Casing Material:	
--- Details ---					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Thickness: + Material Colour:	4 ft BROWN			Original Depth: Material:	4 ft FILL
Thickness: Material Colour:	9 ft GREY			Original Depth: Material:	13 ft
325	1 of 18	SE/79.5	197.4	Shell Canada Limited Hornby Milton ON	ECA
CofA Number: Date: Status: Project Type:	0790-8YAK3N 10/29/2012 Approved Industrial Sewage				
325	2 of 18	SE/79.5	197.4	PISHOY MERCURIUS ONTARIO LTD 7975 TRAFALGAR RD N HORNBY ON	EXP
Instance ID: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: Instance Number: Instance Type: Status: Description:	16697 Maximum Hazard Rank: Facility Type: Expired Date: Instance Number: Instance Type: Status: Description:				
325	3 of 18	SE/79.5	197.4	SAID AWADALLA 7975 TRAFALGAR RD N HORNBY ON L0P 1E0	FST
Instance Number: Cont Name: Instance Type: Fuel Type: Status: Capacity: Tank Material: Corrosion Protection: Tank Type: Install Year: Parent Facility Type: Facility Type:	10774333 Cont Name: Instance Type: Fuel Type: Status: Capacity: Tank Material: Corrosion Protection: Tank Type: Install Year: Parent Facility Type: Facility Type:				
325	4 of 18	SE/79.5	197.4	SAID AWADALLA 7975 TRAFALGAR RD N HORNBY ON L0P 1E0	FST
Instance Number: Cont Name:	10774341 Cont Name:				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Instance Type:</i> <i>Fuel Type:</i> <i>Status:</i> <i>Capacity:</i> <i>Tank Material:</i> <i>Corrosion Protection:</i> <i>Tank Type:</i> <i>Install Year:</i> <i>Parent Facility Type:</i> <i>Facility Type:</i>	FS Liquid Fuel Tank Gasoline Active 45400 Fiberglass (FRP) Fiberglass Single Wall UST 1989 FS Gasoline Station - Self Serve FS Liquid Fuel Tank				
<u>325</u>	5 of 18	SE/79.5	197.4	SAID AWADALLA 7975 TRAFALGAR RD N HORNBY ON L0P 1E0	FST
<i>Instance Number:</i> <i>Cont Name:</i> <i>Instance Type:</i> <i>Fuel Type:</i> <i>Status:</i> <i>Capacity:</i> <i>Tank Material:</i> <i>Corrosion Protection:</i> <i>Tank Type:</i> <i>Install Year:</i> <i>Parent Facility Type:</i> <i>Facility Type:</i>	10774348 FS Liquid Fuel Tank Diesel Active 45460 Fiberglass (FRP) Fiberglass Double Wall UST 1992 FS Gasoline Station - Self Serve FS Liquid Fuel Tank				
<u>325</u>	6 of 18	SE/79.5	197.4	SAID AWADALLA 7975 TRAFALGAR RD N HORNBY ON L0P 1E0	FST
<i>Instance Number:</i> <i>Cont Name:</i> <i>Instance Type:</i> <i>Fuel Type:</i> <i>Status:</i> <i>Capacity:</i> <i>Tank Material:</i> <i>Corrosion Protection:</i> <i>Tank Type:</i> <i>Install Year:</i> <i>Parent Facility Type:</i> <i>Facility Type:</i>	10774324 FS Liquid Fuel Tank Gasoline Active 27280 Fiberglass (FRP) Fiberglass Single Wall UST 1989 FS Gasoline Station - Self Serve FS Liquid Fuel Tank				
<u>325</u>	7 of 18	SE/79.5	197.4	2060047 ONTARIO INC O/A GAS STN 7975 TRAFALGAR RD N LOT 15 CON 8 HORNBY ON	FSTH
<i>License Issue Date:</i> <i>Tank Status:</i> <i>Tank Status As Of:</i> <i>Operation Type:</i>	6/12/2006 Licensed August 2007 Retail Fuel Outlet				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Facility Type:		Gasoline Station - Self Serve			
--- Details ---					
Status:		Active			
Capacity:		27280			
Year of Installation:		1989			
Corrosion Protection:					
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
+					
Status:		Removed			
Capacity:		45400			
Year of Installation:		1989			
Corrosion Protection:					
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
+					
Status:		Removed			
Capacity:		45400			
Year of Installation:		1989			
Corrosion Protection:					
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
+					
Status:		Active			
Capacity:		45460			
Year of Installation:		1992			
Corrosion Protection:					
Tank Fuel Type:		Liquid Fuel Double Wall UST - Diesel			
325	8 of 18	SE/79.5	197.4	2060047 ONTARIO INC O/A GAS STN 7975 TRAFALGAR RD N HORNBY ON	FSTH
License Issue Date:		6/12/2006 1:37:00 PM			
Tank Status:		Licensed			
Tank Status As Of:		December 2008			
Operation Type:		Retail Fuel Outlet			
Facility Type:		Gasoline Station - Self Serve			
--- Details ---					
Status:		Active			
Capacity:		27280			
Year of Installation:		1989			
Corrosion Protection:					
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
+					
Status:		Active			
Capacity:		45460			
Year of Installation:		1992			
Corrosion Protection:					
Tank Fuel Type:		Liquid Fuel Double Wall UST - Diesel			
+					
Status:		Active			
Capacity:		45400			
Year of Installation:		1989			
Corrosion Protection:					
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
+					
Status:		Active			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Capacity:	45400				
Year of Installation:	1989				
Corrosion Protection:					
Tank Fuel Type:	Liquid Fuel Single Wall UST - Gasoline				
325	9 of 18	SE/79.5	197.4	SHELL CANADA PRODUCTS LIMITED 7975 TRAFALGAR ROAD HALTON HILLS ON L0P 1E0	GEN
Generator #:	ON0005193				
Approval Yrs:	97,98,99,00,01,02,03,04,05,06,07,08				
SIC Code:	3611				
SIC Description:	REFINED PETRO. PROD.				
--- Details ---					
Waste Code:	221				
Waste Description:	LIGHT FUELS				
+ Waste Code:	251				
Waste Description:	OIL SKIMMINGS & SLUDGES				
+ Waste Code:	252				
Waste Description:	WASTE OILS & LUBRICANTS				
325	10 of 18	SE/79.5	197.4	SHELL CANADA PRODUCTS LIMITED 7975 TRAFALGAR ROAD HALTON HILLS ON	GEN
Generator #:	ON0005193				
Approval Yrs:	2009				
SIC Code:	419120				
SIC Description:	Petroleum Product Agents and Brokers				
--- Details ---					
Waste Code:	221				
Waste Description:	LIGHT FUELS				
+ Waste Code:	251				
Waste Description:	OIL SKIMMINGS & SLUDGES				
+ Waste Code:	252				
Waste Description:	WASTE OILS & LUBRICANTS				
325	11 of 18	SE/79.5	197.4	SHELL CANADA PRODUCTS LIMITED 7975 TRAFALGAR ROAD HALTON HILLS ON	GEN
Generator #:	ON0005193				
Approval Yrs:	As of May 2015				
SIC Code:					
SIC Description:					
--- Details ---					
Waste Code:	251				
Waste Description:	Waste oils/sludges (petroleum based)				
+					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Waste Code:	252				
Waste Description:				Waste crankcase oils and lubricants	
325	12 of 18	SE/79.5	197.4	HORNBY CIRCLE K BONNIE H BAKEWELL 2975 TRAFALGAR RD N LOT 15 CON 8 HORNBY ON	PRT
Location ID:	5789				
Type:	retail				
Expiry Date:	1993-06-30				
Capacity (L):	159110				
Licence #:	0076363704				
325	13 of 18	SE/79.5	197.4	SHELL CANADA PRODUCTS LTD. SHELL STATION AT 7975 TRAFALGAR ROAD, TRAFALGAR/STEELES, HORNBY SERVICE STATION HALTON HILLS TOWN ON	SPL
Ref NO:	176750				
Contaminant Code:					
Contaminant Name:					
Contaminant Quantity:					
Incident Cause:	CONTAINER OVERFLOW				
Incident Dt:	1/17/2000				
Incident Reason:	ERROR				
Incident Summary:	SHELL:SPILL OF 30L DIESELINTO C/B.CUSTOMER OVER- FILL.WORKS.				
MOE Reported Dt:	1/17/2000				
Environmental Impact:	POSSIBLE				
Nature of Impact:	Water course or lake				
Receiving Medium:	LAND / WATER				
SAC Action Class:					
Sector Source Type:					
Site Municipality:	14401				
325	14 of 18	SE/79.5	197.4	SHELL CANADA PRODUCTS LTD. SHELL STATION AT 7975 TRAFALGAR ROAD IN HORNBY SERVICE STATION HALTON HILLS TOWN ON	SPL
Ref NO:	178168				
Contaminant Code:					
Contaminant Name:					
Contaminant Quantity:					
Incident Cause:	CONTAINER OVERFLOW				
Incident Dt:	3/3/2000				
Incident Reason:	ERROR				
Incident Summary:	SHELL: 25 L DIESEL SPILL.CUSTOMER OVERFILL.SOME TOC/B.CONTAINED/FD.				
MOE Reported Dt:	3/3/2000				
Environmental Impact:	POSSIBLE				
Nature of Impact:	Multi Media Pollution				
Receiving Medium:	LAND / WATER				
SAC Action Class:					
Sector Source Type:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Site Municipality:		14401			
325	15 of 18	SE/79.5	197.4	SHELL CANADA PRODUCTS LTD. 7975 TRAFALGAR RD, HORNBY SERVICE STATION HALTON HILLS TOWN ON	SPL
Ref NO:	178735				
Contaminant Code:					
Contaminant Name:					
Contaminant Quantity:					
Incident Cause:	CONTAINER OVERFLOW				
Incident Dt:	3/22/2000				
Incident Reason:	OTHER				
Incident Summary:	SHELL STATION-32 L DIESEL TO PVMT, SOME TO C-BASIN. F/D CLEANED PVMT. W/D.				
MOE Reported Dt:	3/22/2000				
Environmental Impact:	POSSIBLE				
Nature of Impact:	Water course or lake				
Receiving Medium:	LAND				
SAC Action Class:					
Sector Source Type:					
Site Municipality:	14401				
325	16 of 18	SE/79.5	197.4	lot 15 con 8 HORNBY ON	WWIS
Well ID:	2810114			Lot:	015
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	MILTON TOWN (ESQUESING)
Easting Nad83:				Northing Nad83:	
Zone:				Utm Reliability:	unknown UTM
Primary Water Use:				Construction Date:	21-JUL-04
Sec. Water Use:				Well Depth:	
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	
Construction Method:				Flowing (y/n):	
Elevation (m):				Elevation	
Depth to Bedrock:				Reliability:	
Water Type:				Overburden/Bedroc	No formation data
				k:	
				Casing Material:	
325	17 of 18	SE/79.5	197.4	lot 15 con 8 HORNBY ON	WWIS
Well ID:	2810115			Lot:	015
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	MILTON TOWN (ESQUESING)
Easting Nad83:				Northing Nad83:	
Zone:				Utm Reliability:	unknown UTM
Primary Water Use:				Construction Date:	21-JUL-04

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Sec. Water Use:</i> <i>Pump Rate:</i> <i>Flow Rate:</i> <i>Specific Capacity:</i> <i>Construction Method:</i> <i>Elevation (m):</i>				<i>Well Depth:</i> <i>Static Water Level:</i> <i>Clear/Cloudy:</i> <i>Final Well Status:</i> <i>Flowing (y/n):</i>	
<i>Depth to Bedrock:</i>				<i>Elevation</i> <i>Reliability:</i> <i>Overburden/Bedroc</i>	No formation data
<i>Water Type:</i>				<i>k:</i> <i>Casing Material:</i>	
<u>325</u>	18 of 18	SE/79.5	197.4	lot 15 con 8 HORNBY ON	WWIS
<i>Well ID:</i> 2810116 <i>Concession:</i> 08 <i>County:</i> HALTON <i>Easting Nad83:</i> <i>Zone:</i> <i>Primary Water Use:</i> <i>Sec. Water Use:</i> <i>Pump Rate:</i> <i>Flow Rate:</i> <i>Specific Capacity:</i> <i>Construction Method:</i> <i>Elevation (m):</i>				<i>Lot:</i> 015 <i>Concession Name:</i> CON <i>Municipality:</i> MILTON TOWN (ESQUESING) <i>Northing Nad83:</i> <i>Utm Reliability:</i> unknown UTM <i>Construction Date:</i> 19-NOV-04 <i>Well Depth:</i> <i>Static Water Level:</i> <i>Clear/Cloudy:</i> <i>Final Well Status:</i> <i>Flowing (y/n):</i>	
<i>Depth to Bedrock:</i>				<i>Elevation</i> <i>Reliability:</i> <i>Overburden/Bedroc</i>	No formation data
<i>Water Type:</i>				<i>k:</i> <i>Casing Material:</i>	
<u>326</u>	1 of 1	SE/157.3	196.8	lot 15 con 7 ON	WWIS
<i>Well ID:</i> 2803188 <i>Concession:</i> 07 <i>County:</i> HALTON <i>Easting Nad83:</i> 594074.6 <i>Zone:</i> 17 <i>Primary Water Use:</i> Domestic <i>Sec. Water Use:</i> <i>Pump Rate:</i> 4 GPM <i>Flow Rate:</i> <i>Specific Capacity:</i> <i>Construction Method:</i> <i>Elevation (m):</i>				<i>Lot:</i> 015 <i>Concession Name:</i> NS <i>Municipality:</i> HALTON HILLS TOWN (TRAFalGAR) <i>Northing Nad83:</i> 4825143 <i>Utm Reliability:</i> margin of error : 30 m - 100 m <i>Construction Date:</i> 04-SEP-69 <i>Well Depth:</i> 36 ft <i>Static Water Level:</i> 12 ft <i>Clear/Cloudy:</i> CLEAR <i>Final Well Status:</i> Water Supply <i>Flowing (y/n):</i> N	
<i>Depth to Bedrock:</i>				<i>Elevation</i> <i>Reliability:</i> <i>Overburden/Bedroc</i>	Overburden
<i>Water Type:</i> FRESH				<i>k:</i> <i>Casing Material:</i>	SULPHUR

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
--- Details ---					
Thickness:	10 ft			Original Depth:	10 ft
Material Colour:	BROWN			Material:	CLAY, MEDIUM SAND
+					
Thickness:	24 ft			Original Depth:	34 ft
Material Colour:	GREY			Material:	CLAY
+					
Thickness:	2 ft			Original Depth:	36 ft
Material Colour:	GREY			Material:	MEDIUM SAND
<hr/>					
327	1 of 2	NW/3.6	275.2	DOUG CHALMERS INC. HWY. #7 WEST, 1 MILE WEST OF TRAFalgar, ON SOUTH SIDE OF #7 GEORGETOWN ON	GEN
Generator #:	ON1498001				
Approval Yrs:	92,93,97,98				
SIC Code:	5111				
SIC Description:	PETROLEUM PROD., WH.				
<hr/>					
--- Details ---					
Waste Code:	146				
Waste Description:	OTHER SPECIFIED INORGANICS				
+					
Waste Code:	221				
Waste Description:	LIGHT FUELS				
+					
Waste Code:	251				
Waste Description:	OIL SKIMMINGS & SLUDGES				
<hr/>					
327	2 of 2	NW/3.6	275.2	Burnett Farms<UNOFFICIAL> Highway 7 and Trafalger Rd Halton Hills ON	SPL
Ref NO:	2035-5QFNEH				
Contaminant Code:	n/a				
Contaminant Name:	GLYPHOSATE				
Contaminant Quantity:	150 L				
Incident Cause:	Other Transport Accident				
Incident Dt:	8/15/2003				
Incident Reason:					
Incident Summary:	Burnett Farms Roundup to sewer				
MOE Reported Dt:	8/15/2003				
Environmental Impact:	Confirmed				
Nature of Impact:	Fish Kill; Surface Water Pollution				
Receiving Medium:	Water				
SAC Action Class:	Spills				
Sector Source Type:	Other				
Site Municipality:	Halton Hills				
<hr/>					
328	1 of 1	SE/208.0	197.8	lot 15 con 8 ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Well ID:	2808212			Lot:	015
Concession:	08			Concession Name:	NS
County:	HALTON			Municipality:	HALTON HILLS TOWN (TRAFALGAR)
Eastng Nad83:	594281			Northing Nad83:	4825410
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Not Used			Construction Date:	10-NOV-93
Sec. Water Use:				Well Depth:	40 ft
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Observation Wells
Construction Method:	Rotary (Convent.)			Flowing (y/n):	
Elevation (m):	207.26			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:	FRESH			Overburden/Bedrock k:	Overburden
--- Details ---					
Thickness:	7 ft			Original Depth:	7 ft
Material Colour:	BROWN			Material:	TILL, SILTY, HARD
+					
Thickness:	10 ft			Original Depth:	17 ft
Material Colour:	GREY			Material:	TILL, SILT, DENSE
+					
Thickness:	21 ft			Original Depth:	38 ft
Material Colour:	GREY			Material:	TILL, SILT, DENSE
+					
Thickness:	2 ft			Original Depth:	40 ft
Material Colour:	GREY			Material:	TILL, CLAY, DENSE

329	1 of 1	SE/170.1	197.9	lot 15 con 8 ON	WWIS
Well ID:	2807504			Lot:	015
Concession:	08			Concession Name:	NS
County:	HALTON			Municipality:	HALTON HILLS TOWN (TRAFALGAR)
Eastng Nad83:	594260			Northing Nad83:	4825370
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Industrial			Construction Date:	10-NOV-89
Sec. Water Use:				Well Depth:	95 ft
Pump Rate:	2 GPM			Static Water Level:	
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Test Hole
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	207.5			Elevation	
Depth to Bedrock:	86			Reliability:	
Water Type:	FRESH			Overburden/Bedrock k:	Bedrock
--- Details ---					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Thickness:	13 ft			Original Depth:	13 ft
Material Colour:	BROWN			Material:	CLAY, SAND
+					
Thickness:	4 ft			Original Depth:	17 ft
Material Colour:	BROWN			Material:	CLAY, SAND, FINE GRAVEL
+					
Thickness:	5 ft			Original Depth:	22 ft
Material Colour:	BROWN			Material:	CLAY, SAND, COARSE GRAVEL
+					
Thickness:	3 ft			Original Depth:	25 ft
Material Colour:	GREY			Material:	CLAY, GRAVEL
+					
Thickness:	4 ft			Original Depth:	29 ft
Material Colour:	BROWN			Material:	SAND, FINE GRAVEL
+					
Thickness:	3 ft			Original Depth:	32 ft
Material Colour:	GREY			Material:	FINE SAND
+					
Thickness:	3 ft			Original Depth:	35 ft
Material Colour:	GREY			Material:	CLAY, FINE GRAVEL
+					
Thickness:	12 ft			Original Depth:	47 ft
Material Colour:	GREY			Material:	CLAY, SAND
+					
Thickness:	3 ft			Original Depth:	50 ft
Material Colour:	GREY			Material:	SAND
+					
Thickness:	31 ft			Original Depth:	81 ft
Material Colour:	GREY			Material:	SAND, GRAVEL
+					
Thickness:	5 ft			Original Depth:	86 ft
Material Colour:	RED			Material:	CLAY, SAND
+					
Thickness:	9 ft			Original Depth:	95 ft
Material Colour:	RED			Material:	SHALE

330 1 of 6

SE/262.8

198.0

FL SIGNS LTD.
1144 STEELES AVE. W.
HORNBY ON L0P 1E0

GEN

Generator #: ON0637200
Approval Yrs: 86,87,88,89
SIC Code: 3971
SIC Description: SIGN & DISPLAY IND.

-- Details --
Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<u>330</u>	2 of 6	SE/262.8	198.0	FL SIGNS LTD. 1144 STEELES AVE. W. HORNBY ON L0P 1E0	GEN
				Generator #: ON0637200 Approval Yrs: 90 SIC Code: 3971 SIC Description: SIGN & DISPLAY IND.	
				--- Details --- Waste Code: 213 Waste Description: PETROLEUM DISTILLATES	
<u>330</u>	3 of 6	SE/262.8	198.0	FL SIGNS LTD. 1144 STEELES AVE. W. HORNBY ON L0P 1E0	15-184 GEN
				Generator #: ON0637200 Approval Yrs: 92,93,94,95,96 SIC Code: 3971 SIC Description: SIGN & DISPLAY IND.	
				--- Details --- Waste Code: 213 Waste Description: PETROLEUM DISTILLATES	
<u>330</u>	4 of 6	SE/262.8	198.0	FL SIGNS LTD 1144 STEELES AVE. W. HORNBY ON L0P 1E0	GEN
				Generator #: ON0637200 Approval Yrs: 97,98 SIC Code: 3971 SIC Description: SIGN & DISPLAY IND.	
				--- Details --- Waste Code: 213 Waste Description: PETROLEUM DISTILLATES	
<u>330</u>	5 of 6	SE/262.8	198.0	FL SIGNS LIMITED 1144 STEELES AVENUE WEST HORNBY ON L0P 1E0	GEN
				Generator #: ON0637200 Approval Yrs: 99,00,01 SIC Code: 3971 SIC Description: SIGN & DISPLAY IND.	
				--- Details --- Waste Code: 213 Waste Description: PETROLEUM DISTILLATES	
<u>330</u>	6 of 6	SE/262.8	198.0	FL SIGNS LTD. 1144 STEELES AVE W HORNBY ON L0P 1E0	SCT

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Established:</i>	1965				
<i>Plant Size (ft²):</i>	4000				
<i>Employment:</i>	10				
--- Details ---					
<i>SIC/NAICS Code:</i>	3993				
<i>Description:</i>	SIGNS AND ADVERTISING SPECIALTIES				
+					
<i>SIC/NAICS Code:</i>	339950				
<i>Description:</i>	Sign Manufacturing				
<u>331</u>	1 of 1	NW/351.0	273.8	lot 21 con 8 ON	WWIS
<i>Well ID:</i>	2806552			<i>Lot:</i>	021
<i>Concession:</i>	08			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	584951.4			<i>Northing Nad83:</i>	4833712
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 10 - 30 m
<i>Primary Water Use:</i>	Not Used			<i>Construction Date:</i>	28-OCT-85
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	130 ft
<i>Pump Rate:</i>				<i>Static Water Level:</i>	
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Abandoned-Supply
<i>Construction Method:</i>	Rotary (Convent.)			<i>Flowing (y/n):</i>	
<i>Elevation (m):</i>	271.02			<i>Elevation</i>	
<i>Depth to Bedrock:</i>	35			<i>Reliability:</i>	
<i>Water Type:</i>	SALTY			<i>Overburden/Bedrock k:</i>	Bedrock
--- Details ---					
<i>Thickness:</i>	1 ft			<i>Original Depth:</i>	1 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	TOPSOIL
+					
<i>Thickness:</i>	12 ft			<i>Original Depth:</i>	13 ft
<i>Material Colour:</i>	RED			<i>Material:</i>	CLAY
+					
<i>Thickness:</i>	15 ft			<i>Original Depth:</i>	28 ft
<i>Material Colour:</i>	GREY			<i>Material:</i>	GRAVEL
+					
<i>Thickness:</i>	7 ft			<i>Original Depth:</i>	35 ft
<i>Material Colour:</i>	RED			<i>Material:</i>	CLAY, STONES
+					
<i>Thickness:</i>	95 ft			<i>Original Depth:</i>	130 ft
<i>Material Colour:</i>	RED			<i>Material:</i>	SHALE
<u>332</u>	1 of 1	SE/267.7	196.8	ON	WWIS
<i>Well ID:</i>	7170234			<i>Lot:</i>	
<i>Concession:</i>				<i>Concession Name:</i>	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
County:	HALTON			Municipality:	HALTON HILLS TOWN (TRAFALGAR)
Eastng Nad83:	594039			Northing Nad83:	4825038
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:				Construction Date:	10-AUG-11
Sec. Water Use:				Well Depth:	
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	
Construction				Flowing (y/n):	
Method:				Elevation	
Elevation (m):				Reliability:	
Depth to Bedrock:				Overburden/Bedroc k:	
Water Type:				Casing Material:	
333	1 of 1	SE/107.6	196.9	lot 15 con 8 ON	WWIS
Well ID:	7178236			Lot:	015
Concession:	08			Concession Name:	NS
County:	HALTON			Municipality:	HALTON HILLS TOWN (TRAFALGAR)
Eastng Nad83:	594200			Northing Nad83:	4825244
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Not Used			Construction Date:	27-JAN-12
Sec. Water Use:				Well Depth:	56 ft
Pump Rate:				Static Water Level:	3 ft
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Abandoned-Other
Construction	Other Method			Flowing (y/n):	N
Method:				Elevation	
Elevation (m):				Reliability:	
Depth to Bedrock:				Overburden/Bedroc k:	
Water Type:	Untested			Casing Material:	SULPHUR
--- Details ---					
Thickness:	5 ft			Original Depth:	5 ft
Material Colour:	BROWN			Material:	FILL
+ 					
Thickness:	51 ft			Original Depth:	56 ft
Material Colour:	GREY			Material:	
334	1 of 1	SE/116.5	196.8	lot 15 con 8 ON	WWIS
Well ID:	7178234			Lot:	015
Concession:	08			Concession Name:	NS
County:	HALTON			Municipality:	HALTON HILLS TOWN (TRAFALGAR)
Eastng Nad83:	594203			Northing Nad83:	4825232
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Primary Water Use:</i>	Not Used			<i>Construction Date:</i>	27-JAN-12
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	13 ft
<i>Pump Rate:</i>				<i>Static Water Level:</i>	3 ft
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Abandoned-Other
<i>Construction Method:</i>	Other Method			<i>Flowing (y/n):</i>	N
<i>Elevation (m):</i>				<i>Elevation</i>	
<i>Depth to Bedrock:</i>				<i>Reliability:</i>	
<i>Water Type:</i>	Untested			<i>Overburden/Bedrock</i>	
<i>---</i> Details <i>--</i>				<i>k:</i>	
<i>Thickness:</i>	4 ft			<i>Casing Material:</i>	
<i>Material Colour:</i>	BROWN			<i>Original Depth:</i>	4 ft
<i>+</i>				<i>Material:</i>	FILL
<i>Thickness:</i>	9 ft			<i>Original Depth:</i>	13 ft
<i>Material Colour:</i>	GREY			<i>Material:</i>	
335	1 of 1	NW/148.5	277.4	lot 20 con 7 ON	WWIS
<i>Well ID:</i>	7199752			<i>Lot:</i>	020
<i>Concession:</i>	07			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	584580			<i>Northing Nad83:</i>	4833377
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 30 m - 100 m
<i>Primary Water Use:</i>				<i>Construction Date:</i>	14-MAR-13
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	
<i>Pump Rate:</i>				<i>Static Water Level:</i>	
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	
<i>Construction Method:</i>				<i>Flowing (y/n):</i>	
<i>Elevation (m):</i>				<i>Elevation</i>	
<i>Depth to Bedrock:</i>				<i>Reliability:</i>	
<i>Water Type:</i>				<i>Overburden/Bedrock</i>	
<i>k:</i>				<i>k:</i>	
<i>Casing Material:</i>				<i>Casing Material:</i>	
336	1 of 1	SE/121.0	196.8	lot 15 con 8 ON	WWIS
<i>Well ID:</i>	2806793			<i>Lot:</i>	015
<i>Concession:</i>	08			<i>Concession Name:</i>	NS
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (TRAFalgar)
<i>Easting Nad83:</i>	594209			<i>Northing Nad83:</i>	4825233
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 10 - 30 m
<i>Primary Water Use:</i>	Domestic			<i>Construction Date:</i>	26-JUL-85
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	69 ft
<i>Pump Rate:</i>	10 GPM			<i>Static Water Level:</i>	20 ft
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	CLOUDY

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	208.45			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock k:	Overburden
Water Type:	FRESH			Casing Material:	SALTY, SULPHUR
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:	BROWN			Material:	TOPSOIL
+ Thickness:	4 ft			Original Depth:	5 ft
Material Colour:	BROWN			Material:	CLAY, PACKED
+ Thickness:	4 ft			Original Depth:	9 ft
Material Colour:	BROWN			Material:	STONES, CLAY, PACKED
+ Thickness:	1 ft			Original Depth:	10 ft
Material Colour:	BROWN			Material:	SAND, MUCK
+ Thickness:	10 ft			Original Depth:	20 ft
Material Colour:	BROWN			Material:	CLAY, STONES
+ Thickness:	20 ft			Original Depth:	40 ft
Material Colour:	BLUE			Material:	CLAY, STONES
+ Thickness:	9 ft			Original Depth:	49 ft
Material Colour:	GREY			Material:	MUCK, SAND, SILT
+ Thickness:	11 ft			Original Depth:	60 ft
Material Colour:	GREY			Material:	CLAY, STONES
+ Thickness:	9 ft			Original Depth:	69 ft
Material Colour:	BLUE			Material:	CLAY, SAND, SILT

337	1 of 1	SE/140.6	197.0	lot 15 con 8 ON	WWIS
Well ID:	7178233			Lot:	015
Concession:	08			Concession Name:	NS
County:	HALTON			Municipality:	HALTON HILLS TOWN (TRAFalgar)
Easting Nad83:	594242			Northing Nad83:	4825260
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Not Used			Construction Date:	27-JAN-12
Sec. Water Use:				Well Depth:	43 ft
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Abandoned-Other

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Construction Method: <i>Other Method</i>				Flowing (y/n):	
Elevation (m): <i></i>				Elevation Reliability:	
Depth to Bedrock: <i></i>				Overburden/Bedrock:	
Water Type: <i>Untested</i>				Casing Material:	SULPHUR
--- Details ---					
Thickness: <i>5 ft</i>				Original Depth:	5 ft
Material Colour: <i>BROWN</i>				Material:	FILL
+ Thickness: <i>38 ft</i>				Original Depth:	43 ft
Material Colour: <i>GREY</i>				Material:	
338	1 of 1	NW/176.6	277.8	lot 21 con 7 ON	WWIS
Well ID: <i>2807935</i>				Lot:	021
Concession: <i>07</i>				Concession Name:	CON
County: <i>HALTON</i>				Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83: <i>584549.4</i>				Northing Nad83:	4833368
Zone: <i>17</i>				Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use: <i>Domestic</i>				Construction Date:	27-NOV-91
Sec. Water Use: <i></i>				Well Depth:	60 ft
Pump Rate: <i>20 GPM</i>				Static Water Level:	42 ft
Flow Rate: <i></i>				Clear/Cloudy:	CLEAR
Specific Capacity: <i></i>				Final Well Status:	Water Supply
Construction Method: <i>Rotary (Air)</i>				Flowing (y/n):	N
Elevation (m): <i>279.4</i>				Elevation Reliability:	
Depth to Bedrock: <i></i>				Overburden/Bedrock:	Overburden
Water Type: <i>FRESH</i>				Casing Material:	FRESH
--- Details ---					
Thickness: <i>20 ft</i>				Original Depth:	20 ft
Material Colour: <i>BROWN</i>				Material:	CLAY, STONES
+ Thickness: <i>35 ft</i>				Original Depth:	55 ft
Material Colour: <i>RED</i>				Material:	CLAY, GRAVEL
+ Thickness: <i>5 ft</i>				Original Depth:	60 ft
Material Colour: <i>RED</i>				Material:	GRAVEL
339	1 of 1	SE/164.6	197.4	Halton Hills ON	WWIS
Well ID: <i>7178193</i>				Lot:	
Concession: <i></i>				Concession Name:	
County: <i>HALTON</i>				Municipality:	HALTON HILLS TOWN (TRAFalgar)

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Easting Nad83:</i>	594271			<i>Northing Nad83:</i>	4825295
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 100 m - 300 m
<i>Primary Water Use:</i>				<i>Construction Date:</i>	14-FEB-12
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	ft
<i>Pump Rate:</i>				<i>Static Water Level:</i>	
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Abandoned-Other
<i>Construction Method:</i>				<i>Flowing (y/n):</i>	
<i>Elevation (m):</i>				<i>Elevation</i>	
<i>Depth to Bedrock:</i>				<i>Reliability:</i>	
<i>Water Type:</i>				<i>Overburden/Bedrock k:</i>	
--- Details ---				<i>Casing Material:</i>	Not stated
<i>Thickness:</i>	ft			<i>Original Depth:</i>	ft
<i>Material Colour:</i>				<i>Material:</i>	
340	1 of 1	NW/427.6	279.5	lot 21 con 7 ON	WWIS
<i>Well ID:</i>	2807937			<i>Lot:</i>	021
<i>Concession:</i>	07			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	584378.4			<i>Northing Nad83:</i>	4833184
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 10 - 30 m
<i>Primary Water Use:</i>	Domestic			<i>Construction Date:</i>	26-NOV-91
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	105 ft
<i>Pump Rate:</i>				<i>Static Water Level:</i>	
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Abandoned-Supply
<i>Construction Method:</i>				<i>Flowing (y/n):</i>	
<i>Elevation (m):</i>	280.57			<i>Elevation</i>	
<i>Depth to Bedrock:</i>	88			<i>Reliability:</i>	
<i>Water Type:</i>				<i>Overburden/Bedrock k:</i>	Bedrock
--- Details ---				<i>Casing Material:</i>	FRESH
<i>Thickness:</i>	15 ft			<i>Original Depth:</i>	15 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	CLAY, STONES
+					
<i>Thickness:</i>	45 ft			<i>Original Depth:</i>	60 ft
<i>Material Colour:</i>	RED			<i>Material:</i>	CLAY, SAND
+					
<i>Thickness:</i>	28 ft			<i>Original Depth:</i>	88 ft
<i>Material Colour:</i>	RED			<i>Material:</i>	CLAY, GRAVEL
+					
<i>Thickness:</i>	17 ft			<i>Original Depth:</i>	105 ft
<i>Material Colour:</i>	RED			<i>Material:</i>	SHALE

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
341	1 of 1	SE/158.2	196.8	<i>lot 15 con 7 ON</i>	WWIS
Well ID:	2807055			Lot:	015
Concession:	07			Concession Name:	NS
County:	HALTON			Municipality:	HALTON HILLS TOWN (TRAFalgar)
Easting Nad83:	594180			Northing Nad83:	4825157
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Domestic			Construction Date:	17-AUG-88
Sec. Water Use:	Commercial			Well Depth:	41 ft
Pump Rate:	2 GPM			Static Water Level:	14 ft
Flow Rate:				Clear/Cloudy:	CLOUDY
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	208.86			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:	FRESH			Overburden/Bedrock k:	Overburden
--- Details ---				Casing Material:	SALTY, SULPHUR
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:	BROWN			Material:	TOPSOIL
+ Thickness:	4 ft			Original Depth:	5 ft
Material Colour:	BROWN			Material:	CLAY
+ Thickness:	11 ft			Original Depth:	16 ft
Material Colour:	BROWN			Material:	SAND, CLAY, STONES
+ Thickness:	3 ft			Original Depth:	19 ft
Material Colour:	BROWN			Material:	MEDIUM SAND, FINE SAND, COARSE SAND
+ Thickness:	22 ft			Original Depth:	41 ft
Material Colour:	BROWN			Material:	CLAY, SILT, SAND
342	1 of 1	SE/172.4	197.4	<i>13722 Steels Ave Halton Hills ON</i>	EHS
Order No.:	20060323015				
Report Date:	3/29/2006				
Report Type:	Complete Report				
Search Radius (km):	0.3				
Addit. Info Ordered:					
343	1 of 1	SE/160.8	196.8	<i>Priestly Demolition Inc. 7935 Trafalgar Road Halton Hills ON</i>	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Generator #: Approval Yrs: SIC Code: SIC Description:	ON9189498 2012 236210 Industrial Building and Structure Construction				
<u>344</u>	<u>1 of 1</u>	SE/188.6	197.3	Calloway Reit (Halton) Inc. 13722 Steeles Ave W Part of Lot 15, Concession 8 Halton Hills ON	<u>ECA</u>
CofA Number: Date: Status: Project Type:	0797-8SNH87 3/26/2012 Approved Municipal and Private Sewage				
<u>345</u>	<u>1 of 1</u>	ESE/368.0	198.3	lot 15 con 8 ON	<u>WWIS</u>
Well ID: Concession: County:	2807503 08 HALTON			Lot: 015 Concession Name: NS Municipality: HALTON HILLS TOWN (TRAFalgar)	
Easting Nad83: Zone: Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method:	594429 17 Industrial Industrial 6 GPM Flow Rate: Specific Capacity: Construction Method: Cable Tool			Northing Nad83: 4825474 Utm Reliability: margin of error : 10 - 30 m Construction Date: 10-NOV-89 Well Depth: 72 ft Static Water Level: 20 ft Clear/Cloudy: CLEAR Final Well Status: Test Hole Flowing (y/n): N	
Elevation (m):	207.46			Elevation	
Depth to Bedrock:	71			Reliability: Overburden/Bedrock k:	Bedrock
Water Type:	FRESH			Casing Material:	FRESH
--- Details ---					
Thickness: Material Colour:	15 ft BROWN			Original Depth: 15 ft Material: CLAY, SAND	
+					
Thickness: Material Colour:	21 ft BROWN			Original Depth: 36 ft Material: CLAY, SAND, GRAVEL	
+					
Thickness: Material Colour:	14 ft BROWN			Original Depth: 50 ft Material: CLAY, SAND	
+					
Thickness: Material Colour:	12 ft BROWN			Original Depth: 62 ft Material: CLAY, SAND, GRAVEL	
+					
Thickness: Material Colour:	5 ft BROWN			Original Depth: 67 ft Material: COARSE SAND	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
+ <i>Thickness:</i> 4 ft <i>Material Colour:</i> BROWN				<i>Original Depth:</i> 71 ft <i>Material:</i> SAND, CLAY, GRAVEL	
+ <i>Thickness:</i> 1 ft <i>Material Colour:</i> RED				<i>Original Depth:</i> 72 ft <i>Material:</i> SHALE	
346	1 of 1	NW/325.0	273.8	ON	WWIS
<i>Well ID:</i> 7199751 <i>Concession:</i> <i>County:</i> HALTON				<i>Lot:</i> <i>Concession Name:</i> <i>Municipality:</i> HALTON HILLS TOWN (ESQUESING)	
<i>Easting Nad83:</i> 584850 <i>Zone:</i> 17 <i>Primary Water Use:</i> <i>Sec. Water Use:</i> <i>Pump Rate:</i> <i>Flow Rate:</i> <i>Specific Capacity:</i> <i>Construction</i> <i>Method:</i> <i>Elevation (m):</i>				<i>Northing Nad83:</i> 4833777 <i>Utm Reliability:</i> margin of error : 30 m - 100 m <i>Construction Date:</i> 14-MAR-13 <i>Well Depth:</i> <i>Static Water Level:</i> <i>Clear/Cloudy:</i> <i>Final Well Status:</i> <i>Flowing (y/n):</i>	
<i>Depth to Bedrock:</i>				<i>Elevation</i> <i>Reliability:</i> <i>Overburden/Bedrock:</i> <i>Casing Material:</i>	
<i>Water Type:</i>					
347	1 of 1	ESE/415.9	197.9	HALTON HILLS ON	WWIS
<i>Well ID:</i> 7185907 <i>Concession:</i> <i>County:</i> HALTON				<i>Lot:</i> <i>Concession Name:</i> <i>Municipality:</i> HALTON HILLS TOWN (TRAFalgar)	
<i>Easting Nad83:</i> 594495 <i>Zone:</i> 17 <i>Primary Water Use:</i> Not Used <i>Sec. Water Use:</i> <i>Pump Rate:</i> <i>Flow Rate:</i> <i>Specific Capacity:</i> <i>Construction</i> <i>Method:</i> <i>Elevation (m):</i>				<i>Northing Nad83:</i> 4825445 <i>Utm Reliability:</i> margin of error : 30 m - 100 m <i>Construction Date:</i> 11-JUN-12 <i>Well Depth:</i> m <i>Static Water Level:</i> <i>Clear/Cloudy:</i> <i>Final Well Status:</i> Abandoned-Other <i>Flowing (y/n):</i>	
<i>Depth to Bedrock:</i>				<i>Elevation</i> <i>Reliability:</i> <i>Overburden/Bedrock:</i> <i>Casing Material:</i> FRESH	
<i>Water Type:</i>					
--- Details --- <i>Thickness:</i> m <i>Material Colour:</i>				<i>Original Depth:</i> m <i>Material:</i>	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<u>348</u>	1 of 1	NW/51.5	277.5	lot 21 con 7 GEORGETOWN ON	WWIS
Well ID:	2810104			Lot:	021
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	584568			Northing Nad83:	4833534
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:				Construction Date:	11-NOV-04
Sec. Water Use:				Well Depth:	15 ft
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	
Construction Method:	Other Method			Flowing (y/n):	Observation Wells
Elevation (m):	279.3			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:				Overburden/Bedrock k:	Overburden
--- Details ---				Casing Material:	Not stated
Thickness:	15 ft			Original Depth:	15 ft
Material Colour:	BROWN			Material:	SAND
<u>349</u>	1 of 1	NW/353.9	281.1	lot 21 con 7 ON	WWIS
Well ID:	2807936			Lot:	021
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	584355.4			Northing Nad83:	4833312
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Domestic			Construction Date:	26-NOV-91
Sec. Water Use:				Well Depth:	60 ft
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Abandoned-Supply
Construction Method:	Rotary (Air)			Flowing (y/n):	
Elevation (m):	281.28			Elevation	
Depth to Bedrock:	55			Reliability:	
Water Type:				Overburden/Bedrock k:	Bedrock
--- Details ---				Casing Material:	
Thickness:	15 ft			Original Depth:	15 ft
Material Colour:	BROWN			Material:	CLAY, SAND
+					
Thickness:	20 ft			Original Depth:	35 ft
Material Colour:	BROWN			Material:	GRAVEL

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
+ Thickness: 20 ft Material Colour: RED				Original Depth: 55 ft Material: CLAY, GRAVEL	
+ Thickness: 5 ft Material Colour: RED				Original Depth: 60 ft Material: SHALE	
<u>350</u>	<u>1 of 1</u>	<u>NW/415.1</u>	<u>273.8</u>	<u>lot 21 con 8 ON</u>	<u>WWIS</u>
Well ID: 2804822 Concession: 08 County: HALTON				Lot: 021 Concession Name: CON Municipality: HALTON HILLS TOWN (ESQUESING)	
Eastng Nad83: 584892.4 Zone: 17 Primary Water Use: Domestic Sec. Water Use: Pump Rate: 23 GPM Flow Rate: Specific Capacity: Construction Method: Cable Tool Elevation (m): 272.4				Northing Nad83: 4833861 Utm Reliability: margin of error : 100 m - 300 m Construction Date: 06-NOV-75 Well Depth: 54 ft Static Water Level: 34 ft Clear/Cloudy: CLOUDY Final Well Status: Water Supply Flowing (y/n): N	
Depth to Bedrock: 53				Elevation Reliability: Overburden/Bedrock k: Casing Material:	Bedrock FRESH
Water Type: FRESH					
--- Details ---					
Thickness: 33 ft Material Colour:				Original Depth: 33 ft Material: PREVIOUSLY DUG	
+ Thickness: 8 ft Material Colour: BROWN				Original Depth: 41 ft Material: SAND, GRAVEL, BOULDERS	
+ Thickness: 8 ft Material Colour: GREY				Original Depth: 49 ft Material: CLAY, GRAVEL	
+ Thickness: 4 ft Material Colour: RED				Original Depth: 53 ft Material: CLAY, GRAVEL	
+ Thickness: 1 ft Material Colour: RED				Original Depth: 54 ft Material: SHALE	
<u>351</u>	<u>1 of 1</u>	<u>SE/375.5</u>	<u>197.8</u>	<u>lot 15 con 8 ON</u>	<u>WWIS</u>
Well ID: 2808210 Concession: 08 County: HALTON				Lot: 015 Concession Name: NS Municipality: HALTON HILLS TOWN (TRAFalgar)	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Easting Nad83:</i>	594473			<i>Northing Nad83:</i>	4825378
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 10 - 30 m
<i>Primary Water Use:</i>	Not Used			<i>Construction Date:</i>	12-NOV-93
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	40 ft
<i>Pump Rate:</i>				<i>Static Water Level:</i>	
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Observation Wells
<i>Construction Method:</i>	Rotary (Convent.)			<i>Flowing (y/n):</i>	
<i>Elevation (m):</i>	206.11			<i>Elevation Reliability:</i>	
<i>Depth to Bedrock:</i>				<i>Overburden/Bedrock k:</i>	Overburden
<i>Water Type:</i>	FRESH			<i>Casing Material:</i>	
--- Details ---					
<i>Thickness:</i>	6 ft			<i>Original Depth:</i>	6 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	TILL, CLAY, HARD
+ <i>Thickness:</i>	26 ft			<i>Original Depth:</i>	32 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	TILL, SILT, DENSE
+ <i>Thickness:</i>	8 ft			<i>Original Depth:</i>	40 ft
<i>Material Colour:</i>	GREY			<i>Material:</i>	SAND, SILT, DENSE

352	1 of 1	SE/377.9	197.8	lot 15 con 8 ON	WWIS
<i>Well ID:</i>	2808208			<i>Lot:</i>	015
<i>Concession:</i>	08			<i>Concession Name:</i>	NS
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (TRAFalgar)
<i>Easting Nad83:</i>	594475			<i>Northing Nad83:</i>	4825380
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 10 - 30 m
<i>Primary Water Use:</i>	Not Used			<i>Construction Date:</i>	13-NOV-93
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	60 ft
<i>Pump Rate:</i>				<i>Static Water Level:</i>	
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Observation Wells
<i>Construction Method:</i>	Rotary (Convent.)			<i>Flowing (y/n):</i>	
<i>Elevation (m):</i>	206.12			<i>Elevation Reliability:</i>	
<i>Depth to Bedrock:</i>				<i>Overburden/Bedrock k:</i>	Overburden
<i>Water Type:</i>	FRESH			<i>Casing Material:</i>	
--- Details ---					
<i>Thickness:</i>	6 ft			<i>Original Depth:</i>	6 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	TILL, CLAY, DENSE
+ <i>Thickness:</i>	26 ft			<i>Original Depth:</i>	32 ft
<i>Material Colour:</i>	BROWN			<i>Material:</i>	TILL, SILT, DENSE
+					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Thickness:</i>	6 ft			<i>Original Depth:</i>	38 ft
<i>Material Colour:</i>	GREY			<i>Material:</i>	SAND, SILT, DENSE
+					
<i>Thickness:</i>	22 ft			<i>Original Depth:</i>	60 ft
<i>Material Colour:</i>	GREY			<i>Material:</i>	SAND, DENSE
353	1 of 1	SE/262.0	196.8	GULLWING PETROLEUMS INC 7720 TRAFALGAR & STEELES HALTON HILLS ON	PRT
<i>Location ID:</i>	5788				
<i>Type:</i>	retail				
<i>Expiry Date:</i>	1995-07-31				
<i>Capacity (L):</i>	125000				
<i>Licence #:</i>	0076394931				
354	1 of 1	SE/432.4	197.9	13850 Steeles Avenue Campbellville ON	EHS
<i>Order No.:</i>	20120613025				
<i>Report Date:</i>	22-JUN-12				
<i>Report Type:</i>	Custom Report				
<i>Search Radius (km):</i>	.25				
<i>Addit. Info Ordered:</i>	Fire Insur. Maps and/or Site Plans; City Directory; Aerial Photos				
355	1 of 1	NW/123.7	278.2	Lot 21 con 8 ON	WWIS
<i>Well ID:</i>	2806424			<i>Lot:</i>	021
<i>Concession:</i>	08			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	584534.4			<i>Northing Nad83:</i>	4833643
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 30 m - 100 m
<i>Primary Water Use:</i>	Domestic			<i>Construction Date:</i>	17-JUL-85
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	105 ft
<i>Pump Rate:</i>	3 GPM			<i>Static Water Level:</i>	16 ft
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	CLOUDY
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Water Supply
<i>Construction Method:</i>	Other Method			<i>Flowing (y/n):</i>	N
<i>Elevation (m):</i>	280.35			<i>Elevation</i>	
<i>Depth to Bedrock:</i>	12			<i>Reliability:</i>	
<i>Water Type:</i>	FRESH			<i>Overburden/Bedrock k:</i>	Bedrock
--- Details ---				<i>Casing Material:</i>	FRESH, MINERIAL
<i>Thickness:</i>	5 ft			<i>Original Depth:</i>	5 ft
<i>Material Colour:</i>	RED			<i>Material:</i>	CLAY, STONES
+					
<i>Thickness:</i>	7 ft			<i>Original Depth:</i>	12 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Material Colour:			Material:		GRAVEL, SAND
+					
Thickness: 93 ft			Original Depth: 105 ft		
Material Colour: RED			Material: SHALE		
<u>356</u>	1 of 1	SE/399.9	196.8	lot 15 con 8 ON	WWIS
Well ID: 2808209			Lot: 015		
Concession: 08			Concession Name: NS		
County: HALTON			Municipality: HALTON HILLS TOWN (TRAFalgar)		
Easting Nad83: 594492			Northing Nad83: 4825191		
Zone: 17			Utm Reliability: margin of error : 10 - 30 m		
Primary Water Use: Not Used			Construction Date: 03-NOV-93		
Sec. Water Use:			Well Depth: 40 ft		
Pump Rate:			Static Water Level:		
Flow Rate:			Clear/Cloudy:		
Specific Capacity:			Final Well Status: Observation Wells		
Construction Method:			Flowing (y/n):		
Elevation (m): 205.7			Elevation		
Depth to Bedrock:			Reliability:		
Water Type: FRESH			Overburden/Bedrock k:		Overburden
--- Details --			Casing Material:		
Thickness: 6 ft			Original Depth: 6 ft		
Material Colour: BROWN			Material: TILL, CLAY, HARD		
+					
Thickness: 11 ft			Original Depth: 17 ft		
Material Colour: BROWN			Material: TILL, SILT, DENSE		
+					
Thickness: 9 ft			Original Depth: 26 ft		
Material Colour: GREY			Material: SILT, CLAY, DENSE		
+					
Thickness: 14 ft			Original Depth: 40 ft		
Material Colour: GREY			Material: TILL, SILT, DENSE		
<u>357</u>	1 of 1	SE/439.1	196.8	lot 15 con 8 ON	WWIS
Well ID: 2808199			Lot: 015		
Concession: 08			Concession Name: NS		
County: HALTON			Municipality: HALTON HILLS TOWN (TRAFalgar)		
Easting Nad83: 594535			Northing Nad83: 4825202		
Zone: 17			Utm Reliability: margin of error : 10 - 30 m		
Primary Water Use: Not Used			Construction Date: 03-NOV-93		
Sec. Water Use:			Well Depth: 40 ft		
Pump Rate:			Static Water Level: 29 ft		
Flow Rate:			Clear/Cloudy:		

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Specific Capacity: Construction Method: Elevation (m):	Rotary (Convent.)			Final Well Status: Flowing (y/n):	Observation Wells N
Depth to Bedrock:				Elevation Reliability: Overburden/Bedrock k:	
Water Type:	FRESH			Casing Material:	
--- Details ---					
Thickness: + Thickness:	13 ft			Original Depth:	13 ft
Material Colour:	BROWN			Material:	SILT, CLAY, DENSE
Thickness: + Thickness:	22 ft			Original Depth:	35 ft
Material Colour:	GREY			Material:	SAND, SILT, DENSE
Thickness: + Thickness:	5 ft			Original Depth:	40 ft
Material Colour:	GREY			Material:	SILT, SAND, DENSE
358	1 of 1	NW/210.2	280.0	lot 21 con 8 GEORGETOWN ON	WWIS
Well ID: Concession: County:	2810337 08 HALTON			Lot: Concession Name: Municipality:	021 CON HALTON HILLS TOWN (ESQUESING)
Easting Nad83: Zone:	584504 17			Northing Nad83: Utm Reliability:	4833728
Primary Water Use: Sec. Water Use:	Domestic			Construction Date:	11-AUG-05
Pump Rate: Flow Rate:	3 GPM			Well Depth:	42.67 ft
Specific Capacity: Construction Method:	Rotary (Air)			Static Water Level:	40 ft
Elevation (m):	281.36			Clear/Cloudy:	CLEAR
Depth to Bedrock:	8			Final Well Status: Flowing (y/n):	Water Supply
Water Type:	FRESH			Elevation Reliability: Overburden/Bedrock k:	
--- Details ---					
Thickness: + Thickness:	7.92 ft			Original Depth:	7.92 ft
Material Colour:	RED			Material:	CLAY
Thickness: + Thickness:	34.75 ft			Original Depth:	42.67 ft
Material Colour:	RED			Material:	SHALE
359	1 of 1	NW/251.8	279.9	lot 21 con 8 ON	WWIS
Well ID: Concession: County:	7050136 08 HALTON			Lot: Concession Name: Municipality:	021 HALTON HILLS TOWN

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Easting Nad83:</i> <i>Zone:</i> <i>Primary Water Use:</i> <i>Sec. Water Use:</i> <i>Pump Rate:</i> <i>Flow Rate:</i> <i>Specific Capacity:</i> <i>Construction Method:</i> <i>Elevation (m):</i>	584522 17			<i>Northing Nad83:</i> <i>Utm Reliability:</i> <i>Construction Date:</i> <i>Well Depth:</i> <i>Static Water Level:</i> <i>Clear/Cloudy:</i> <i>Final Well Status:</i> <i>Flowing (y/n):</i>	(ESQUESING) 4833784 margin of error : 10 - 30 m 10-AUG-07 Abandoned-Other
<i>Depth to Bedrock:</i>				<i>Elevation</i> <i>Reliability:</i> <i>Overburden/Bedrock K:</i>	
<i>Water Type:</i>				<i>Casing Material:</i>	FRESH
360	1 of 1	NW/246.0	280.5	lot 21 con 8 GEORGETOWN ON	WWIS
<i>Well ID:</i> <i>Concession:</i> <i>County:</i>	2810496 08 HALTON			<i>Lot:</i> <i>Concession Name:</i> <i>Municipality:</i>	021 CON HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i> <i>Zone:</i> <i>Primary Water Use:</i> <i>Sec. Water Use:</i> <i>Pump Rate:</i> <i>Flow Rate:</i> <i>Specific Capacity:</i> <i>Construction Method:</i> <i>Elevation (m):</i>	584486 17 Domestic 18.92 LPM Boring 281.97			<i>Northing Nad83:</i> <i>Utm Reliability:</i> <i>Construction Date:</i> <i>Well Depth:</i> <i>Static Water Level:</i> <i>Clear/Cloudy:</i> <i>Final Well Status:</i> <i>Flowing (y/n):</i>	4833759 margin of error : 10 - 30 m 23-JAN-06 6.85 m 1.29 m Water Supply
<i>Depth to Bedrock:</i>	13			<i>Elevation</i> <i>Reliability:</i> <i>Overburden/Bedrock k:</i>	Overburden below Bedrock
<i>Water Type:</i>	FRESH			<i>Casing Material:</i>	SULPHUR
--- Details ---					
<i>Thickness:</i> <i>Material Colour:</i>	.3 m BROWN			<i>Original Depth:</i> <i>Material:</i>	.3 m TOPSOIL
+ <i>Thickness:</i> <i>Material Colour:</i>	.335 m BROWN			<i>Original Depth:</i> <i>Material:</i>	3.65 m SAND, STONES
+ <i>Thickness:</i> <i>Material Colour:</i>	.31 m RED			<i>Original Depth:</i> <i>Material:</i>	3.96 m CLAY
+ <i>Thickness:</i> <i>Material Colour:</i>	.3 m RED			<i>Original Depth:</i> <i>Material:</i>	4.26 m SHALE
+ <i>Thickness:</i> <i>Material Colour:</i>	2.44 m RED			<i>Original Depth:</i> <i>Material:</i>	6.7 m CLAY

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
+ Thickness:	.15 m			Original Depth:	6.85 m
Material Colour:	RED			Material:	SHALE
361	1 of 1	NW/358.8	284.9	lot 22 con 7 ON	WWIS
Well ID:	2801147			Lot:	022
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	584311.4			Northing Nad83:	4833739
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Domestic			Construction Date:	29-AUG-62
Sec. Water Use:				Well Depth:	40 ft
Pump Rate:	3 GPM			Static Water Level:	34 ft
Flow Rate:				Clear/Cloudy:	CLOUDY
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Boring			Flowing (y/n):	N
Elevation (m):	293			Elevation	
Depth to Bedrock:	14			Reliability:	
Water Type:	FRESH			Overburden/Bedrock k:	Bedrock
Casing Material:				Casing Material:	SULPHUR
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:				Material:	TOPSOIL
+ Thickness:	13 ft			Original Depth:	14 ft
Material Colour:	RED			Material:	CLAY
+ Thickness:	26 ft			Original Depth:	40 ft
Material Colour:	RED			Material:	SHALE
362	1 of 1	NW/378.6	284.9	lot 22 con 7 ON	WWIS
Well ID:	2805468			Lot:	022
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	584334.4			Northing Nad83:	4833803
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	11-DEC-79
Sec. Water Use:				Well Depth:	120 ft
Pump Rate:	2 GPM			Static Water Level:	35 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	290.08			Elevation	
				Reliability:	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Depth to Bedrock:	40			Overburden/Bedrock:	Bedrock
Water Type:	FRESH			Casing Material:	MINERAL
--- Details ---					
Thickness:	40 ft			Original Depth:	40 ft
Material Colour:				Material:	PREVIOUSLY DUG
+					
Thickness:	80 ft			Original Depth:	120 ft
Material Colour:	RED			Material:	SHALE
<hr/>					
<u>363</u>	1 of 1	NW/386.1	283.8	lot 22 con 8 GEORGETOWN ON	WWIS
Well ID:	7145019			Lot:	022
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
Easting Nad83:	584394			Northing Nad83:	4833866
Zone:	17			Utm Reliability:	margin of error : 10 - 30 m
Primary Water Use:	Public			Construction Date:	16-FEB-10
Sec. Water Use:	Other			Well Depth:	21.34 ft
Pump Rate:	22.7 GPM			Static Water Level:	3 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	
Elevation (m):				Elevation	
Depth to Bedrock:				Reliability:	
Water Type:	FRESH			Overburden/Bedrock:	
--- Details ---					
Thickness:	.6 ft			Original Depth:	.6 ft
Material Colour:	BLACK			Material:	TOPSOIL
+					
Thickness:	7.63 ft			Original Depth:	8.23 ft
Material Colour:	GREY			Material:	CLAY, STONES
+					
Thickness:	5.18 ft			Original Depth:	13.41 ft
Material Colour:	GREY			Material:	CLAY
+					
Thickness:	7.93 ft			Original Depth:	21.34 ft
Material Colour:	RED			Material:	SHALE
<hr/>					
<u>364</u>	1 of 1	NW/394.1	283.5	lot 22 con 8 GEORGETOWN ON	WWIS
Well ID:	7145020			Lot:	022
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Easting Nad83:</i>	584405			<i>Northing Nad83:</i>	4833883
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 30 m - 100 m
<i>Primary Water Use:</i>				<i>Construction Date:</i>	16-FEB-10
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	ft
<i>Pump Rate:</i>				<i>Static Water Level:</i>	
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Abandoned-Supply
<i>Construction Method:</i>				<i>Flowing (y/n):</i>	
<i>Elevation (m):</i>				<i>Elevation</i>	
<i>Depth to Bedrock:</i>				<i>Reliability:</i>	
<i>Water Type:</i>				<i>Overburden/Bedrock k:</i>	
--- Details ---					
<i>Thickness:</i>	ft			<i>Original Depth:</i>	ft
<i>Material Colour:</i>				<i>Material:</i>	
365	1 of 1	NW/416.4	286.3	lot 22 con 7 ON	WWIS
<i>Well ID:</i>	2801142			<i>Lot:</i>	022
<i>Concession:</i>	07			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	584282.4			<i>Northing Nad83:</i>	4833799
<i>Zone:</i>	17			<i>Utm Reliability:</i>	unknown UTM
<i>Primary Water Use:</i>	Domestic			<i>Construction Date:</i>	20-MAY-51
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	50 ft
<i>Pump Rate:</i>	8 GPM			<i>Static Water Level:</i>	14 ft
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	CLEAR
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Water Supply
<i>Construction Method:</i>	Cable Tool			<i>Flowing (y/n):</i>	N
<i>Elevation (m):</i>	293.13			<i>Elevation</i>	
<i>Depth to Bedrock:</i>	8			<i>Reliability:</i>	
<i>Water Type:</i>	FRESH			<i>Overburden/Bedrock k:</i>	Bedrock
--- Details ---					
<i>Thickness:</i>	8 ft			<i>Original Depth:</i>	8 ft
<i>Material Colour:</i>				<i>Material:</i>	CLAY
<i>+</i>					
<i>Thickness:</i>	42 ft			<i>Original Depth:</i>	50 ft
<i>Material Colour:</i>	RED			<i>Material:</i>	SHALE
366	1 of 1	NW/441.1	285.5	lot 22 con 8 ON	WWIS
<i>Well ID:</i>	2804574			<i>Lot:</i>	022
<i>Concession:</i>	08			<i>Concession Name:</i>	CON
<i>County:</i>	HALTON			<i>Municipality:</i>	HALTON HILLS TOWN (ESQUESING)

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Easting Nad83:</i>	584342.4			<i>Northing Nad83:</i>	4833896
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Public			Construction Date:	18-JUL-74
Sec. Water Use:	Domestic			Well Depth:	118 ft
Pump Rate:	5 GPM			Static Water Level:	8 ft
Flow Rate:				Clear/Cloudy:	CLOUDY
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Rotary (Convent.)			Flowing (y/n):	N
Elevation (m):	290.38			Elevation Reliability:	
Depth to Bedrock:	0			Overburden/Bedrock k:	Bedrock
Water Type:	FRESH			Casing Material:	FRESH, MINERIAL
--- Details ---					
Thickness:	118 ft			Original Depth:	118 ft
Material Colour:	RED			Material:	SHALE
367	1 of 1	NW/464.7	288.3	lot 22 con 7 ON	WWIS
Well ID:	2801146			Lot:	022
Concession:	07			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)
<i>Easting Nad83:</i>	584201.4			<i>Northing Nad83:</i>	4833759
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Commerical			Construction Date:	15-JUN-61
Sec. Water Use:				Well Depth:	52 ft
Pump Rate:	10 GPM			Static Water Level:	1 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	298.04			Elevation Reliability:	
Depth to Bedrock:	4			Overburden/Bedrock k:	Bedrock
Water Type:	FRESH			Casing Material:	FRESH, MINERIAL
--- Details ---					
Thickness:	4 ft			Original Depth:	4 ft
Material Colour:				Material:	CLAY, MEDIUM SAND
+ 					
Thickness:	48 ft			Original Depth:	52 ft
Material Colour:	RED			Material:	SHALE
368	1 of 1	NW/459.3	286.0	lot 22 con 8 ON	WWIS
Well ID:	2804258			Lot:	022
Concession:	08			Concession Name:	CON
County:	HALTON			Municipality:	HALTON HILLS TOWN (ESQUESING)

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elevation (m)</i>	<i>Site</i>	<i>DB</i>
<i>Easting Nad83:</i>	584334.4			<i>Northing Nad83:</i>	4833913
<i>Zone:</i>	17			<i>Utm Reliability:</i>	margin of error : 30 m - 100 m
<i>Primary Water Use:</i>	Domestic			<i>Construction Date:</i>	30-JUN-73
<i>Sec. Water Use:</i>				<i>Well Depth:</i>	81 ft
<i>Pump Rate:</i>	10 GPM			<i>Static Water Level:</i>	10 ft
<i>Flow Rate:</i>				<i>Clear/Cloudy:</i>	CLOUDY
<i>Specific Capacity:</i>				<i>Final Well Status:</i>	Water Supply
<i>Construction Method:</i>	Cable Tool			<i>Flowing (y/n):</i>	N
<i>Elevation (m):</i>	290.8			<i>Elevation Reliability:</i>	
<i>Depth to Bedrock:</i>	2			<i>Overburden/Bedrock k:</i>	Bedrock
<i>Water Type:</i>	FRESH			<i>Casing Material:</i>	FRESH, MINERIAL
--- Details ---					
<i>Thickness:</i>	2 ft			<i>Original Depth:</i>	2 ft
<i>Material Colour:</i>				<i>Material:</i>	TOPSOIL
+ <i>Thickness:</i>	79 ft			<i>Original Depth:</i>	81 ft
<i>Material Colour:</i>	RED			<i>Material:</i>	SHALE

Unplottable Summary

Total: 73 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA		Regional Road 10	Halton Hills ON	
CA	TOWN	MAPLE AVE. (R.R.#1)	HALTON HILLS ON	
CA	SIMCOE ENGINEERING GEORGETOWN WELL FIELD	WELL GEORGE TOWN MAPLE WELL	HALTON HILLS TOWN ON	
CA	R.M. OF HALTON-HORNBY	TRAFalgar RD. PR-616A	HALTON HILLS TOWN ON	
CA	R.M. OF HALTON- FLOATING STORAGE RESERVOI	TRAFalgar ROAD RESERVOIR	HALTON HILLS TOWN ON	
CA	R.M. OF HALTON, ENGINEERING SERVICES	PRINCESS ANNE P.S. UPGRADE	HALTON HILLS ON	
CA	R.M. OF HALTON, ENGINEERING SERVICES	PRINCESS ANNE P.S. UPGRADE	HALTON HILLS ON	
CA	R.M. OF HALTON, ENGINEERING SERVICES	PRINCESS ANNE P.S. UPGRADE	HALTON HILLS ON	
CA	R.M. OF HALTON - WELL NO. 4A	MAPLE WELL FIELD, GEORGETOWN	HALTON HILLS TOWN ON	
CA	R.M. OF HALTON - WELL 4A PUMPING STATION	SILVER CREEK PK./MAPLE AVE.	HALTON HILLS TOWN ON	
CA	R.M. OF HALTON - W. 1/2 LOT 21, CONC. 8	LINDSAY COURT PUMPING STATION	HALTON HILLS TOWN ON	
CA	R.M. OF HALTON - LOTS 18-22, CONC. 7 & 8	TRAFalgar RD./HWY.#7/MAPLE AVE	HALTON HILLS TOWN ON	
CA	R.M. OF HALTON	BLACK CRK.VALLEY/TRAFalgar RD.	HALTON HILLS TOWN ON	
CA	R.M. OF HALTON	MAPLE AVE. EAST	HALTON HILLS TOWN ON	

CA	R.M. OF HALTON	MCCULLOUGH CRES. SEWAGE P.S.	HALTON HILLS TOWN ON
CA	LAW DEV. GROUP GEORGETOWN (NO.2) LTD.	BANTING RD./STM-WATER MGT.	HALTON HILLS TOWN ON
CA	LAW DEV. GROUP GEORGETOWN (NO. 2) LTD.	PT.LOTS19&20,TRAFALGAR COUNTRY	HALTON HILLS ON
CA	HALTON HILLS TOWN	PRINCESS ANNE DR.	HALTON HILLS TOWN ON
CA	HALTON HILLS DEVELOPMENT CORP.	RD. A STEWARTTOWN	HALTON HILLS TOWN ON
CA	HALTON HILLS DEVELOPMENT CORP.	MAPLE AVE.	HALTON HILLS TOWN ON
CA	Fernbrook Subdivision 24T-92004	Belmont Boulevard	Halton Hills ON
CA	Fernbrook Subdivision 24T-92004	Belmont Boulevard	Halton Hills ON
CA	EQUITY WASTE MANAGEMENT OF CANADA CORPOR	CONC.8/W. 1/2 LOT 15	HALTON HILLS TOWN ON
CA	The Regional Municipality of Halton	McCullough Crescent	Halton Hills ON
CA		Stewarttown Road, Trafalgar Road, 15th Sideroad	Halton Hills ON
EBR	Tanktek Environmental Services Ltd.	Mobile Halton Hills	Halton Hills ON
ECA	The Regional Municipality of Halton	Halton Hills	ON
ECA	The Regional Municipality of Halton	Steeles Avenue (Regional Road 8)	Town of Halton Hills ON
ECA	The Regional Municipality of Halton	Lot 15, Concession 8, Trafalgar Original Township, South side of Steeles Avenue	Halton Hills ON
ECA	HDP Canada Industrial Fund I GP, Inc.	Halton Hills	ON
ECA	Fernbrook Homes (Mountainview) Limited	Halton Hills	ON
ECA	Acton East Housing Corporation	Halton Hills	ON
EXP	DOUG CHALMERS INC	TRAfalgar RD	GEORGETOWN ON

GEN	CP RAIL	2551 TRAFALGAR ROAD	HORNBY ON	L0P 1E0
GEN	DOUG CHALMERS INC.	HIGHWAY #7 WEST, 1 MILE WEST OF TRAFALGAR, ON SOUTH SIDE OF #7	GEORGETOWN ON	
GEN	DOUG CHALMERS INC. 12-648	HWY.7 WEST, RR#1 BOX 280	GEORGETOWN ON	L7G 4Y5
GEN	DOUG CHALMERS INC. 12-649	HWY #7 EAST, HALTON HILLS C/O BOX 280	GEORGETOWN ON	L7G 4Y5
GEN	HALTON HILLS, TOWN OF	TRAFALGAR ROAD, WORKS CENTRE C/O P.O.BOX 128	GEORGETOWN ON	L7G 4T7
GEN	HALTON, REGIONAL MUNICIPAL(OUT OF BUS.)	TOWN OF HALTON HILLS MUNICIPAL WORKS YD. TRAFALGAR ROAD- LOT 19, CONCESSION 7	GEORGETOWN ON	
GEN	WATCH TOWER BIBLE & TRACT SOCIETY 41-016	LOT 21, CONC. 8, HWY 7 C/O P.O. BOX 4100, GEORGETOWN	HALTON HILLS ON	L7G 4Y4
GEN	HALTON, REGIONAL MUNICIPALITY OF 19-104	TOWN OF HALTON HILLS MUNICIPAL OFFICES TRAFALGAR ROAD, CONC. 7, LOT 19	GEORGETOWN ON	L7G 4T1
GEN	HALTON, REGIONAL MUNICIPALITY OF 19-104	TOWN OF HALTON HILLS MUNICIPAL OFFICES TRAFALGAR ROAD	GEORGETOWN ON	L7G 4T1
GEN	WATCH TOWER BIBLE & TRACT SOCIETY	LOT 21, CONC. 8, HWY 7 C/O P.O. BOX 4100, GEORGETOWN	HALTON HILLS ON	L7G 4Y4
GEN	HALTON, REGIONAL MUNICIPALITY OF	TOWN OF HALTON HILLS MUNICIPAL OFFICES TRAFALGAR ROAD	GEORGETOWN ON	L7G 4T1
NPCB	HOSPITAL FOR SICK CHILDREN	MAPLE LEAF MILLS REDSERCH FARM; TRAFAGER ROAD NORT	GEORGETOWN ON	
NPCB	H. OVERSBY LIMITED	LOTS 18 & 19 HALTON HILLS (FIRE #11553)	HALTON HILLS ON	
OPCB	HOSPITAL FOR SICK CHILDREN	MAPLE LEAF MILLS REDSERCH FARM TRAFAGER ROAD NORTH	GEORGETOWN ON	
OPCB	HOSPITAL FOR SICK CHILDREN	MAPLE LEAF MILLS REDSERCH FARM TRAFAGER ROAD NORTH	GEORGETOWN ON	
OPCB	HOSPITAL FOR SICK CHILDREN	MAPLE LEAF MILLS REDSERCH FARM TRAFAGER ROAD NORTH	GEORGETOWN ON	
OPCB	HOSPITAL FOR SICK CHILDREN	MAPLE LEAF MILLS REDSERCH FARM TRAFAGER ROAD NORTH	GEORGETOWN ON	
OPCB	HOSPITAL FOR SICK CHILDREN	MAPLE LEAF MILLS REDSERCH FARM TRAFAGER ROAD NORTH	GEORGETOWN ON	

PINC		2m East of East curb Brownridge, Halton Hills	ON
PRT	DOUG CHALMERS INC	TRAFalgar RD	GEORGETOWN ON
PRT	ERIC REID UNITED CO-OPERATIVES OF ONTARIO	TOWN OF HALTON HWY 7	ON
PRT	TOWN OF HALTON HILLS	TRAFalgar RD	GEORGETOWN ON
SCT	WATCH TOWER BIBLE & TRACT	HIGHWAY 7	GEORGETOWN ON L7G 4Y4
SPL	HARMAC TRANSPORTATION	HWY 7, CANADIAN TIRE TANK TRUCK (CARGO)	HALTON HILLS TOWN ON
SPL		Dufferin Aggregates & Halton Hills	Halton Hills ON
SPL	CHALMERS FUEL	CHALMERS ESSO FUEL BULK PLANT HIGHWAY 7 WEST TANK TRUCK (CARGO)	HALTON HILLS TOWN ON
SPL	Dufferin Aggregates	Dufferin Aggregates- Halton Hills	Halton Hills ON
SPL		Dufferin Aggregates- Halton Hills	Halton Hills ON
SPL		From 5th Sideroad & Trafalgar Rd. Northbound until Trafalgar Rd. and Berton Blvd	Halton Hills ON
SPL	HALTON, REGIONAL MUNICIPALITY	BLACK CREEK FROM AGNES ST. P.S. SANITARY SEWER SYSTEM (INCLUDING PUMPING STATIONS)	HALTON HILLS TOWN ON
SPL	Terratec Environmental Ltd.	First field north of Steeles Ave	Halton Hills ON
SPL	MAPLE LODGE FARMS	TRAFalgar ROAD NEAR GEORGETOWN TRANSPORT TRUCK (CARGO)	HALTON HILLS TOWN ON
SPL	Sensient Flavors Canada Inc.	Sensient - Halton Hills Facility	Halton Hills ON
SPL	Sensient Flavors Canada Inc.	Sensient - Halton Hills Facility	Halton Hills ON
SPL	ESSO PETROLEUM CANADA	HWY 7 GEORGETOWN BRANCH HIGHWAY 7 GEORGETOWN	HALTON HILLS TOWN ON
SPL	ESSO PETROLEUM CANADA	HWY 7 WEST GEORGETOWN GEORGETOWN BRANCH HIGHWAY 7 GEORGETOWN	HALTON HILLS TOWN ON
SPL	St. Lawrence Cement Inc.	Dufferin Aggregates- Halton Hills	Halton Hills ON
SPL	St. Lawrence Cement Inc.	Dufferin Aggregates- Halton Hills	Halton Hills ON

WWIS

lot 13 con 6

HORNBY ON

330

erisinfo.com | EcoLog ERIS Ltd.

Trafalgar Road EA Trafalgar Rd 7 Hwy Halton Hills ON L0P1E0

Order No: 20160225127

Unplottable Report

Site: *Regional Road 10 Halton Hills ON* **Database:** *CA*

Certificate #: 8541-5D9KUM
Application Year: 02
Issue Date: 8/23/02
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: The Regional Municipality of Halton
Client Address: 1151 Bronte Road
Client City: Oakville
Client Postal Code: L6M 3L1
Project Description: Approval is sought for the construction of storm sewers on Regional Road 10.
Contaminants:
Emission Control:

Site: *TOWN MAPLE AVE. (R.R.#1) HALTON HILLS ON* **Database:** *CA*

Certificate #: 3-0592-85-006
Application Year: 85
Issue Date: 6/19/85
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: *SIMCOE ENGINEERING GEORGETOWN WELL FIELD WELL GEORGE TOWN MAPLE WELL HALTON HILLS TOWN ON* **Database:** *CA*

Certificate #: 7-1075-89-
Application Year: 89
Issue Date: 2/16/1990
Approval Type: Municipal water
Status: Cancelled
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:

Contaminants:
Emission Control:

Site: R.M. OF HALTON-HORNBY
TRAFALGAR RD. PR-616A HALTON HILLS TOWN ON

Database:
CA

Certificate #: 3-0905-86-
Application Year: 86
Issue Date: 7/9/1986
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: R.M. OF HALTON-FLOATING STORAGE RESERVOI
TRAFALGAR ROAD RESERVOIR HALTON HILLS TOWN ON

Database:
CA

Certificate #: 7-2085-89-000
Application Year: 89
Issue Date: 1/13/92
Approval Type: Municipal water
Status: Application Cancelled
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: R.M. OF HALTON, ENGINEERING SERVICES
PRINCESS ANNE P.S. UPGRADE HALTON HILLS ON

Database:
CA

Certificate #: 7-1171-98-
Application Year: 98
Issue Date: //
Approval Type: Municipal water
Status: In progress
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: R.M. OF HALTON, ENGINEERING SERVICES
PRINCESS ANNE P.S. UPGRADE HALTON HILLS ON

Database:
CA

Certificate #: 3-1793-98-
Application Year: 98
Issue Date: 11/30/1998
Approval Type: Municipal sewage
Status: Cancelled
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: R.M. OF HALTON, ENGINEERING SERVICES
PRINCESS ANNE P.S. UPGRADE HALTON HILLS ON

Database:
CA

Certificate #: 8-3692-98-
Application Year: 98
Issue Date: //
Approval Type: Industrial air
Status: In progress
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description: CHLORINE GAS SCRUBBER, EMERGENCY POWER
Contaminants:
Emission Control:

Site: R.M. OF HALTON - WELL NO. 4A
MAPLE WELL FIELD, GEORGETOWN HALTON HILLS TOWN ON

Database:
CA

Certificate #: 7-0168-86-
Application Year: 86
Issue Date: 1/24/1991
Approval Type: Municipal water
Status: Approved in 1990
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: R.M. OF HALTON - WELL 4A PUMPING STATION
SILVER CREEK PK./MAPLE AVE. HALTON HILLS TOWN ON

Database:
CA

Certificate #: 7-0042-91-
Application Year: 91
Issue Date: 1/31/1991
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: R.M. OF HALTON - W. 1/2 LOT 21, CONC. 8
LINDSAY COURT PUMPING STATION HALTON HILLS TOWN ON

Database:
CA

Certificate #: 7-1473-91-
Application Year: 91
Issue Date: 8/21/1992
Approval Type: Municipal water
Status: Approved in 1992
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: R.M. OF HALTON - LOTS 18-22, CONC. 7 & 8
TRAFAVGAR RD./HWY.#7/MAPLE AVE HALTON HILLS TOWN ON

Database:
CA

Certificate #: 7-0261-91-
Application Year: 91
Issue Date: 3/25/1991
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: R.M. OF HALTON
BLACK CRK.VALLEY/TRAFAVGAR RD. HALTON HILLS TOWN ON

Database:
CA

Certificate #: 3-1491-97-
Application Year: 97
Issue Date: 10/20/1997
Approval Type: Municipal sewage

Status: Approved

Application Type:

Client Name:

Client Address:

Client City:

Client Postal Code:

Project Description:

Contaminants:

Emission Control:

Site: R.M. OF HALTON
MAPLE AVE. EAST HALTON HILLS TOWN ON

Database:
CA

Certificate #: 7-0643-86-

Application Year: 86

Issue Date: 6/27/1986

Approval Type: Municipal water

Status: Approved

Application Type:

Client Name:

Client Address:

Client City:

Client Postal Code:

Project Description:

Contaminants:

Emission Control:

Site: R.M. OF HALTON
MCCULLOUGH CRES. SEWAGE P.S. HALTON HILLS TOWN ON

Database:
CA

Certificate #: 8-3353-96-

Application Year: 96

Issue Date: 10/24/1996

Approval Type: Industrial air

Status: Cancelled

Application Type:

Client Name:

Client Address:

Client City:

Client Postal Code:

Project Description: DIESEL GENERATOR FOR STANDBY POWER

Contaminants:

Emission Control:

Site: LAW DEV. GROUP GEORGETOWN (NO.2) LTD.
BANTING RD./STM-WATER MGT. HALTON HILLS TOWN ON

Database:
CA

Certificate #: 3-0278-92-

Application Year: 92

Issue Date: 5/22/1992

Approval Type: Municipal sewage

Status: Approved

Application Type:

Client Name:

Client Address:

Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: LAW DEV. GROUP GEORGETOWN (NO. 2) LTD.
PT.LOTS19&20,TRAFalgar COUNTRY HALTON HILLS ON

Database:
CA

Certificate #: 3-1484-98-
Application Year: 98
Issue Date: //
Approval Type: Municipal sewage
Status: In progress
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: HALTON HILLS TOWN
PRINCESS ANNE DR. HALTON HILLS TOWN ON

Database:
CA

Certificate #: 7-1795-87-
Application Year: 87
Issue Date: 12/4/1987
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: HALTON HILLS DEVELOPMENT CORP.
RD. A STEWARTTOWN HALTON HILLS TOWN ON

Database:
CA

Certificate #: 3-1844-87-
Application Year: 87
Issue Date: 10/16/1987
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:

Emission Control:

Site: HALTON HILLS DEVELOPMENT CORP.
MAPLE AVE. HALTON HILLS TOWN ON

Database:
CA

Certificate #: 7-1315-87-
Application Year: 87
Issue Date: 8/26/1987
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: Fernbrook Subdivision 24T-92004
Belmont Boulevard Halton Hills ON

Database:
CA

Certificate #: 7367-4JQPFA
Application Year: 00
Issue Date: 4/26/00
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Fernbrook Homes (15Th Sideroad) Limited
Client Address: 2220 Highway No. 7 West, Unit 5
Client City: Concord
Client Postal Code: L4K 1W7
Project Description: Watermains
Contaminants:
Emission Control:

Site: Fernbrook Subdivision 24T-92004
Belmont Boulevard Halton Hills ON

Database:
CA

Certificate #: 8063-4JRSMJ
Application Year: 00
Issue Date: 4/28/00
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Fernbrook Homes (15th Sideroad) Limited
Client Address: 2220 Highway No. 7 West, Unit 5
Client City: Concord
Client Postal Code: L4K 1W7
Project Description: Sanitary and Storm Sewers
Contaminants:
Emission Control:

Site: EQUITY WASTE MANAGEMENT OF CANADA CORPORATION
CONC.8/W. 1/2 LOT 15 HALTON HILLS TOWN ON

Database:
CA

Certificate #: 8-3680-93-956
Application Year: 93
Issue Date: 11/3/95
Approval Type: Industrial air
Status: Received in 1994, Issued in 1995
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description: COMPOSTING FACILITY
Contaminants: Odour/Fumes, Ammonia, Methane (Incl. Hydrocarbons Expr. As Ch4
Emission Control: Absorp. By Dry Collectors

Site: The Regional Municipality of Halton
McCullough Crescent Halton Hills ON

Database:
CA

Certificate #: 8105-5ZHKL7
Application Year: 2004
Issue Date: 6/17/2004
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: Stewarttown Road, Trafalgar Road, 15th Sideroad Halton Hills ON

Database:
CA

Certificate #: 0382-4UJML3
Application Year: 01
Issue Date: 3/5/01
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the Regional Municipality of Halton
Client Address: 1151 Bronte Road
Client City: Oakville
Client Postal Code: L6M 3L1
Project Description: Installation of Watermains on Stewarttown Road, Trafalgar Road and 15th Sideroad
Contaminants:
Emission Control:

Site: Tanktek Environmental Services Ltd.
Mobile Halton Hills Halton Hills ON

Database:
EBR

Year: 2005

EBR Registry No.: IA05E1012
Ministry Ref. No.: 7357-6DLRXY
Type: Instrument Decision
Instrument Type: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9
Proposal Date:
Location: Mobile Halton Hills Ontario Halton Hills
Proponent Address: 16 Knox Street Acton Ontario L7J 1C7

Site: *The Regional Municipality of Halton* **Database:**
ECA
Halton Hills ON

CofA Number: 0281-8VXGV3
Date: 7/10/2012
Status: Approved
Project Type: Municipal and Private Sewage

Site: *The Regional Municipality of Halton* **Database:**
ECA
Steeles Avenue (Regional Road 8) Town of Halton Hills ON

CofA Number: 6585-9KAQNQ
Date: 5/29/14
Status: Approved
Project Type: Municipal and Private Sewage

Site: *The Regional Municipality of Halton* **Database:**
ECA
Lot 15, Concession 8, Trafalgar Original Township, South side of Steeles Avenue Halton Hills ON

CofA Number: 4336-8RXLK5
Date: 2/29/2012
Status: Approved
Project Type: Municipal and Private Sewage

Site: *HDP Canada Industrial Fund I GP, Inc.* **Database:**
ECA
Halton Hills ON

CofA Number: 9698-8Y8RB8
Date: 9/24/2012
Status: Approved
Project Type: Municipal and Private Sewage

Site: *Fernbrook Homes (Mountainview) Limited* **Database:**
ECA
Halton Hills ON

CofA Number: 0345-8WTK2G
Date: 8/27/2012
Status: Approved
Project Type: Municipal and Private Sewage

Site: *Acton East Housing Corporation* **Database:**
ECA
Halton Hills ON

CofA Number: 4850-8WLH3V
Date: 8/14/2012
Status: Approved
Project Type: Municipal and Private Sewage

Site: DOUG CHALMERS INC
TRAfalgar RD GEORGETOWN ON

Database:
EXP

Instance ID: 392491
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:
Instance Number: 9842392
Instance Type: FS Facility
Status: EXPIRED
Description: FS Propane Refill Cntr - Cylr Fill

Site: CP RAIL
2551 TRAFALGAR ROAD HORNBY ON L0P 1E0

Database:
GEN

Generator #: ON2411308
Approval Yrs: 00,01
SIC Code: 4531
SIC Description: RAILWAY TRANS. IND.

--- Details ---
Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Site: DOUG CHALMERS INC.
HIGHWAY #7 WEST, 1 MILE WEST OF TRAFALGAR, ON SOUTH SIDE OF #7 GEORGETOWN ON

Database:
GEN

Generator #: ON1498001
Approval Yrs: 99,00,01
SIC Code: 5111
SIC Description: PETROLEUM PROD., WH.

--- Details ---
Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS
+
Waste Code: 221
Waste Description: LIGHT FUELS
+
Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Site: DOUG CHALMERS INC. 12-648
HWY.7 WEST, RR#1 BOX 280 GEORGETOWN ON L7G 4Y5

Database:
GEN

Generator #: ON1498001
Approval Yrs: 94,95,96
SIC Code: 5111

SIC Description: PETROLEUM PROD., WH.

--- Details ---

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS
+
Waste Code: 221
Waste Description: LIGHT FUELS
+
Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Site: DOUG CHALMERS INC. 12-649
HWY #7 EAST, HALTON HILLS C/O BOX 280 GEORGETOWN ON L7G 4Y5

Database:
GEN

Generator #: ON1498002
Approval Yrs: 92,93,94,95,96,97,98
SIC Code: 5111
SIC Description: PETROLEUM PROD., WH.

--- Details ---

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS
+
Waste Code: 221
Waste Description: LIGHT FUELS
+
Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Site: HALTON HILLS, TOWN OF
TRAfalgar Road, Works Centre C/o P.O.Box 128 GEORGETOWN ON L7G 4T7

Database:
GEN

Generator #: ON0797600
Approval Yrs: 86,87,88,89,90
SIC Code: 8371
SIC Description: TRANSPORTATION ADMIN.

--- Details ---

Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS
+
Waste Code: 213
Waste Description: PETROLEUM DISTILLATES
+
Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES
+
Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Site: HALTON, REGIONAL MUNICIPAL(OUT OF BUS.)
TOWN OF HALTON HILLS MUNICIPAL WORKS YD. TRAFALGAR ROAD- LOT 19, CONCESSION 7
GEORGETOWN ON

Database:
GEN

Generator #: ON0277105
Approval Yrs: 98
SIC Code: 8373

SIC Description: ENVIRON. ADMIN.

--- Details ---

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS
+
Waste Code: 213
Waste Description: PETROLEUM DISTILLATES
+
Waste Code: 221
Waste Description: LIGHT FUELS
+
Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS
+
Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS
+
Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Site: **WATCH TOWER BIBLE & TRACT SOCIETY 41-016**
LOT 21, CONC. 8, HWY 7 C/O P.O. BOX 4100, GEORGETOWN HALTON HILLS ON L7G 4Y4

Database:
GEN

Generator #: ON0184100
Approval Yrs: 94,95
SIC Code: 2841
SIC Description: NEWSPAPER, ETC. IND.

--- Details ---

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES
+
Waste Code: 211
Waste Description: AROMATIC SOLVENTS
+
Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS
+
Waste Code: 213
Waste Description: PETROLEUM DISTILLATES
+
Waste Code: 241
Waste Description: HALOGENATED SOLVENTS
+
Waste Code: 242
Waste Description: HALOGENATED PESTICIDES
+
Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES
+
Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS
+
Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES
+
Waste Code: 265
Waste Description: GRAPHIC ART WASTES

+
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Site: HALTON, REGIONAL MUNICIPALITY OF 19-104
TOWN OF HALTON HILLS MUNICIPAL OFFICES TRAFALGAR ROAD, CONC. 7, LOT 19
GEORGETOWN ON L7G 4T1

Database:
GEN

Generator #: ON0277105
Approval Yrs: 92,93,96,97
SIC Code: 8373
SIC Description: ENVIRON. ADMIN.

--- Details ---

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS
+
Waste Code: 213
Waste Description: PETROLEUM DISTILLATES
+
Waste Code: 221
Waste Description: LIGHT FUELS
+
Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS
+
Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS
+
Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Site: HALTON, REGIONAL MUNICIPALITY OF 19-104
TOWN OF HALTON HILLS MUNICIPAL OFFICES TRAFALGAR ROAD GEORGETOWN ON L7G 4T1

Database:
GEN

Generator #: ON0277105
Approval Yrs: 94,95
SIC Code: 8373
SIC Description: ENVIRON. ADMIN.

--- Details ---

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS
+
Waste Code: 213
Waste Description: PETROLEUM DISTILLATES
+
Waste Code: 221
Waste Description: LIGHT FUELS
+
Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS
+
Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS
+
Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Site: WATCH TOWER BIBLE & TRACT SOCIETY
LOT 21, CONC. 8, HWY 7 C/O P.O. BOX 4100, GEORGETOWN HALTON HILLS ON L7G 4Y4

Database:
GEN

Generator #: ON0184100
Approval Yrs: 89,90
SIC Code: 2841
SIC Description: NEWSPAPER, ETC. IND.

--- Details ---

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES
+
Waste Code: 211
Waste Description: AROMATIC SOLVENTS
+
Waste Code: 213
Waste Description: PETROLEUM DISTILLATES
+
Waste Code: 241
Waste Description: HALOGENATED SOLVENTS
+
Waste Code: 242
Waste Description: HALOGENATED PESTICIDES
+
Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES
+
Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS
+
Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES
+
Waste Code: 265
Waste Description: GRAPHIC ART WASTES
+
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Site: HALTON, REGIONAL MUNICIPALITY OF
TOWN OF HALTON HILLS MUNICIPAL OFFICES TRAFALGAR ROAD GEORGETOWN ON L7G 4T1

Database:
GEN

Generator #: ON0277105
Approval Yrs: 86,87,88,89,90
SIC Code: 8373
SIC Description: ENVIRON. ADMIN.

--- Details ---

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS
+
Waste Code: 213
Waste Description: PETROLEUM DISTILLATES
+
Waste Code: 221
Waste Description: LIGHT FUELS
+
Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

+
Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS
+
Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Site: HOSPITAL FOR SICK CHILDREN
MAPLE LEAF MILLS REDSERCH FARM; TRAFAGER ROAD NORT GEORGETOWN ON

Database:
[NPBC](#)

Company Code: F1112
Transaction Date: 1/29/1996
Inspection Date:
Industry:
Site Status:

--- Details ---

Label:
No. of Items:
Contents: 108.00 KG
Serial No.:
Item/State:
Status: Stored for Disposal
PCB Type/Code: Askarel
Location:
Manufacturer:

Site: H. OVERSBY LIMITED
LOTS 18 & 19 HALTON HILLS (FIRE #11553) HALTON HILLS ON

Database:
[NPBC](#)

Company Code: F1065
Transaction Date:
Inspection Date:
Industry: UNDEFINED
Site Status:

Site: HOSPITAL FOR SICK CHILDREN
MAPLE LEAF MILLS REDSERCH FARM TRAFAGER ROAD NORTH GEORGETOWN ON

Database:
[OPCB](#)

Year: 2004
Site Number: 30289A159
Name Owner:
Additional Site Information:

Site: HOSPITAL FOR SICK CHILDREN
MAPLE LEAF MILLS REDSERCH FARM TRAFAGER ROAD NORTH GEORGETOWN ON

Database:
[OPCB](#)

Year: 1998
Site Number: 30289A159
Name Owner:
Additional Site Information:

Site: HOSPITAL FOR SICK CHILDREN
MAPLE LEAF MILLS REDSERCH FARM TRAFAGER ROAD NORTH GEORGETOWN ON

Database:
[OPCB](#)

Year: 2003
Site Number: 30289A159
Name Owner:
Additional Site Information:

Site: HOSPITAL FOR SICK CHILDREN
MAPLE LEAF MILLS REDSERCH FARM TRAFAGER ROAD NORTH GEORGETOWN ON

Database:
OPCB

Year: 1995
Site Number: 30289A159
Name Owner:
Additional Site Information:

--- Details ---
Quantity: 614.00
Address Site:
Name Owner:
Description: Weight of Bulk Liquid with High Level PCBs (>1000 ppm) kg

Site: HOSPITAL FOR SICK CHILDREN
MAPLE LEAF MILLS REDSERCH FARM TRAFAGER ROAD NORTH GEORGETOWN ON

Database:
OPCB

Year: 2000
Site Number: 30289A159
Name Owner:
Additional Site Information:

Site: HOSPITAL FOR SICK CHILDREN
MAPLE LEAF MILLS REDSERCH FARM TRAFAGER ROAD NORTH GEORGETOWN ON

Database:
OPCB

Year: 1999
Site Number: 30289A159
Name Owner:
Additional Site Information:

Site: 2m East of East curb Brownridge, Halton Hills ON

Database:
PINC

Incident ID: 2807604
Tank Status: RC Established
Attribute Category: Excavation practices not sufficient
Task Number: 3460937
SR Type: FS-Pipeline Incident
Incident Number: 650848
Status Code: Pipeline Damage Reason Est
Summary: 2m East of East curb Brownridge, Halton Hills - 4" Pipeline Hit
Spills Action Centre:
Reported By: Devay, Lori - Union Gas
Affiliation: Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)
Method Details: E-mail
Fuel Category: Natural Gas
Fuel Occurrence Type: Pipeline Strike
Date of Occurrence: 8/15/2011 0:00

Occurrence Start Date: 2011/09/08
Health Impact: No
Occurrence Desc:
Environment Impact: No
Property Damage: Yes
Service Interrupt: Yes
Fuel Type: Natural Gas
Enforce Policy: Yes
Operation Type: Construction Site (including excavation)
Damage Reason: FS-Perform P-line Inc Invest
Public Relation: No
Pipeline System:
Pipeline Type: Main Distribution Pipeline
Depth:
Pipe Material: Plastic
Regualtor Location: Outside
PSIG: 55
Regulator Type: Service Regulator (up to 60 psi intake)
Notes: **

Site: DOUG CHALMERS INC
TRAFAVGAR RD GEORGETOWN ON

Database:
PRT

Location ID: 5169
Type: retail
Expiry Date: 1995-02-28
Capacity (L): 1000
Licence #: 0056677001

Site: ERIC REID UNITED CO-OPERATIVES OF ONTARIO
TOWN OF HALTON HWY 7 ON

Database:
PRT

Location ID: 17826
Type: retail
Expiry Date: 1990-05-31
Capacity (L): 0
Licence #: 0000015300

Site: TOWN OF HALTON HILLS
TRAFAVGAR RD GEORGETOWN ON

Database:
PRT

Location ID: 5168
Type: private
Expiry Date:
Capacity (L): 45300.00
Licence #: 0001032533

Site: WATCH TOWER BIBLE & TRACT
HIGHWAY 7 GEORGETOWN ON L7G 4Y4

Database:
SCT

Established: 1981
Plant Size (ft²): 900000
Employment: 375

--- Details ---

SIC/NAICS Code: 2721
Description: PERIODICALS: PUBLISHING, OR PUBLISHING AND PRINTING

Site: HARMAC TRANSPORTATION
HWY 7, CANADIAN TIRE TANK TRUCK (CARGO) HALTON HILLS TOWN ON **Database:**
SPL

Ref NO: 97479
Contaminant Code:
Contaminant Name:
Contaminant Quantity:
Incident Cause: PIPE/HOSE LEAK
Incident Dt: 3/18/1994
Incident Reason: ERROR
Incident Summary: HARMAC TRANSPORT: 3L GASOLINE LEAK FROM TANK TRUCK DURING DELIVERY
MOE Reported Dt: 3/18/1994
Environmental Impact: NOT ANTICIPATED
Nature of Impact:
Receiving Medium: LAND
SAC Action Class:
Sector Source Type:
Site Municipality: 14401

Site: Dufferin Aggregates & Halton Hills Halton Hills ON **Database:**
SPL

Ref NO: 1837-7H9GNM
Contaminant Code: 15
Contaminant Name: HYDRAULIC OIL
Contaminant Quantity: 20 L
Incident Cause: Pipe Or Hose Leak
Incident Dt:
Incident Reason:
Incident Summary: Dufferin Aggregates: 20 L hydraulic oil to ground, cleaned
MOE Reported Dt: 8/6/2008
Environmental Impact: Not Anticipated
Nature of Impact: Soil Contamination
Receiving Medium: Land Spills
SAC Action Class:
Sector Source Type:
Site Municipality: Halton Hills

Site: CHALMERS FUEL
CHALMERS ESSO FUEL BULK PLANT HIGHWAY 7 WEST TANK TRUCK (CARGO) HALTON HILLS TOWN ON **Database:**
SPL

Ref NO: 109671
Contaminant Code:
Contaminant Name:
Contaminant Quantity:
Incident Cause: CONTAINER OVERFLOW
Incident Dt: 1/19/1995
Incident Reason: ERROR
Incident Summary: BACKENTRY-CHALMERS FUEL- 400 L FUEL OIL TO GROUND IN CONTAINMENT AREA.
MOE Reported Dt: 1/31/1995

Environmental Impact: POSSIBLE
Nature of Impact: Soil contamination
Receiving Medium: LAND
SAC Action Class:
Sector Source Type:
Site Municipality: 14401

Site: Dufferin Aggregates
Dufferin Aggregates- Halton Hills Halton Hills ON

Database:
SPL

Ref NO: 5324-7EDP2K
Contaminant Code: 15
Contaminant Name: HYDRAULIC OIL
Contaminant Quantity: 10 L
Incident Cause: Other Transport Accident
Incident Dt:
Incident Reason: Spill
Incident Summary: Dufferin Aggregates, 10L hydraulic oil to road, cln
MOE Reported Dt: 5/6/2008
Environmental Impact: Not Anticipated
Nature of Impact: Other Impact(s)
Receiving Medium:
SAC Action Class: Land Spills
Sector Source Type: Other Motor Vehicle
Site Municipality: Halton Hills

Site: Dufferin Aggregates- Halton Hills Halton Hills ON

Database:
SPL

Ref NO: 6212-7FVRV6
Contaminant Code: 15
Contaminant Name: HYDRAULIC OIL
Contaminant Quantity: 60 L
Incident Cause:
Incident Dt:
Incident Reason:
Incident Summary: Dufferin Aggregates-60 L Hydraulic Oil to Grnd,Cleaned-up
MOE Reported Dt: 6/23/2008
Environmental Impact: Not Anticipated
Nature of Impact:
Receiving Medium:
SAC Action Class: Land Spills
Sector Source Type:
Site Municipality: Halton Hills

Site: From 5th Sideroad & Trafalgar Rd. Northbound until Trafalgar Rd. and Berton Blvd Halton Hills ON

Database:
SPL

Ref NO: 1823-725QFT
Contaminant Code: 15
Contaminant Name: HYDRAULIC OIL
Contaminant Quantity: unknown unknown
Incident Cause: Other Transport Accident
Incident Dt:
Incident Reason: Gasket/Joint Failure - Any point of connection (Except Weld/Seam)

Incident Summary: TT- spill of hydraulic oil onto roadway- 10Km.
MOE Reported Dt: 4/10/2007
Environmental Impact: Confirmed
Nature of Impact: Soil Contamination
Receiving Medium: Land
SAC Action Class:
Sector Source Type: Transport Truck
Site Municipality: Halton Hills

Site: HALTON, REGIONAL MUNICIPALITY
BLACK CREEK FROM AGNES ST. P.S. SANITARY SEWER SYSTEM (INCLUDING PUMPING STATIONS) HALTON HILLS TOWN ON

Database:
SPL

Ref NO: 121322
Contaminant Code:
Contaminant Name:
Contaminant Quantity:
Incident Cause: WASTEWATER DISCHARGE TO WATERCOURSE
Incident Dt: 11/29/1995
Incident Reason: EQUIPMENT FAILURE
Incident Summary: R-M OF HALTON: 450 L OF RAW UNCHLORINATED SEWAGE TO CREEK, PUMP FAILURE.
MOE Reported Dt: 11/29/1995
Environmental Impact: POSSIBLE
Nature of Impact: Water course or lake
Receiving Medium: WATER
SAC Action Class:
Sector Source Type:
Site Municipality: 14401

Site: Terratec Environmental Ltd.
First field north of Steeles Ave Halton Hills ON

Database:
SPL

Ref NO: 8104-6GUHLT
Contaminant Code:
Contaminant Name: BIO-SOLIDS (N.O.S.)
Contaminant Quantity: 56.775 L
Incident Cause: Pipe Or Hose Leak
Incident Dt: 10/4/2005
Incident Reason: Error- Operator error
Incident Summary: Terratec: 15 gallons biosolid to 9th line shoulder/ditch
MOE Reported Dt: 10/4/2005
Environmental Impact: Not Anticipated
Nature of Impact: Soil Contamination
Receiving Medium: Land
SAC Action Class: Spills to Highways (usually highway accidents)
Sector Source Type:
Site Municipality: Halton Hills

Site: MAPLE LODGE FARMS
TRAFAVGAR ROAD NEAR GEORGETOWN TRANSPORT TRUCK (CARGO) HALTON HILLS TOWN ON

Database:
SPL

Ref NO: 72874
Contaminant Code:
Contaminant Name:
Contaminant Quantity:

Incident Cause: OTHER CONTAINER LEAK
Incident Dt: //
Incident Reason: INTENTIONAL/PLANNED
Incident Summary: MAPLE LODGE FARMS: LIQUIDWASTE DISCHARGED TO ROAD INTENTIONALLY (ROUTINE)
MOE Reported Dt: 6/30/1992
Environmental Impact: POSSIBLE
Nature of Impact: Other
Receiving Medium: LAND
SAC Action Class:
Sector Source Type:
Site Municipality: 14401

Site: **Sensient Flavors Canada Inc.**
Sensient - Halton Hills Facility Halton Hills ON

Database:
SPL

Ref NO: 0556-7T3VBT
Contaminant Code:
Contaminant Name: FREON R-22 (CFC)
Contaminant Quantity: 100 kg
Incident Cause: Valve / Fitting Leak Or Failure
Incident Dt:
Incident Reason: Equipment Failure
Incident Summary: Sensient Flavors - 100 kg of freon to air.
MOE Reported Dt: 6/16/2009
Environmental Impact: Not Anticipated
Nature of Impact:
Receiving Medium:
SAC Action Class: Air Spills - Gases and Vapours
Sector Source Type: Other
Site Municipality: Halton Hills

Site: **Sensient Flavors Canada Inc.**
Sensient - Halton Hills Facility Halton Hills ON

Database:
SPL

Ref NO: 2453-7S8NTG
Contaminant Code:
Contaminant Name: Aeration Tank Water
Contaminant Quantity:
Incident Cause: Overflow (Tanks Lagoons)
Incident Dt:
Incident Reason: Unknown - Reason not determined
Incident Summary: Sensient Flavours Canada, aeration water to catch basin.
MOE Reported Dt: 5/20/2009
Environmental Impact: Possible
Nature of Impact: Surface Water Pollution
Receiving Medium:
SAC Action Class: Watercourse Spills
Sector Source Type: Other
Site Municipality: Halton Hills

Site: **ESSO PETROLEUM CANADA**
HWY 7 GEORGETOWN BRANCH HIGHWAY 7 GEORGETOWN HALTON HILLS TOWN ON

Database:
SPL

Ref NO: 108088

Contaminant Code:
Contaminant Name:
Contaminant Quantity:
Incident Cause: PIPE/HOSE LEAK
Incident Dt: 11/23/1994
Incident Reason: ERROR
Incident Summary: ESSO PETROLEUM CANADA: 6 L DIESEL FUEL TO GROUNDAT CARD-LOCK STATION.
MOE Reported Dt: 12/8/1994
Environmental Impact: NOT ANTICIPATED
Nature of Impact:
Receiving Medium: LAND
SAC Action Class:
Sector Source Type:
Site Municipality: 14401

Site: ESSO PETROLEUM CANADA HWY 7 WEST GEORGETOWN GEORGETOWN BRANCH HIGHWAY 7 GEORGETOWN HALTON HILLS TOWN ON **Database:**
SPL

Ref NO: 100984
Contaminant Code:
Contaminant Name:
Contaminant Quantity:
Incident Cause: VALVE/FITTING LEAK OR FAILURE
Incident Dt: 6/9/1994
Incident Reason: EQUIPMENT FAILURE
Incident Summary: UKN QTY OF DIESEL FROM BULK TANK TO LAND NOTED BY MCCR INSPECTOR.
MOE Reported Dt: 6/9/1994
Environmental Impact: POSSIBLE
Nature of Impact: Soil contamination
Receiving Medium: LAND
SAC Action Class:
Sector Source Type:
Site Municipality: 14401

Site: St. Lawrence Cement Inc. Dufferin Aggregates- Halton Hills Halton Hills ON **Database:**
SPL

Ref NO: 2244-7DLPDB
Contaminant Code: 15
Contaminant Name: HYDRAULIC OIL
Contaminant Quantity: 10 L
Incident Cause: Pipe Or Hose Leak
Incident Dt:
Incident Reason: Material Failure - Poor design or substandard materials
Incident Summary: Dufferin Aggregate:10L hydraulic oil to grd, cln
MOE Reported Dt: 4/11/2008
Environmental Impact: Not Anticipated
Nature of Impact:
Receiving Medium:
SAC Action Class: Land Spills
Sector Source Type: Other Motor Vehicle
Site Municipality: Halton Hills

Site: St. Lawrence Cement Inc. **Database:**
SPL

Dufferin Aggregates- Halton Hills Halton Hills ON

Ref NO: 7258-7D5M32
Contaminant Code: 15
Contaminant Name: TRANSMISSION OIL
Contaminant Quantity: 95 L
Incident Cause: Pipe Or Hose Leak
Incident Dt:
Incident Reason: Other - Reason not otherwise defined
Incident Summary: Dufferin Aggr.- 95L of transmission oil to gravel
MOE Reported Dt: 3/27/2008
Environmental Impact: Confirmed
Nature of Impact: Soil Contamination
Receiving Medium: Land Spills
SAC Action Class:
Sector Source Type:
Site Municipality: Halton Hills

Site: *lot 13 con 6 HORNBY ON* **Database:** **WWIS**
Well ID: 7118823 **Lot:** 013
Concession: 06 **Concession Name:** NS
County: HALTON **Municipality:** HALTON HILLS TOWN (TRAFalgar)
Easting Nad83: 594506 **Northing Nad83:** 4823806
Zone: 17 **Utm Reliability:** margin of error : 100 m - 300 m
Primary Water Use: Other **Construction Date:** 01-APR-08
Sec. Water Use:
Pump Rate:
Flow Rate:
Specific Capacity:
Construction Method: Boring
Elevation (m): 195.07 **Static Water Level:**
Depth to Bedrock: **Clear/Cloudy:**
Water Type: FRESH **Final Well Status:** Observation Wells
Flowing (y/n):
Elevation Reliability:
Overburden/Bedrock k:
Casing Material: Not stated

--- Details ---
Thickness: m **Original Depth:** m
Material Colour: SAND, SILT, TILL
+
Thickness: m **Original Depth:** m
Material Colour: BROWN **Material:** SILT, SAND

Appendix: Database Descriptions

*Ecolog Environmental Risk Information Services Ltd (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. Note: Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.*

Abandoned Aggregate Inventory:

Provincial AAGR

The MAAP Program maintains a database of all abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

*Government Publication Date: Sept 2002**

Aggregate Inventory:

Provincial AGR

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Mar 2015

Abandoned Mine Information System:

Provincial AMIS

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Oct 2014

Anderson's Waste Disposal Sites:

Private ANDR

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Automobile Wrecking & Supplies:

Private AUWR

This database provides an inventory of all known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 2001-Jul 2014

Borehole:

Provincial BORE

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2014

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Commercial Fuel Oil Tanks:

Provincial CFOT

Since May 2002, Ontario developed a new act where it became mandatory for fuel oil tanks to be registered with Technical Standards & Safety Authority (TSSA). This data would include all commercial underground fuel oil tanks in Ontario with fields such as location, registration number, tank material, age of tank and tank size.

Government Publication Date: 1948-Dec 2015

Chemical Register:

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1992, 1999-Jul 2014

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Feb 2014

Certificates of Property Use:

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994-Jan 2016

Drill Hole Database:

Provincial DRL

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886-Jun 2014

Environmental Activity and Sector Registry:

Provincial EASR

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 31 2011-Oct 2015

Environmental Registry:

Provincial EBR

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994-Jan 2016

Environmental Compliance Approval:

Provincial ECA

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 31, 2011-Jun 2015

Environmental Effects Monitoring:

Federal EEM

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

*Government Publication Date: 1992-2007**

ERIS Historical Searches:

Private EHS

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Aug 2014

Environmental Issues Inventory System:

Federal EIIS

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

*Government Publication Date: 1992-2001**

Emergency Management Historical Event:

Provincial EMHE

The Emergency Management Historical Event data class will store the locations of historical occurrences of emergency events. Events captured will include those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance.

Government Publication Date: May 31, 2014

List of TSSA Expired Facilities:

Provincial EXP

This is a list of all expired facilities that fall under the TSSA (TSSA Act & Safety Regulations), including the six regulations that exist under the Fuels Safety Division. It will include facilities such as private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc. These tanks have been removed and automatically fall under the expired facilities inventory held by TSSA.

Government Publication Date: Current to Nov 2015

Federal Convictions:

Federal FCON

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

*Government Publication Date: 1988-Jun 2007**

Contaminated Sites on Federal Land:

Federal FCS

The Federal Contaminated Sites Inventory includes information on all known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government.

Government Publication Date: June 2000-Oct 2015

Fisheries & Oceans Fuel Tanks:

Federal FOFT

Fisheries & Oceans Canada maintains an inventory of all aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sept 2003

Fuel Storage Tank:

Provincial FST

The Technical Standards & Safety Authority (TSSA), under the Technical Standards & Safety Act of 2000 maintains a database of registered private and retail fuel storage tanks in Ontario with fields such as location, tank status, license date, tank type, tank capacity, fuel type, installation year and facility type.

Government Publication Date: 2010-Nov 2015

Fuel Storage Tank - Historic:

Provincial FSTH

The Technical Standards & Safety Authority (TSSA), under the Technical Standards & Safety Act of 2000 maintains a database of registered private and retail fuel storage tanks in Ontario with fields such as location, tank status, license date, tank type, tank capacity, fuel type, installation year and facility type.

*Government Publication Date: Pre-Jan 2010**

Ontario Regulation 347 Waste Generators Summary:

Provincial GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-May 2015

TSSA Historic Incidents:

Provincial HINC

This database will cover all incidences recorded by TSSA with their older system, before they moved to their new management system. TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. The TSSA works to protect the public, the environment and property from fuel-related hazards such as spills, fires and explosions. This database will include spills and leaks from pipelines, diesel, fuel oil, gasoline, natural gas, propane and hydrogen recorded by the TSSA.

*Government Publication Date: 2006-June 2009**

Indian & Northern Affairs Fuel Tanks:

Federal IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of all aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

*Government Publication Date: 1950-Aug 2003**

TSSA Incidents:

Provincial INC

TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Includes incidents from fuel-related hazards such as spills, fires and explosions. This database will include spills and leaks from diesel, fuel oil, gasoline, natural gas, propane and hydrogen recorded by the TSSA.

Government Publication Date: June 2009 - Nov 2015

Landfill Inventory Management Ontario:

Provincial LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the ministry compiles new and updated information. The inventory will include small and large landfills. Additionally, each year the ministry will request operators of the larger landfills complete a landfill data collection form that will be used to update LIMO and will include the following information from the previous operating year. This will include additional information such as estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills will include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: 2012

Canadian Mine Locations:

Private MINE

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

*Government Publication Date: 1998-2009**

Mineral Occurrences:

Provincial MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Apr 2013

National Analysis of Trends in Emergencies System (NATES):

Federal NATE

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

*Government Publication Date: 1974-1994**

Non-Compliance Reports:

Provincial NCPL

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: 1994-2013

National Defence & Canadian Forces Fuel Tanks:

Federal NDFT

The Department of National Defence and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

*Government Publication Date: Up to May 2001**

National Defence & Canadian Forces Spills:

Federal NDSP

The Department of National Defence and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Aug 2010

National Defence & Canadian Forces Waste Disposal Sites:

Federal NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

*Government Publication Date: 2001-Apr 2007**

National Environmental Emergencies System (NEES):

Federal NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for all previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

*Government Publication Date: 1974-2003**

National PCB Inventory:

Federal NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. All federal out-of-service PCB containing equipment and all PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

*Government Publication Date: 1988-2008**

National Pollutant Release Inventory:

Federal NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-2013

Oil and Gas Wells:

Private OGW

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-2015

Ontario Oil and Gas Wells:

Provincial OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Aug 2015

Inventory of PCB Storage Sites:

Provincial OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders:

Provincial ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994-Jan 2016

Canadian Pulp and Paper:

Private PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009

Parks Canada Fuel Storage Tanks:

Federal PCFT

Canadian Heritage maintains an inventory of all known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

*Government Publication Date: 1920-Jan 2005**

Pesticide Register:

Provincial PES

The Ontario Ministry of Environment maintains a database of all manufacturers and vendors of registered pesticides.

Government Publication Date: 1988-Jun 2013

TSSA Pipeline Incidents:

Provincial PINC

TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. This database will include spills, strike and leaks from recorded by the TSSA.

Government Publication Date: June 2009-2014

Private and Retail Fuel Storage Tanks:

Provincial PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

*Government Publication Date: 1989-1996**

Permit to Take Water:

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994-Jan 2016

Ontario Regulation 347 Waste Receivers Summary:

Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-2013

Record of Site Condition:

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Jan 2016

Retail Fuel Storage Tanks:

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Jul 2014

Scott's Manufacturing Directory:

Private SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

*Government Publication Date: 1992-Mar 2011**

Ontario Spills:

Provincial SPL

This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Jun 2015

Wastewater Discharger Registration Database:

Provincial SRDS

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-2013

Anderson's Storage Tanks:

Private TANK

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

*Government Publication Date: 1915-1953**

Transport Canada Fuel Storage Tanks:

Federal TCFT

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970-Mar 2007

TSSA Variances for Abandonment of Underground Storage Tanks:

Provincial VAR

The TSSA, under the Liquid Fuels Handling Code and the Fuel Oil Code, all underground storage tanks must be removed within two years of disuse. If removal of a tank is not feasible, you may apply to seek a variance from this code requirement. This is a list of all variances granted for abandoned tanks.

Government Publication Date: Current to Nov 2015

Waste Disposal Sites - MOE CA Inventory:

Provincial WDS

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: 1970-Jun 2015

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial WDSH

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

*Government Publication Date: Up to Oct 1990**

Water Well Information System:

Provincial WWIS

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: 1955-Mar 2014

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries". All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and were included as reference.

APPENDIX C – Standard Conditions and Limitations

STANDARD LIMITATIONS

ENVIRONMENTAL INVESTIGATIONS and CHARACTERIZATION PROGRAMS

These Standard Limitations form part of the Report to which they are appended and any use of the Report is subject to them.

1. EXCLUSIVE USE BY CLIENT

This Report was prepared for the exclusive use of the client identified as the intended recipient. Any use of the Report by any other party without the written consent of MMM Group Limited is the sole responsibility of such party. MMM Group Limited accepts no responsibility for damages that may be suffered by any third party as a result of decisions made or actions taken based on the Report.

2. SCOPE, TERMS AND CONDITIONS OF CONTRACT

The observations and investigations (hereinafter referred to as the "Work") upon which this Report is based were carried out in accordance with the scope, terms and conditions of the contract or the proposal pursuant to which the Work was commissioned. The conclusions presented in the Report are based solely upon the scope of services described in the contract or the proposal and governed by the time and budgetary constraints imposed by them.

3. STANDARD OF CARE

The principles, procedures and standards relevant to the nature of the services performed are not universally the same. The Work has been carried out in accordance with generally accepted environmental study and/or professional practices, industry standards and environmental regulations, where applicable. No other warranties are either expressed or implied with respect to the professional services provided under the terms of the contract or the proposal and represented in this Report.

4. SCOPE OF THE WORK

This Report may be based in part on information obtained at discrete sampling and/or monitoring locations. The conditions reported herein were those encountered at the subject property at the time the Work was performed and as present at the discrete sampling/monitoring locations, if any.

Conditions between sampling/monitoring locations may be different than those encountered at the sampling/monitoring locations and MMM Group Limited is not responsible for such differences.

5. REASONABLE CONCLUSIONS

The conclusions contained in this Report are based on the Work and may also consider a review of information from other sources as identified in the Report. The accuracy of information from other sources was not verified unless specifically noted in the Report, nor was it determined if the reviewed information constituted all information that exists and pertains to the subject property.

The conclusions made are based on reasonable and professional interpretation of the information considered. If additional information concerning conditions of relevance to this Report is obtained during future work at the subject property, MMM Group Limited should be notified in order that we may determine if modifications to the conclusions presented in this Report are necessary.

6. REPORT AS A COMPLETE DOCUMENT

This Report must be read as a whole and sections taken out of context may be misleading. If discrepancies occur between the preliminary (draft) and final versions of the Report, the final version of the report shall take precedence.

7. LIMITS OF LIABILITY

MMM Group Limited's liability with respect to the Work is limited to re-performing, without cost, any part of the Work that is unacceptable solely as a result of failure to comply with industry standards. MMM Group Limited's maximum liability is limited to the amount of its fee received for the Work, provided that notice of claim is made within one year of the date of delivery of the Report.

